

*Light is Life*



## EXPORT CATALOG

Kendal Elektrik was started its activities in the electrical materials industry in 1998, continues its production with 240 employee in an area of 22.000 square meters.

Kendal Elektrik is %100 Turkish capital and produces it's products according to the world standards with automation-based latest technology machinery.

Kendal Elektrik, which follows the technological developments meticulously, realizes the production of molds that give life to the products in its own structure. Therefore, metal molds get real product forms in the field of injection production and take the first step in being a full product. Kendal Elektrik, which sees the mission of spreading robot technology to all processes of production and integrating with each other with its flawless and high quality production approach, continues to increase its investments in accordance with the sector and customer expectations with 22000 square meters automation area.

Beside the LED Bulb, which is the main artery of the sector, it produces LED panels, LED spots and LED projectors and has the privilege of offering many product groups that customers need in the market under one roof.

Kendal Elektrik is the first LED filament and LED rustic bulb manufacturer in Türkiye, Europe and Middle East.

Kendal Elektrik has been increasing its capability every year with its growing product range and the investments made accordingly and adds strength to it's strength in the market.

Kendal Elektrik is a the market leader in the domestic production of LED Bulbs Sector with it is LED Bulbs production capacity and prevalence.

Kendal Elektrik has a respectable place, with the principles of correct product, correct time and correct price, just in time delivery, perfectness, minimum waste, strong pre-sales and after-sales activities, continuous improvement, environmentally-conscious, respectful to the employee rights with the principle of quality first on all of its products and services.

Through the choice of professionals and Increasing the range of TSE standard products with each passing day, Kendal Elektrik designs and implements many product groups that the industry needs in coordination with its R&D center with a competitive understanding. The TSE products in this group are tested in the accredited laboratory within our organization and are offered to the market in a hundred percent safe way. With the automation team established in R&D in 2013, it has reshaped not only the product but also the automation based production processes. with our TSE documents, it is making great efforts to spread the culture of innovation based on innovation within the organization.

Kendal Elektrik aims to get rank among the top 10 companies in terms of turnover in Asia, Europe and Africa markets and to be the leader in the domestic market.


Through more than 25 years of experience , 100% Turkish capital and the investments which it made and will make Kendal Elektrik is rapidly approaching its goal of becoming a global brand in the future.

Best Regards





# THE BIGGEST LIGHTING MANUFACTURER OF TÜRKİYE









Aluminium  
Heat Isolation  
Cooling System



160-260V



LED BULBS (IC DRIVER)

Item Code	Body	Power (W)	Color (K)	Lumen	Base	Box Qty
KES120	A55	5W	6500K	500	E27	100
KES122	A60	10W	3000K-4000K-6500K	820	E27	100
KES123	A60	12W	3000K-4000K-6500K	1150	E27	100



LED BULBS

Item Code	Body	Power (W)	Color (K)	Lumen	Base	Box Qty
KES180	A60	8W	3000K-4000K-6500K	800	E27	100
KES181	A60	9W	3000K-4000K-6500K	900	E27	100
KES186(DİM)	A60	9W	3000K-4000K-6500K	900	E27	100
KES185	A60	12W	3000K-4000K-6500K	1050	E27	100
KES182	A60	14W	3000K-4000K-6500K	1400	E27	100
KES187	A70	18W	3000K-4000K-6500K	1800	E27	100




LED BULBS

Item Code	Body	Power (W)	Color (K)	Lumen	Base	Box Qty
KES170	A60	9.5W	3000K-4000K-6500K	780	E27	100
KES171	A60	12W	3000K-4000K-6500K	1000	E27	100
KES172	A60	15W	3000K-4000K-6500K	1250	E27	100
KES173	A60	18W	3000K-4000K-6500K	1500	E27	100


Aluminium  
Heat Isolation  
Cooling System




160-260V




KES130




KES131



KES132



KES133



KES134



## LED T BULBS

Item Code	Body	Power(W)	Color (K)	Lumen	Base	Box Qty
KES130	T80	20W	3000K-4000K-6500K	1800	E27	50
KES131	T100	30W	3000K-4000K-6500K	2700	E27	50
KES132	T120	40W	3000K-4000K-6500K	3600	E27	30
KES133	T140	50W	3000K-4000K-6500K	4500	E27	20
KES134	T160	60W	3000K-4000K-6500K	5400	E27	20



NEW

## LED T BULBS

Item Code	Power(W)	Color (K)	Lumen	Base	Box Qty
GES 230	20W	3000K-6500K	1650	E27	50
GES 231	30W	3000K-6500K	2500	E27	50
GES 232	40W	3000K-6500K	3350	E27	30
GES 233	50W	3000K-6500K	4150	E27	20






LED CANDLE BULBS



Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES205	5W	3000K-4000K-6500K	450	E14	100
KES209	8W	3000K-4000K-6500K	720	E14	100
KES183 (DOB)	5W	3000K-4000K-6500K	500	E14	100
KES184 (DOB)	7W	3000K-4000K-6500K	700	E14	100



Aluminium / Heat Isolation / Cooling System

170-240V




LED TAILED BULBS



NEW

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES206	5W	3000K-4000K-6500K	450	E14	100
KES210	7W	3000K-4000K-6500K	700	E14	100



Aluminium / Heat Isolation / Cooling System


170-240V



LED BALL BULB ( A45 )



Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES207	5W	3000K-4000K-6500K	450	E27	100



Aluminium / Heat Isolation / Cooling System


170-240V



LED BALL BULB ( P45 )



Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES208	5W	3000K-4000K-6500K	450	E14	100




Aluminium / Heat Isolation / Cooling System

170-240V



LED TUBE & LED TUBE WITH RADAR SENSOR



RADAR SENSOR

NEW

Item Code	Power (W)	Color (K)	Lumen	Cover	Box Qty
KFL118	10W	3000K-4000K-6500K	900	PC Plastic	50
KFL136	20W	3000K-4000K-6500K	1800	PC Plastic	50
KFL136SE	20W	3000K-6500K	1800	PC Plastic	50
KFL118C	10W	3000K-4000K-6500K	900	Glass	50
KFL136C	20W	3000K-4000K-6500K	1800	Glass	50
KFL146C	24W	3000K-4000K-6500K	2500	Glass	50

Double End Function Supply / Ballast Function

170-240V



Aluminium  
Heat Isolation  
Cooling System



160-260V




## LED SPOT BULBS

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES046B	5W	3000K-4000K-6500K	450	G5.3	100
KES047B	7W	3000K-4000K-6500K	630	G5.3	100
KES046	5W	3000K-4000K-6500K	450	GU10	100
KES047	7W	3000K-4000K-6500K	630	GU10	100

Aluminium  
Heat Isolation  
Cooling System



160-260V



## LED SPOT BULBS WITH LENS

Item Code	Power (W)	Color (K)	Lumen	Dim.	Base	Box Qty
KES048B	5W	3000K-4000K-6500K	400	None	G5.3	100
KES049B	7W	3000K-4000K-6500K	630	None	G5.3	100
KES048	5W	3000K-4000K-6500K	400	None	GU10	100
KES049	7W	3000K-4000K-6500K	630	None	GU10	100
KES049D(DIM)	7W	3000K-4000K-6500K	630	Yes	GU10	100
KES049R	7W		630	None	GU10	100







170-240V

RGB Remote Control





IC DRIVER  
Aluminium  
Heat Isolation  
Cooling System

LED RGB BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES300	9W	RGB	720	E27	100



170-240V



KES301



KES302

SMART BULBS

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES301	9W	RGB	850	E27	100
KES302	12W	RGB	1050	E27	100



12-48 V AC/DC



KES223  
KES224  
KES222


IC DRIVER  
Aluminium  
Heat Isolation  
Cooling System

12 - 24 V LED BULBS

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES223	9W (12V)	3000K-4000K-6500K	750	E27	100
KES224	9W (24V)	3000K-4000K-6500K	810	E27	100
KES222	9W (12-48V)	3000K-6500K	720	E27	100



170-240V



KES093  
KES094


IC DRIVER  
Aluminium  
Heat Isolation  
Cooling System

LED BULBS WITH RADAR SENSOR

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES093	7W	6500K	630	E27	100
KES094	9W	6500K	800	E27	100



170-240V



120 mm  
KES400

185 mm  
KES402

LED UFO BULBS

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES400	20W	3000K-6500K	1800	E27	100
KES402	36W	3000K-6500K	2800	E27	40



220-240V

With Rechargeable Battery

3 hrs. / 2835



KES071



KES072



KES073

LED BULBS WITH RADAR SENSOR

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES071	7W	6500K	500	E27	100
KES072	9W	6500K	550	E27	50
KES073	20W	6500K	1280	E27	20






## LED TAILED FILAMENT BULBS

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES498	4W	2700K	470	E14	100
KES498	4W	6500K	500	E27	100

GLASS  
IC DRIVER  
TRANSPARENT COVER  
C35L

160-260V




## LED CANDLE FILAMENT BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES499	4W	2700K-6500K	440	E14	100

GLASS  
IC DRIVER  
TRANSPARENT COVER  
C35

160-260V




## LED TAILED RUSTIC BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES600	4W	2700K	440	E14	100

GLASS  
IC DRIVER  
YELLOW COVER  
C35L

160-260V




## LED CANDLE RUSTIC BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES601	4W	2700K	430	E14	100

GLASS  
IC DRIVER  
YELLOW COVER  
C35

160-260V




## LED FILAMENT BULBS

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES501	6W	2700K-6500K	680	E27	100
KES502	8W	2700K-6500K	820	E27	100

GLASS  
IC DRIVER  
TRANSPARENT COVER  
A60


160-260V






**LED FILAMENT BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES497	4W	2700K-6500K	440	E27	100



GLASS  
IC DRIVER  
TRANSPARENT COVER  
G45


**LED RUSTIC BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES602	4W	2700K	430	E27	50



GLASS  
IC DRIVER  
YELLOW COVER  
G45


**LED RUSTIC BULBS**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES603	6W	2700K	600	E27	100
KES604	8W	2700K	800	E27	100



GLASS  
IC DRIVER  
YELLOW COVER  
A60


**LED FILAMENT BULBS**


Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES505	6W	2700K-6500K	680	E27	100
KES515	8W	2700K-6500K	800	E27	100



GLASS  
IC DRIVER  
TRANSPARENT COVER  
ST64


**LED FILAMENT BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES506	6W	2700K-6500K	660	E27	50



GLASS  
IC DRIVER  
TRANSPARENT COVER  
G95







## LED FILAMENT BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES507	8W	2700K-6500K	800	E27	50

GLASS  
IC DRIVER  
TRANSPARENT COVER  
G125



160-260V





## LED RUSTIC BULBS

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES616	4W	2700K	440	E27	100
KES605	6W	2700K	540	E27	100
KES615	8W	2700K	800	E27	100

GLASS  
IC DRIVER  
YELLOW COVER  
ST64



160-260V




## LED RUSTIC BULBS

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES617	4W	2700K	440	E27	50
KES606	6W	2700K	540	E27	50

GLASS  
IC DRIVER  
YELLOW COVER  
G95



160-260V




## LED RUSTIC BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES607	8W	2700K	800	E27	50

GLASS  
IC DRIVER  
YELLOW COVER  
G125




160-260V






LED FILAMENT BULBS

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES620	4W	2700K-6500K	440	E27	100
KES621	6W	2700K-6500K	540	E27	100




GLASS  
IC DRIVER  
FILAMENT  
DIMMABLE  
A60



LED RUSTIC BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES632	6W	2700K	540	E27	100



GLASS  
IC DRIVER  
RUSTIC  
DIMMABLE  
ST64




LED RUSTIC BULBS

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES630	4W	2700K	440	E27	100
KES631	6W	2700K	540	E27	100




GLASS  
IC DRIVER  
RUSTIC  
DIMMABLE  
A60



LED RUSTIC BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES633	6W	2700K	660	E27	50




GLASS  
IC DRIVER  
RUSTIC  
DIMMABLE  
G95



LED RUSTIC BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES634	8W	2700K	800	E27	50



GLASS  
IC DRIVER  
RUSTIC  
DIMMABLE  
G125





170-240V



KES119  
IC DRIVER  
Aluminium  
Heat Isolation  
Cooling System

LED COLORED BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES119	5W	● ● ● ●	420	E27	100



220-240V



LED NIGHT BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KNL380	1W	○ ● ● ● ●	-	E27	200



170-240V




LED FAN BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES471	45W	3000K-6500K	4000	E27	100



170-240V




LED BALL BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES475	30W	3000K-6500K	3000	E27	50



220-240V



LED FLAME BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES460	5W	1700K	300	E27	100



85-260V

- Stage Type / Movable  
Led Bulb  
- 360° Rotation




DISCO BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES178	3W	RGB	270	E27	50



220-240V



STICK BULB

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES191	6W	3000K-6500K	420	E14	100
KES192	9W	3000K-6500K	630	E14	100
KES193	7W	3000K-6500K	490	E27	100
KES194	10W	3000K-6500K	700	E27	100
KES195	12W	3000K-6500K	840	E27	100



220-240V



REFRIGERATOR BULB



Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES003	3W	3000K-6500K	200	E14	1000
KES021	2W	3000K-6500K	120	E14	1000

NEW

NEW




12V



**SMD LED G4 BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES104	2W	3000K-6500K	160	G4	1000

220-240V



**SMD LED G4 BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES001	3W	3000K-6500K	200	G4	1000

NEW

12V




**SMD LED G4 BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES022	2W	3000K-6500K	95	G4	1000

NEW

12V



**SMD LED G4 BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES007	2W	3000K-6500K	90	G4	1000

NEW

220-240V




**SMD LED G4 BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES006	2W	3000K-6500K	90	G4	1000

NEW

220-240V




**SMD LED G4 BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES008	4W	3000K-6500K	250	G4	1000

NEW

220-240V



**SMD LED G9 BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES110	3W	3000K-6500K	200	G9	1000

220-240V



**COB LED G9 BULB**

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES010	3W	3000K-6500K	200	G9	1000
KES016	5W	3000K-6500K	270	G9	1000

NEW

ALUMINIUM BODY  
SMD 2835 Led Chip  
PS LGP 3 mm



160-260V



### ROUND SLIM LED PANELS



Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL404	3W	3000K-4000K-6500K	255	90
KDL400	6W	3000K-4000K-6500K	510	50
KDL405	9W	3000K-4000K-6500K	765	30
KDL401	12W	3000K-4000K-6500K	1020	20
KDL402	15W	3000K-4000K-6500K	1200	20
KDL403	18W	3000K-4000K-6500K	1440	20
KDL407	24W	3000K-4000K-6500K	1920	20



ALUMINIUM BODY  
SMD 2835 Led Chip  
PS LGP 3 mm




160-260V



### SQUARE SLIM LED PANELS




Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL410	3W	3000K-4000K-6500K	255	90
KDL411	6W	3000K-4000K-6500K	510	50
KDL412	12W	3000K-4000K-6500K	1020	20
KDL413	15W	3000K-4000K-6500K	1200	20
KDL409	18W	3000K-4000K-6500K	1440	20
KDL424	24W	3000K-4000K-6500K	1700	20



PLASTIC DOWNLIGHT BODY  
SMD 2835 Led Chip  
PS LGP 3 mm



160-260V



SLIM PLASTIC LED BACKLIGHT PANELS

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL450	4W	3000K-4000K-6500K	400	50
KDL451	6W	3000K-4000K-6500K	600	50
KDL452	12W	3000K-4000K-6500K	1200	20
KDL453	18W	3000K-4000K-6500K	1800	20
KDL454	24W	3000K-4000K-6500K	2400	20

ALUMINIUM BLACK BODY  
SMD 2835 Led Chip  
PS LGP 3 mm



160-260V



BLACK BODY SLIM LED PANELS

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL404B	3W	3000K-4000K-6500K	255	90
KDL400B	6W	3000K-4000K-6500K	510	50
KDL405B	9W	3000K-4000K-6500K	765	30
KDL401B	12W	3000K-4000K-6500K	1020	20
KDL402B	15W	3000K-4000K-6500K	1200	20
KDL403B	18W	3000K-4000K-6500K	1440	20
KDL407B	24W	3000K-4000K-6500K	1920	20

ALUMINIUM SATIN BODY  
SMD 2835 Led Chip  
PS LGP 3 mm



160-260V



SATIN BODY SLIM LED PANELS

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL404S	3W	3000K-4000K-6500K	255	90
KDL400S	6W	3000K-4000K-6500K	510	50
KDL401S	12W	3000K-4000K-6500K	1020	20
KDL402S	15W	3000K-4000K-6500K	1200	20
KDL403S	18W	3000K-4000K-6500K	1440	20



ALUMINIUM BODY  
SMD 2835 Led Chip  
PS LGP 3 mm



160-260V





### ROUND SURFACE LED PANELS

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL420	6W	3000K-4000K-6500K	510	50
KDL421	12W	3000K-4000K-6500K	1020	20
KDL422	18W	3000K-4000K-6500K	1440	20
KDL423	24W	3000K-4000K-6500K	1920	20

ALUMINIUM BODY  
SMD 2835 Led Chip  
PS LGP 3 mm



160-260V



### SQUARE SURFACE LED PANELS

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL430	6W	3000K-4000K-6500K	510	50
KDL431	12W	3000K-4000K-6500K	1020	20
KDL432	18W	3000K-4000K-6500K	1440	20
KDL433	24W	3000K-4000K-6500K	1920	20







160-260V



ALUMINIUM BLACK BODY  
SMD 2835 Led Chip  
PS LGP 3 mm

**BLACK BODY ROUND SURFACE LED PANELS**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL420B	6W	3000K-4000K-6500K	510	50
KDL421B	12W	3000K-4000K-6500K	1020	20
KDL422B	18W	3000K-4000K-6500K	1440	20
KDL423B	24W	3000K-4000K-6500K	1920	20




160-260V



ALUMINIUM BLACK BODY  
SMD 2835 Led Chip  
PS LGP 3 mm

**BLACK BODY SQUARE SURFACE LED PANELS**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL430B	6W	3000K-4000K-6500K	510	50
KDL431B	12W	3000K-4000K-6500K	1020	20
KDL432B	18W	3000K-4000K-6500K	1440	20
KDL433B	24W	3000K-4000K-6500K	1920	20



SMD 2835 Led Chip  
PS LGP 3 mm



160-260V



DOWNLIGHT



BLUE IN NIGHT MODE


SURFACE



BLUE IN NIGHT MODE

**DOUBLE COLOR LED PANELS ( 3 FUNCTION )**

Item Code	Body Type	Power (W)	Color (K)	Lumen	Box Qty
KDL440	Downlight	4W+3W	3000K-6500K	580	50
KDL441	Downlight	6W+4W	3000K-6500K	850	30
KDL442	Downlight	12W+6W	3000K-6500K	1300	20
KDL443	Downlight	20W+6W	3000K-6500K	2020	20
KDL444	Surface	12W+4W	3000K-6500K	1800	20
KDL445	Surface	18W+6W	3000K-6500K	2200	20



IRON BODY / PLASTIC COVER  
SMD 2835 Led Chip






160-260V



FRAMELESS



ADJUSTABLE



SLIM LED FRAMELESS PANELS

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL465	9W	3000K-4000K-6500K	900	20
KDL466	18W	3000K-4000K-6500K	1800	20
KDL467	24W	3000K-4000K-6500K	2400	20
KDL468	36W	3000K-4000K-6500K	3600	20


IRON BODY / PLASTIC FRAME  
SMD 2835 Led Chip



160-260V



ADJUSTABLE



SLIM LED PANELS WITH FRAME

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL485	6W	3000K-4000K-6500K	360	50
KDL486	8W	3000K-4000K-6500K	560	30
KDL487	15W	3000K-4000K-6500K	1100	20
KDL488	20W	3000K-4000K-6500K	1600	20







175-265V

60x60  
DOWNLIGHT  
LED PANEL

SMD 2835 Lens



SLIM BACKLIGHT PANELS





Item Code	Power (W)	Color (K)	Lumen	Box Qty
GDL418	40W	3000K-4000K-6500K	3600	6
GDL419	48W	3000K-4000K-6500K	4200	6



175-265V

60x60  
DOWNLIGHT  
LED PANEL

SMD 2835 Lens



SLIM BACKLIGHT PANELS



Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL4140-1	36W	3000K-4000K-6500K	<b>HIGH LUMEN</b> 4200	6
KDL4140	36W	3000K-4000K-6500K	3600	6





85-265V

30x30  
DOWNLIGHT  
LED PANEL



30x30  
CLIPIN  
FRAME

GDL414  
Backlight 30x30  
P S LGP 2mm  
SMD 4014 Led Chip



30x30  
CLIPIN  
FRAME

KDL414  
Slim 30x30  
P S LGP 2mm  
SMD 4014 Led Chip

KDL414: 30 cm  
30 cm

GDL414: 30 cm  
30 cm


### SLIM BACKLIGHT PANELS

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KDL414	18W	3000K-4000K-6500K	1500	10
GDL414	25W	3000K-4000K-6500K	2300	10



175-265V

DOWNLIGHT  
LED PANEL



30x60  
CLIPIN  
FRAME

GDL415  
Backlight 30x60  
P S LGP 2mm  
SMD 4014 Led Chip



30x120  
CLIPIN  
FRAME

GDL425  
Backlight 30x120  
P S LGP 2mm  
SMD 4014 Led Chip

GDL415: 30 cm  
60 cm

GDL425: 30 cm  
120 cm

### SLIM BACKLIGHT PANELS

Item Code	Power (W)	Color (K)	Lumen	Box Qty
GDL415	25W	3000K-4000K-6500K	2300	10
GDL425	40W	3000K-4000K-6500K	4000	6








175-265V

60x60  
DOWNLIGHT  
LED PANEL




SLIM BACKLIGHT PANELS

Item Code	Power (W)	Lumen	Description	Box Qty
KDL4140-ENEC40W	40W	4000	60x60 6500K WITH EAGLERISE DRIVER	10
KDL4140-K240W	40W	4000	60x60 6500K WITH K2 DRIVER	10
KDL4140-PHL40W	40W	4000	60x60 6500K WITH PHILIPS DRIVER	10
KDL4140-ENEC40W	40W	4000	60x60 3000K EAGLERISE DRIVER	10
KDL4140-K240W	40W	4000	60x60 3000K WITH K2 DRIVER	10
KDL4140-PHL40W	40W	4000	60x60 3000K WITH PHILIPS DRIVER	10
KDL4140-ENEC40W	40W	4000	60x60 4000K WITH EAGLERISE DRIVER	10
KDL4140-K240W	40W	4000	60x60 4000K WITH K2 DRIVER	10
KDL4140-PHL40W	40W	4000	60x60 4000K WITH PHILIPS DRIVER	10

175-265V

30x30  
DOWNLIGHT  
LED PANEL


30x60  
DOWNLIGHT  
LED PANEL



SLIM BACKLIGHT PANELS

Item Code	Power (W)	Lumen	Description	Box Qty
KDL4140-ENEC25W	25W	2500	30x30 6500K WITH EAGLERISE DRIVER	10
KDL4140-PHL25W	25W	2500	30x30 6500K WITH PHILIPS DRIVER	10
KDL4140-ENEC25W	25W	2500	30x30 3000K WITH EAGLERISE DRIVER	10
KDL4140-PHL25W	25W	2500	30x30 3000K WITH PHILIPS DRIVER	10
KDL4140-ENEC25W	25W	2500	30x30 4000K WITH EAGLERISE DRIVER	10
KDL4140-PHL25W	25W	2500	30x30 4000K WITH PHILIPS DRIVER	10
KDL4140-ENEC30W	30W	3000	30x60 6500K WITH EAGLERISE DRIVER	10
KDL4140-PHL30W	30W	3000	30x60 6500K WITH PHILIPS DRIVER	10
KDL4140-ENEC30W	30W	3000	30x60 3000K WITH EAGLERISE DRIVER	10
KDL4140-PHL30W	30W	3000	30x60 3000K WITH PHILIPS DRIVER	10
KDL4140-ENEC30W	30W	3000	30x60 4000K WITH EAGLERISE DRIVER	10
KDL4140-PHL30W	30W	3000	30x60 4000K WITH PHILIPS DRIVER	10







## SURFACE MOUNTED PANEL FRAMES



Item Code	Size	Box Qty
HAN013A	60x60 ( Final Item )	10
HAN013B	60x60 ( Dissassembled )	60
HAN016	30x30 ( Dissassembled )	120

1 mm Thickness  
Suitable for Backlight Panels






## CLIPIN SLIM BACKLIGHT PANEL FRAMES

Item Code	Size	Box Qty
HAN013C	60x60 ( Clipin )	20
HAN015	30x30 ( Clipin )	40




## SURFACE MOUNTED PANEL FRAMES

Item Code	Size	Box Qty
HAN021	30x60 ( Dissassembled )	72
HAN022	30x120 ( Dissassembled )	20



## DRYWALL PANEL FRAME


Item Code	Size	Box Qty
HAN013D	60x60 ( Drywall )	20





LED FLOOD LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KLF610	10W	○ ● ●	900	50
KLF610	10W	● ● ●	900	50



220-240V




IP65

SMD 2835



LED FLOOD LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KLF611	20W	○ ● ●	1700	30
KLF611	20W	● ● ●	1700	30



220-240V




IP65

SMD 2835



LED FLOOD LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KLF612	30W	○ ● ●	2550	30
KLF612	30W	● ● ●	2550	30



220-240V




IP65

SMD 2835



LED FLOOD LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KLF613	50W	○ ● ●	4000	20
KLF613	50W	● ● ●	4000	20



220-240V




IP65

SMD 2835



LED FLOOD LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KLF614	100W	○ ●	8000	5
KLF614	100W	●	8000	5



220-240V



IP65

SMD 2835



220-240V




IP65

SMD 2835

### LED FLOOD LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KLF615	150W	○ ●	12000	5
KLF615	150W	●	12000	5



220-240V




IP65

SMD 2835

### LED FLOOD LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KLF176 Plus	150W	○ ●	12000	1
KLF176 Plus	150W	●	12000	1



220-240V




IP65

SMD 2835

### LED FLOOD LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KLF177 Plus	200W	○ ●	16000	1
KLF177 Plus	200W	●	16000	1
KLF178 Plus	300W	○ ●	24000	1
KLF178 Plus	300W	●	24000	1



220-240V





IP65

SMD 2835

### LED FLOOD LIGHT WITH SENSOR

Item Code	Power (W)	Color	Lumen	Box Qty
KLF159B	30W	○ ●	2400	20
KLF160B	50W	○ ●	4000	10



### LED FLOOD LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KLF2060	60W	3000K-4000K-6500K	6000	5
KLF2100	100W	3000K-4000K-6500K	10000	5
KLF2150	150W	3000K-4000K-6500K	15000	5
KLF2200	200W	3000K-4000K-6500K	20000	5




220-240V


IP65

SMD 2835



**LED FLOOD LIGHT**

**SMD 2835**
**IP65**
**220-240V**






Item Code	Power (W)	Color	Lumen	Box Qty
KLF190	10W	○ ● ●	900	50
KLF190	10W	● ●	900	50
KLF191	20W	○ ● ●	1700	20
KLF191	20W	● ●	1700	20
KLF192	30W	○ ● ●	2550	10
KLF192	30W	● ●	2550	10
KLF193	50W	○ ● ●	4000	10
KLF193	50W	● ●	4000	10
KLF195	100W	○ ●	8000	10
KLF195	100W	●	8000	10
KLF196	150W	○ ●	12000	5
KLF196	150W	●	12000	5
KLF197	200W	○ ●	16000	5
KLF197	200W	●	16000	5
KLF198	300W	○ ●	24000	5
KLF198	300W	●	24000	5


**LED FLOOD LIGHT**

**KLF180**

Item Code	Power (W)	Color	Lumen	Box Qty
KLF180	50W	○ ●	4000	5
KLF181	100W	○ ●	8000	5
KLF182	150W	○ ●	12000	5
KLF183	200W	○ ●	16000	5

**220-240V**

**IP65**
**Driver 0.9PF SMD 2835**

**KLF181**

**KLF182**

**KLF183**

**ECO LED FLOOD LIGHT**

**GLOBAL**

Item Code	Power (W)	Color	Lumen	Box Qty
GLF292	50W	○ ●	3500	10
GLF293	100W	○ ●	7000	10
GLF295	200W	○ ●	14000	10
GLF296	300W	○ ●	21000	5
GLF297	400W	○ ●	24000	5

**NEW**

**220-240V**
**IP65**
**SMD 2835**



## RAIL SPOT FIXTURES



Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KTL142	15W	3000K-4000K-6500K	1800	White	30
KTL143	15W	3000K-4000K-6500K	1800	Black	30




KTL139	25W	3000K-4000K-6500K	2700	Black	20
KTL144	30W	3000K-4000K-6500K	2700	White	20




KTL148	35W	3000K-6500K	2700	Black	20
KTL149	35W	3000K-4000K-6500K	2700	White	20



KTL142-143



KTL144



KTL139




KTL148-149



## ECO RAIL SPOT FIXTURES




Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KTL180	30W	3200K-6400K	1800	Black	30
KTL181	30W	3200K-6400K	1800	White	30




## DECORATIVE RAIL SPOTS




Item Code	Color	Box Qty	Base
KTL200	White-Chrome	50	GU10
KTL201	White-Rose	50	GU10
KTL202	Black-Chrome	50	GU10
KTL203	Black-Rose	50	GU10



## DECORATIVE RAIL SPOTS



Item Code	Color	Box Qty	Base
KDA870	White-Chrome	50	GU10
KDA871	Black-Rose	50	GU10






%100 Aluminium  
%100 Copper


**MONOPHASE RAIL ( 100 % COPPER )**

Item Code	Meter	Color	Box Qty
KRS101	1mt	Black-White	20
KRS102	2mt	Black-White	20
KRS103	3mt	Black-White	20



**MONOPHASE RAIL**

Item Code	Meter	Color	Box Qty
KRS111	1mt	Black-White	20
KRS112	2mt	Black-White	20
KRS113	3mt	Black-White	20



**MONOPHASE CONNECTION ACCESSORY**

Item Code	Color	Box Qty
KRS105	Black	50
KRS105	White	50



**MONOPHASE SOCKET**

Item Code	Color	Box Qty
KRS104	Black	100
KRS104	White	100



**MONOPHASE CORNER ACCESSORY**

Item Code	Color	Box Qty
KRS108	Black	50
KRS108	White	50



**MONOPHASE ACCESSORY**

Item Code	Color	Box Qty
KRS109	Black	50
KRS109	White	50



**HANGING SET**

Item Code	Description	Box Qty
HAN011	Rail Hanging Acc.	50
KRS114	Energy Input-Black	50

- 2 pcs 1mt Steel Cabo
- Stainless Steel Plate
- Screw Set



**HANGING SET**


Item Code	Description	Box Qty
KRS135	Hanging Acc.	250

48V  
OSRAM LED CHIPS INSIDE  
Aluminium



MAGNET FIXTURE WITH DIFFUSER

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KTL159	10W	3000K-4000K-6500K	500	50
KTL160	12W	3000K-4000K-6500K	600	50
KTL160D	12W	3000K-4000K	600	50
KTL161	24W	3000K-4000K-6500K	1200	50
KTL162	36W	3000K-4000K-6500K	1800	25
KTL163	48W	3000K-4000K-6500K	2400	25




48V  
OSRAM LED CHIPS INSIDE  
Aluminium




MAGNET FIXTURE WITH LENS

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KTL164	6W	3000K-4000K-6500K	300	100
KTL165	12W	3000K-4000K-6500K	600	50
KTL166	18W	3000K-4000K-6500K	900	50
KTL167	24W	3000K-4000K-6500K	1200	50
KTL164D	6W	3000K-4000K	300	100
KTL165D	12W	3000K-4000K	600	50
KTL166D	18W	3000K-4000K	900	50
KTL167D	24W	3000K-4000K	1200	50



Item Code	Power (W)	Color (K)	Lumen	Box Qty
KTL168	6W	3000K-4000K-6500K	300	50
KTL169	12W	3000K-4000K-6500K	600	50
KTL169D	12W	3000K-4000K	600	50




48V  
OSRAM LED CHIPS INSIDE  
Aluminium



COB MAGNET RAIL SPOT

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KTL170	10W	3000K-4000K-6500K	500	50
KTL171	20W	3000K-4000K-6500K	1000	50
KTL170D	10W	3000K-4000K	500	50
KTL171D	20W	3000K-4000K	1000	50




48V  
OSRAM LED CHIPS INSIDE  
Aluminium




COB MAGNET RAIL SPOT

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KTL172	6W	3000K-4000K-6500K	300	25
KTL173	12W	3000K-4000K-6500K	600	25
KTL172D	6W	3000K-4000K	300	25
KTL173D	12W	3000K-4000K	600	25





- Aluminum
- 0.6mm Copper Cable
- Plastic Cover



4 in 1

**MAGNET ACCESSORIES**

Item Code	Description	Box Qty
KRS131	4 Function	10
KRS132	4 Function	10
KRS133	4 Function	10


- Aluminum
- DC48V



**HORIZONTAL CORNER ACCESSORY**

Item Code	Description	Box Qty
KRS131L	Recessed Acc.	50

- Aluminum
- DC48V



**VERTICAL CORNER ACCESSORY**


Item Code	Description	Box Qty
KRS132L	Recessed Acc.	50



**MAGNET ARROW ACCESSORY**

Item Code	Description	Box Qty
KRS134	Recessed Acc.	2000


- With Screw Set



**RAIL CONNECTION ACCESSORY**

Item Code	Description	Box Qty
KRS131B	Connection Acc.	200

- 4 pcs Installation Plates
- Screw Set



**INSTALLATION ACCESSORY SET**


Item Code	Description	Box Qty
KRS136	Installation Set	200



**CONDUCTIVE MODULE WITH 2 PIN**

Item Code	Description	Box Qty
KRS137	Corner Module	250
KRS138	Corner Module	250
KRS139	External Power Supply	250

- Copper & PC Plastic
- DC48V




**CONDUCTIVE MODULE WITH 4 PIN**

Item Code	Description	Box Qty
KRS137D	Dimmable	100
KRS138D	Dimmable	100
KRS139D	Dimmable Corner Module	100




- Copper & PC Plastic
- DC48V





LED SPOT FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KDL113	5W	3000K-4000K-6500K	350	Black-Silver	20
KDL110	5W	3 FUNCTION	350	Black-Silver	20
KDL112	5W	3000K-4000K-6500K	350	White-Silver	20
KDL109	5W	3 FUNCTION	350	White-Silver	20
KDL114	5W	3000K-4000K-6500K	350	White-Gold	20
KDL111	5W	3 FUNCTION	350	White-Gold	20




170-240V



ALUMINIUM EMPTY SPOT

Item Code	Base	Body	Box Qty
KDA857	GU 5.3 -GU10	Black	100
KDA858	GU 5.3 -GU10	White	100




ALUMINIUM EMPTY SPOT

Item Code	Base	Body	Box Qty
KDA859	GU 5.3 -GU10	Black	100
KDA860	GU 5.3 -GU10	White	100




ALUMINIUM EMPTY SPOT

Item Code	Base	Body	Box Qty
KDA876	GU 5.3 -GU10	Black-Chrome	100
KDA877	GU 5.3 -GU10	Black-Rose	100




ALUMINIUM EMPTY SPOT

Item Code	Base	Body	Box Qty
KDA878	GU 5.3 -GU10	Black	100
KDA880	GU 5.3 -GU10	White	100




ALUMINIUM EMPTY SPOT

Item Code	Base	Body	Box Qty
KDA881	GU 5.3 -GU10	White	100
KDA879	GU 5.3 -GU10	Black	100



ALUMINIUM EMPTY SPOT ( DOUBLE )

Item Code	Base	Body	Box Qty
KDA882	GU 5.3 -GU10	Black-Chrome	50
KDA883	GU 5.3 -GU10	Black - Gold	50




**PLASTIC LED SPOT**

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KLS923	6W	3000K-4000K-6500K	600	Round	100





**PLASTIC LED SPOT**

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KLS923B	6W	3000K-4000K-6500K	600	Round	100





**PLASTIC LED SPOT**

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KDL105	5W	3000K-4000K-6500K	450	Round	40



**PLASTIC LED SPOT**

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KDL107	5W	3000K-4000K-6500K	450	Round	60





ABS PLASTIC

**SLIM**

**PLASTIC LED SPOT**

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KDL106	5W	3000K-4000K-6500K	450	Square	40





ABS PLASTIC

**SLIM**

**PLASTIC LED SPOT**



Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KDL108	5W	3000K-4000K-6500K	450	Square	60



**DOB ALUMINIUM COOLING**

**LED SPOT FIXTURES**

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KSL243	5W	3000K-6500K	450	Chrome	90
KSL243	5W	3000K-6500K	450	White	90



**DRIVER ALUMINIUM COOLING**

**COB LED SPOT FIXTURE**

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KSL240	5W	3000K-6500K	450	White	50




170-240V



**POWER LED STAR SPOT**

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KLS518	1W	○ ● ● ● ●	120	White	200

170-240V



**ROTATABLE STAR LED SPOTS**

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KLS519	3W	○ ● ● ● ●	450	White	50
KLS519	3W	○ ● ● ● ●	450	Black	50
KLS519	3W	○ ● ● ● ●	450	Satin	50

170-240V

EMPTY BODY



**SQUARE MIRROR SPOT LIGHT**

Item Code	Base	Body	Box Qty
KDA820	GU 5.3 -GU10	Square	50

170-240V

EMPTY BODY



**ROUND MIRROR SPOT LIGHT**

Item Code	Base	Body	Box Qty
KDA821	GU 5.3 -GU10	Round	50

170-240V

EMPTY BODY



**SQUARE BLACK GLASS SPOT**

Item Code	Base	Body	Box Qty
KDA822	GU 5.3 -GU10	Square	50

170-240V

EMPTY BODY




**ROUND BLACK GLASS SPOT**

Item Code	Base	Body	Box Qty
KDA823	GU 5.3 -GU10	Round	50









KDA827  
WHITE



KDA845  
SATIN



KDA824  
BLACK



KDA854  
WHITE-BLACK

### SQUARE ALUMINIUM SPOTS

Item Code	Base	Body	Box Qty
KDA824	GU 5.3 -GU10	Black	100
KDA827	GU 5.3 -GU10	White	100
KDA845	GU 5.3 -GU10	Satin	100
KDA854	GU 5.3 -GU10	White-Black	50



NEW



KDA828  
WHITE



KDA846  
SATIN



KDA825  
BLACK



KDA856  
WHITE-BLACK

### ROUND ALUMINIUM SPOTS

Item Code	Base	Body	Box Qty
KDA825	GU 5.3 -GU10	Black	100
KDA828	GU 5.3 -GU10	White	100
KDA846	GU 5.3 -GU10	Satin	100
KDA856	GU 5.3 -GU10	White-Black	50




NEW



KDA847  
BLACK



KDA855  
WHITE-BLACK




KDA849  
WHITE



KDA848  
SATIN

### SQUARE ALUMINIUM SPOTS ( DOUBLE )

Item Code	Base	Body	Box Qty
KDA847	GU 5.3 -GU10	Black	50
KDA848	GU 5.3 -GU10	Satin	50
KDA849	GU 5.3 -GU10	White	50
KDA855	GU 5.3 -GU10	White-Black	30



NEW



KDA850  
BLACK



KDA851  
WHITE




KDA852  
WHITE-BLACK



KDA853  
SATIN-BLACK


### SQUARE ALUMINIUM SPOTS ( TRIPLE )

Item Code	Base	Body	Box Qty
KDA850	GU 5.3 -GU10	Black	20
KDA851	GU 5.3 -GU10	White	20
KDA852	GU 5.3 -GU10	White-Black	20
KDA853	GU 5.3 -GU10	Satin-Black	20



NEW

EMPTY BODY




Metal Body & Plastic Reflector

**SQUARE SURFACE SPOT LIGHTS**

Item Code	Base	Body	Box Qty
KDA861	GU 5.3 -GU10	White-Black	20
KDA862	GU 5.3 -GU10	Grey-R.Gold	20

EMPTY BODY



Metal Body & Plastic Reflector

**SQUARE SURFACE SPOT LIGHTS**

Item Code	Base	Body	Box Qty
KDA863	GU 5.3 -GU10	Black-Chrome	20
KDA864	GU 5.3 -GU10	Black-R.Gold	20

EMPTY BODY



Metal Body & Plastic Reflector

**ROUND SURFACE SPOT LIGHTS**

Item Code	Base	Body	Box Qty
KDA865	GU 5.3 -GU10	White-R.Gold	20
KDA866	GU 5.3 -GU10	White-Chrome	20

EMPTY BODY




Metal Body & Plastic Reflector

**ROUND SURFACE SPOT LIGHTS**

Item Code	Base	Body	Box Qty
KDA867	GU 5.3 -GU10	Black-R.Gold	20
KDA868	GU 5.3 -GU10	Black-Black	20

EMPTY BODY



Metal Body & Plastic Reflector

**SQUARE SURFACE SPOT LIGHTS**

Item Code	Base	Body	Box Qty
KDA910	GU 5.3 -GU10	Black-R.Gold	50
KDA911	GU 5.3 -GU10	Black-Chrome	50

EMPTY BODY



Metal Body & Plastic Reflector

**ROUND SURFACE SPOT LIGHTS**

Item Code	Base	Body	Box Qty
KDA914	GU 5.3 -GU10	Black-R.Gold	50
KDA915	GU 5.3 -GU10	Black-Chrome	50

EMPTY BODY



Metal Body & Plastic Reflector

**SQUARE SURFACE SPOT LIGHTS**

Item Code	Base	Body	Box Qty
KDA912	GU 5.3 -GU10	White-R.Gold	50
KDA913	GU 5.3 -GU10	White-Chrome	50

EMPTY BODY



Metal Body & Plastic Reflector

**ROUND SURFACE SPOT LIGHTS**

Item Code	Base	Body	Box Qty
KDA916	GU 5.3 -GU10	White-R.Gold	50
KDA917	GU 5.3 -GU10	White-Chrome	50

EMPTY BODY



**ROUND PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA833	GU 5.3 -GU10	White-White	200

EMPTY BODY



**ROUND PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA834	GU 5.3 -GU10	White-Black	200

EMPTY BODY



**ROUND PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA835	GU 5.3 -GU10	White-Gold	200

EMPTY BODY



**ROUND PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA836	GU 5.3 -GU10	White-Chrome	200

EMPTY BODY



**ROUND PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA829	GU 5.3 -GU10	Black-Black	200


EMPTY BODY



**ROUND PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA830	GU 5.3 -GU10	Black-White	200

EMPTY BODY



**ROUND PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA831	GU 5.3 -GU10	Black-Gold	200


EMPTY BODY



**ROUND PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA832	GU 5.3 -GU10	Black-Chrome	200


EMPTY BODY



**SQUARE PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA841	GU 5.3 -GU10	White-White	200


EMPTY BODY



**SQUARE PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA842	GU 5.3 -GU10	White-Black	200


EMPTY BODY



**SQUARE PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA843	GU 5.3 -GU10	White-Gold	200


EMPTY BODY



**SQUARE PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA844	GU 5.3 -GU10	White-Chrome	200


EMPTY BODY



**SQUARE PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA837	GU 5.3 -GU10	Black-White	200


EMPTY BODY



**SQUARE PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA838	GU 5.3 -GU10	Black-Black	200


EMPTY BODY



**SQUARE PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA839	GU 5.3 -GU10	Black-Gold	200


EMPTY BODY



**SQUARE PLASTIC SPOT**

Item Code	Base	Body	Box Qty
KDA840	GU 5.3 -GU10	Black-Chrome	200





Each Box Including 5 pcs Full Set of Accessory.  
(Power Cable, Connection Accessory etc.)

### 220V LED STRIP

Item Code	Power (W)	Lumen	Color	Lumen	Box Qty
KCL007	14,4W / 1mt	10Lm/Chip	○ ● ● ● ● ●	840 / 1mt	100 mt.
KCL007	14,4W / 1mt	10Lm/Chip	RGB □	840 / 1mt	100 mt.

220V 3 CHIPS, 60 LED, OUTDOOR LED STRIP (5050)  
WITH SILICON




120 LED RGB 22X16MM (72 LED)

NEON LED STRIP, 120 LED / MT  
220V, NEON LED 16X8mm

### NEON LED STRIP

Item Code	Power (W)	Lumen	Color	Lumen	Box Qty
KCL016	14,4W / 1mt	20Lm/Chip	○ ● ● ● ● ●	2400 / 1mt	100 mt.
KCL016	14,4W / 1mt	20Lm/Chip	RGB □	2400 / 1mt	100 mt.



1ROLL /5mt.


### 12V NEON LED STRIP

NEW

Item Code	Power (W)	Lumen	Color	Lumen	Box Qty
KCL013	10W	24Lm/Chip	○ ● ● ● ● ●	2200 / 1mt	20
KCL013	10W	24Lm/Chip	RGB □	2200 / 1mt	20

NEON LED STRIP, 120 LED / MT  
12V, NEON LED 2835

IP65



### LED BAR & MODULE LED

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KCL030	1,5W/1 Ad.	○ ● ● ● ● ●	50Lm/Chip	1000
KCL020	0,2W/14,4W/1mt	○ ● ● ● ● ●	22Lm/Chip	200

IP65 CHIP - MADE IN KOREA  
PACKAGE QTY: 20X5 = 100 PCS


CHIP - MADE IN TAIWAN  
12V 72 Led Chip /22-24Lm



### LED STRIP SOCKETS

Item Code	Description	Box Qty
KCL367	3528 1Chip	200
KCL368	4040 3 Chip	300
KCL369	Led Neon Plug	250
KCL371	Led RGB Plug	100
KCL372	220V 2835 Wireless Plug	100

NEW





DOUBLE PCB CHIP - MADE IN TAIWAN



- 10 CHIPS & INDOOR LED STRIP (4040) 12V WITHOUT SILICON (60 LED/1mt)
- 10 CHIPS & INDOOR LED STRIP (4040) 12V WITHOUT SILICON (60 LED/1mt)
- 3 CHIPS & INDOOR LED STRIP (5050) 12V WITHOUT SILICON (60 LED/1mt)

LED STRIP LIGHTS

Item Code	Power (W)	Lumen	Color	Lumen	Box Qty
KCL005	10W / 1mt	12.5Lm/Chip	○ ● ●	750 / 1mt	500 mt.
KCL005	10W / 1mt	12.5Lm/Chip	● ● ●	750 / 1mt	500 mt.
KCL005	10W / 1mt	12.5Lm/Chip	● (RGB)	750 / 1mt	500 mt.



DOUBLE PCB CHIP - MADE IN TAIWAN



- 10 CHIPS & INDOOR LED STRIP (4040) 12V WITHOUT SILICON (60 LED/1mt)
- 10 CHIPS & INDOOR LED STRIP (4040) 12V WITHOUT SILICON (60 LED/1mt)
- 3 CHIPS & INDOOR LED STRIP (5050) 12V WITHOUT SILICON (60 LED/1mt)

LED STRIP LIGHTS

Item Code	Power (W)	Lumen	Color	Lumen	Box Qty
KCL003	10W / 1mt	12.5Lm/Chip	○ ● ●	500 mt.	500 mt.
KCL003	10W / 1mt	12.5Lm/Chip	● ● ●	500 mt.	500 mt.
KCL003	10W / 1mt	12.5Lm/Chip	● (RGB)	500 mt.	500 mt.



- 12 CHIPS & INDOOR LED STRIP (5630) 12V WITHOUT SILICON (60 LED/1mt)
- 12 CHIPS & INDOOR LED STRIP (5630) 12V WITHOUT SILICON (60 LED/1mt)
- SINGLE CHIP & INDOOR LED STRIP (3528) 12V WITHOUT SILICON (60 LED/1mt)
- SINGLE CHIP & INDOOR LED STRIP (3528) 12V WITHOUT SILICON (60 LED/1mt)
- 120 LED HIGH LUMEN**  
GOLD & INDOOR LED STRIP (2835) 12V Without Silicone (120 led/1mt)
- 120 LED HIGH LUMEN**  
GOLD & OUTDOOR LED STRIP (2835) 12V With Silicone (120 led/1mt)

LED STRIP LIGHTS


Item Code	Power (W)	Lumen	Color	Lumen	Box Qty
KCL017	18W / 1mt	14Lm/Chip	●	1440 / 1mt	500 mt.
KCL018	18W / 1mt	14Lm/Chip	● ●	1440 / 1mt	500 mt.
KCL002	4.8W / 1mt	7Lm/Chip	○ ● ● ● ● ●	420 / 1mt	500 mt.
KCL004	4.8W / 1mt	7Lm/Chip	○ ● ● ● ● ●	420 / 1mt	500 mt.
KCL022	18W / 1mt	14Lm/Chip	○ ●	1440 / 1mt	500 mt.
KCL022	18W / 1mt	14Lm/Chip	● ● ● ●	1440 / 1mt	500 mt.
KCL023	18W / 1mt	14Lm/Chip	○ ●	1440 / 1mt	500 mt.



- 120 LED HIGH LUMEN**  
DOUBLE CHIP OUTDOOR (2835) 220V WITH SILICON (120 LED/1mt)

HIGH LUMEN LED STRIP LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KCL024	8W	○ ● ● ●	800	100



- 250 LED HIGH LUMEN**  
COB INDOOR 24V WITH SILICON IP20 ( 250 LED/1mt )

COB LED STRIP LIGHT

Item Code	Power (W)	Color	Lumen	Box Qty
KCL120	10W / 1mt	3200K-6500K	800	500




- ALEXA SMART
- GOOGLE HOME
- TUYA SMART
- KENDAL SMART
- 5 mt/1 Roll Led Strip  
12V 1.5A Adapter  
RF Remote Control  
Led Control Button

SMART LED STRIP LIGHT



Item Code	Power (W)	Color	Lumen	Box Qty
KCL040	12W	● (RGB)	200	100

180-240V



**15W / 1,2A LED DRIVER**

Item Code	Power (W)	Description	Box Qty
KLD15	15W	1,2A Led Driver	100




**15W / 1,2A LED DRIVER**

Item Code	Power (W)	Description	Box Qty
KDL16	15W	1,2A Led Driver	100

180-260V

SLIM TYPE




IP20 DC 12V/50-60Hz  
Over Voltage Protection

**60W / 5A LED DRIVER**

Item Code	Power (W)	Description	Box Qty
KLD50B	60W	5A Led Driver	60

180-260V

SLIM TYPE




IP20 DC 12V/50-60Hz  
Over Voltage Protection

**120W / 10,1A LED DRIVER**

Item Code	Power (W)	Description	Box Qty
KLD120B	120W	10,1A Led Driver	40

180-260V

SLIM TYPE




IP20 DC 12V/50-60Hz  
Over Voltage Protection

**150W / 12,5A LED DRIVER**

Item Code	Power (W)	Description	Box Qty
KLD150B	150W	12,5A Led Driver	30

180-260V

SLIM TYPE



IP20 DC 12V/50-60Hz  
Over Voltage Protection

**200W / 16,7A LED DRIVER**

Item Code	Power (W)	Description	Box Qty
KLD200B	200W	16,7A Led Driver	30





KLD250B

KLD360B

WITH FAN

KLD500

WITH FAN




Item Code	Power (W)	Description	Box Qty
KLD250B	250W	21A Led Driver	30
KLD360B	360W	30A Led Driver	30
KLD500	500W	41,7A Led Driver	30


180-265V

IP20 DC 12V/50-60Hz  
Over Voltage Protection







180-260V **ULTRA SLIM** IP20 DC 12V/50-60Hz




KLD001




KLD002




KLD004



KLD005



KLD006



KLD007

**ECO ULTRA SLIM LED DRIVERS**


Item Code	Power (W)	Amper	Description	Box Qty
KLD001	60W	5A	Led Driver	60
KLD002	100W	8,5A	Led Driver	40
KLD004	150W	12,5A	Led Driver	40
KLD005	200W	16,5A	Led Driver	40
<b>NEW</b> KLD011	250W	21A	Led Driver	40
KLD006	300W	25A	Led Driver	40
KLD007	400W	33A	Led Driver	40

**24V IP20 LED DRIVERS**




Item Code	Power (W)	Description	Box Qty
KLD008	120W	5A Led Driver	30
KLD009	240W	10A Led Driver	30
KLD010	360W	15A Led Driver	30


180-260V **24V** IP20 DC 12V/50-60Hz



KLD008



KLD009



KLD010

**ULTRA SLIM DRIVERS**




17.5 mm  
 KLD24 : 135 mm  
 KLD35 : 175 mm  
 KLD60 : 255 mm

Item Code	Power (W)	Description	Box Qty
KLD24	24W	2A Ultra Slim Driver	100
KLD35	36W	3A Ultra Slim Driver	100
KLD60	60W	5A Ultra Slim Driver	100

220-240V IP20 DC 12V/50-60Hz






**IP67 LED DRIVERS**

Item Code	Power (W)	Description	Box Qty
KWLD35	35W	2,5A	50
KWLD60	60W	5A	40


180-260V **IP67** IP20 DC 12V/50-60Hz  
Over Voltage Protection



**IP67 LED DRIVERS**

Item Code	Power (W)	Description	Box Qty
KWLD120	120W	8,3A	20
KWLD150	150W	12,5A	20

180-260V **IP67** IP20 DC 12V/50-60Hz  
Over Voltage Protection



**IP67 LED DRIVERS**

Item Code	Power (W)	Description	Box Qty
KWLD200	200W	16,7A	10
KWLD300	300W	25A	10

180-260V **IP67** IP20 DC 12V/50-60Hz  
Over Voltage Protection



**PLUG ADAPTER**

Item Code	Power (W)	Description	Box Qty
KLD020	12W	1A	100
KLD021	24W	2A	100
KLD022	60W	5A	100



**BEDROOM APPLIQUE**

Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KSL175	12W	3000K-4000K-6500K	720	Black - White	20
KSL176	12W	3000K-4000K-6500K	720	Black - White	20




**CABINET LIGHTS WITH REMOTE CONTROL**

Item Code	Power (W)	Lumen	Description	Box Qty
KKS103	5W	100	3 6500K Spots with 1 Remote Controller	20
KKS104	5W	100	1 6500K Spot with 1 Remote Controller	20




**LED MIRROR FIXTURES**


Item Code	Power (W)	Color (K)	Lumen	Body	Box Qty
KSL150	5W	4200K	400	Chrome	20
KSL153	5W	4200K	400	Gold	20
KSL154	5W	4200K	400	Black	20
KSL160	6W	4200K	400	White	20
KSL161	12W	6000K	900	White	20



**IP20**


**220-240V**





LED WALL FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Body Material	Box Qty
KDA730	2x4W	3000K-6500K	480	ABS	50
KDA710	2x6W	3000K-6500K	720	ABS	50
KDA731	2x8W	3000K-6500K	960	ABS	50




NEW

165-265V

IP54




KDA740



KDA741

LED WALL FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Body Color	Box Qty
KDA740	4W	3000K	360	Black -Gold	50
KDA741	6W	3000K	540	Black-Gold	50




NEW


165-265V

IP54

SMD2835 / ABS




KDA735 / 713



KDA736 / 714

LED WALL FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Body Material	Box Qty
KDA735	5W	3000K	450	ABS	50
KDA713	12W	3000K	1080	ABS	40
KDA736	5W	3000K	450	ABS	50
KDA714	12W	3000K	1080	ABS	40




NEW

NEW

165-265V

IP54



KDA733



KDA734

LED WALL FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Body Material	Box Qty
KDA733	10W	3000K	900	ABS	40
KDA734	10W	3000K	900	ABS	40



NEW

165-265V

IP54


LED WALL FIXTURES




NEW

Item Code	Power(W)	Color (K)	Lumen	Body Material & Body Type	Box Qty
KDA712	3W	3000K	270	Aluminium- Adjustable	50
KDA716	6W	3000K	540	ABS-Adjustable	40
KDA743	6W	3000K	540	ABS-Round	40
KDA744	6W	3000K	540	ABS-Square	40

165-265V **IP40**




LED WALL FIXTURES



NEW

Item Code	Power(W)	Color (K)	Lumen	Body Material & Body Type	Box Qty
KDA750	4W	3000K	360	ABS-Square	50
KDA751	8W	3000K	720	ABS-Round	50
KDA752	6W	3000K	540	ABS-Round	50
KDA753	5W	3000K	450	ABS-Round	50
KDA754	4W	3000K	360	ABS-Round	40

165-265V **IP54**



LED WALL FIXTURE




NEW

Item Code	Power(W)	Color (K)	Lumen	Body Material & Body Type	Box Qty
KDA715(2'li USB'li)	4W	3000K-6500K	360	ABS-Non Flammable	50

165-265V **IP25**




DOUBLE SIDE WALL FIXTURE



NEW

Item Code	Power(W)	Base	Body Color	Body Material	Box Qty
KDA869	2x5W	G9	Black-Rose	Aluminium	50

220-240V **IP20**




DOUBLE SIDE WALL FIXTURE



NEW

Item Code	Power(W)	Base	Body Material	Body Material	Box Qty
KSL099	2x5W	GU10	Black-White-Anthracite	Plastic	40

85-265V **MADE IN TÜRKİYE** **IP54**







GARDEN FIXTURES

Item Code	Base	Body	Box Qty
KBA760	E27	Black	16
KBA761	E27	Black	16
KBA762	E27	Black	9



ABS  
IP54



GARDEN FIXTURES

Item Code	Base	Body	Box Qty
KBA763	E27	Black	12
KBA764	E27	Black	9
KBA765	E27	Black	9



ABS  
IP54




GARDEN FIXTURES

Item Code	Base	Body	Box Qty
KBA766	E27	Black	20
KBA767	E27	Black	16
KBA768	E27	Black	9




ABS  
IP54



CUBE GARDEN FIXTURE

Item Code	Base	Body	Box Qty
KBA773	E27	Black	8



ABS  
IP54



IP65



LED GARDEN FIXTURES

Item Code	Power (W)	Color	Lumen	Box Qty
KBA747	7W	Orange, Yellow, Blue, Green	700	50
KBA745L	5W	Orange, Yellow, Blue, Green	270	50




CUBE GARDEN FIXTURES

NEW

Item Code	Base	Box Qty
KBA787	Black	12
KBA788	Black	12
KBA789	Black	8


IP20



LED CEILING FIXTURE

Item Code	Power ( W )	Color ( K )	Lumen	Box Qty
KDL636	22W	3000K-4000K-6500K	2200	10

IP65




KDL640

KDL643

ROUND LED WALL FIXTURES

Item Code	Power ( W )	Color ( K )	Lumen	Box Qty
KDL640	20W	3000K-4000K-6500K	1800	50
KDL643	20W	3000K-4000K-6500K	1800	50

IP65




KDL641


KDL642

LED WALL FIXTURES

Item Code	Power ( W )	Color ( K )	Lumen	Box Qty
KDL641	12W	3000K-4000K-6500K	1300	50
KDL642	12W	3000K-4000K-6500K	1300	50



KSA190




KSA191

LED CEILING FIXTURE WITH PIR SENSOR

Item Code	Power ( W )	Description	Lumen	Box Qty
KSA190	12W	Led Ceiling Fixture Pir Sensor	1020	10
KSA191	18W	Led Ceiling Fixture Pir Sensor	1530	10


KSA189 Battery and Emergency Kit Included

Battery  
5 Hours



LED CEILING FIXTURE WITH SENSOR


Item Code	Power ( W )	Description	Lumen	Box Qty
KSA189	18W	Led Ceiling Fixture With Sensor	2200	10



LED CEILING FIXTURE WITH SENSOR

Item Code	Power ( W )	Description	Lumen	Box Qty
KSA188	18W	Led Ceiling Fixture With Sensor	2200	10


METAL TRAY  
GLASS COVER



CEILING LIGHT WITH SENSOR

Item Code	Power ( W )	Description	Base	Box Qty
KSA186	2x25W	Led Ceiling Fixture With Sensor	2 x E27	10


ABS TRAY  
ABS COVER



CEILING LIGHT WITH SENSOR

Item Code	Power ( W )	Description	Base	Box Qty
KSA187	2x25W	Led Ceiling Fixture With Sensor	2 x E27	10


Items are producing depend on special dimensions and quantities.



### LED WALLWASHERS

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KWL108	3W ( 10cm )	○ ● ● ● ● ● ● ●	300	20
KWL117	6W ( 17cm )	○ ● ● ● ● ● ● ●	600	20
KWL118	9W ( 25cm )	○ ● ● ● ● ● ● ●	900	20
KWL119	12W ( 35cm )	○ ● ● ● ● ● ● ●	1200	20
KWL120	18W ( 45cm )	○ ● ● ● ● ● ● ●	1800	20
KWL121	24W ( 60cm )	○ ● ● ● ● ● ● ●	2400	20
KWL122	36W ( 90cm )	○ ● ● ● ● ● ● ●	3600	20
KWL123	48W ( 120cm )	○ ● ● ● ● ● ● ●	4800	20
KWL129	54W ( 150cm )	○ ● ● ● ● ● ● ●	4800	20





⚡  
170-265V



IRON BODY

### ECO LED WALL FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
GFL155	18W (60cm)	3000K-4000K-6500K	1600	30
GFL156	36W (120cm)	3000K-4000K-6500K	3200	30




⚡  
170-265V



ALUMINIUM BODY

### LED WALL FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KFL141	10W (30cm)	3000K-4000K-6500K	800	30
KFL142	20W (60cm)	3000K-4000K-6500K	1800	30
KFL143	30W (90cm)	3000K-4000K-6500K	2400	30
KFL144	40W (120cm)	3000K-4000K-6500K	3200	30



⚡  
220-50Hz



WITH SWITCH LED

### T5 LED WALL FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KFL137	4W (30cm)	3000K-4000K-6500K	340	30
KFL138	9W (60cm)	3000K-4000K-6500K	765	30
KFL139	14W (90cm)	3000K-4000K-6500K	1020	30
KFL140	18W (120cm)	3000K-4000K-6500K	1600	30



⚡  
170-265V



### LED WALL FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KFL150	54W	3000K-4000K-6500K	4900	20
KFL155	72W	3000K-4000K-6500K	6500	20
KFL156	90W	3000K-4000K-6500K	8100	20









IP65



METAL BODY

SLIM T5 FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KFL151	18W (60cm)	3000K-4000K-6500K	1530	30
KFL152	36W (120cm)	3000K-4000K-6500K	3060	30



LED CEILING WATERPROOF FIXTURE

Item Code	Power (W)	Color (K)	Lumen	Dimensions	Description	Box Qty
KDL470	75W	3000K-4000K-6500K	8800	78x216x1197	SAMSUNG LED DOB DRIVER	1

ALUMINIUM BODY  
GLASS COVER

IP65

SAMSUNG  
LED

220-240V



EXTRUSION PC. BODY

220-240V



LED WATERPROOF FIXTURE

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KWP4020	18W	3000K-4000K-6500K	1800	12
KWP4040	36W	3000K-4000K-6500K	3600	12
KWP2118	18W	3000K-4000K-6500K	2250	12
KWP2136	36W	3000K-4000K-6500K	4500	12
KWP2154	75W	3000K-4000K-6500K	2200	12



KWP4020 : 60cm  
KWP4040 : 120cm  
KWP2118 : 60cm  
KWP2136 : 120cm  
KWP2154 : 120cm






**SOLAR GARDEN FIXTURE**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KBA751	30W	6500K	200	9

**IP65**  
 Charging Time: 6-7 Hours  
 Working Time: 12-13 Hours  
 3000K - 6500K



KBA749




KBA750

**SOLAR WALL LIGHT WITH SENSOR**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KBA749	15W	6500K	80	100
KBA750	30W	6500K	160	20

**IP65**  
 With Fotocell Sensor  
 Charging Time: 4-6 Hours  
 Working Time: 8-10 Hours



KBA785



KBA786

**SOLAR WALL LIGHT**

Item Code	Power (W)	Body	Color (K)	Box Qty
KBA785	30W	Black	4000K-6500K	20
KBA786	20W	Black	4000K-6500K	30

**IP65**  
 Charging Time: 5 Hours  
 Working Time: 8-10 Hours




**SOLAR LED FLOOD LIGHT**


**HIGH LUMEN**




**NEW**

Item Code	Power (W)	Body	Description	Box Qty
KST303	30W	Black	3.2V4000mAh	44
KST304	50W	Black	3.2V5000mAh	20
KST305	100W	Black	3.2V8000mAh	20
KST306	150W	Black	3.2V10000mAh	10
KST301	200W	Black	3.2V12000mAh	10
KST302	300W	Black	3.2V15000mAh	5





**SOLAR GARDEN FIXTURES**



NEW

Item Code	Power (W)	Description	Lumen	Box Qty
KBA746	7W	Solar Garden Fixture	560	50
KBA744	10W	Solar Garden Fixture	800	50
KBA783	10W	Solar Garden Fixture	800	50
KBA784	10W	Solar Wall Fixture	800	50
KBA748	12W	4 pcs Solar Garde Fixtures	960	20

IP65

Charging Time: 4-6 Hours  
Working Time: 8-12 Hours


85-265V

ABS Plastic



**PORTABLE SOLAR LED FLOOD LIGHT**

Item Code	Power (W)	Body	Box Qty
KBA754	200W	Yellow	30




3.2V 8000mAh Charging Time: 5 Hours / Working Time : 8-12 Hours / 50.000 Hours Lifespan / With USB



**SOLAR LED STREET LIGHT**

NEW

Item Code	Power (W)	Body	Description	Box Qty
KST220	50W	Black	3.2V4000mAh	10
KST221	100W	Black	3.2V5000mAh	10



**SOLAR LED STREET LIGHT**

NEW

Item Code	Power (W)	Body	Description	Box Qty
KST240	150W	Black	3.2V5000mAh	10
KST241	250W	Black	3.2V8000mAh	5
KST242	350W	Black	3.2V12000mAh	5
KST243	450W	Black	3.2V15000mAh	5



KST240  
Size: 508\*236\*47mm  
KST241  
Size: 617\*255\*47mm  
KST242  
Size: 721\*255\*47mm  
KST243  
Size: 819\*255\*47mm







SOLAR LED STREET LIGHTS

NEW


Item Code	Power (W)	Body	Description	Box Qty
KST230	600W	Black	3.2V12000mAh	5
KST231	800W	Black	3.2V20000mAh	4
KST232	1000W	Black	3.2V22000mAh	4
KST233	1200W	Black	3.2V30000mAh	4



SOLAR LED STREET LIGHTS

NEW

Item Code	Power (W)	Body	Description	Box Qty
KST227	200W	Black	3.2V15000mAh	1
KST228	300W	Black	3.2V20000mAh	1




With Hanging Accessory

SOLAR STREET LIGHT

NEW



Item Code	Power (W)	Body	Description	Box Qty
KST226	30W	Black	SOLAR	20



SOLAR LED GARDEN FIXTURES

NEW


Item Code	Power (W)	Body	Description	Box Qty
KBA776	30W	Black	Solar Led Garden Fixture	10
KBA777	30W	Black	Solar Led Garden Wall Fixture	10
KBA778	30W	Black	Solar Led Garden Fixture	10
KBA779	30W	Black	Solar Led Garden Fixture	10



SOLAR LED GARDEN FIXTURES

NEW

Item Code	Power (W)	Body	Description	Box Qty
KBA780	30W	Black	3.2V1200mAh	20
KBA781	60W	Black	3.2V1800mAh	8
KBA782	90W	Black	3.2V3600mAh	8









Lens  
Isolated Driver

⚡  
85-265V



**IP65**

**LED STREET LIGHTS**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KST206	30W	6500K	3000	1
KST207	50W	6500K	5000	1
KST208	100W	6500K	9000	1
KST209	150W	6500K	13500	1



IC Driver 0.9 PF

⚡  
110-265V



**IP20**

**LED HIGH BAY FIXTURES**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KST510	100W	6500K	9000	1
KST511	150W	6500K	13000	1
KST512	200W	6500K	18000	1


**LED HIGH BAY FIXTURES**



⚡  
170-260V

Item Code	Power (W)	Color (K)	Lumen	Base	Box Qty
KES141	50W	6500K	10000	E27	5
KES142	70W	6500K	15000	E27	5
KES143	100W	6500K	20000	E27	5






**DOWNLIGHT HIGH POWER LINEAR (WITH LENS)**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2051 (66cm)	23W	3000K-4000K-6500K	3000	1
KSL2052 (120cm)	40W	3000K-4000K-6500K	5500	1
KSL2053 (173cm)	60W	3000K-4000K-6500K	8500	1
KSL2054 (225cm)	75W	3000K-4000K-6500K	10500	1
KSL2055 (280cm)	95W	3000K-4000K-6500K	13500	1



**DOWNLIGHT HIGH POWER LINEAR (WITH LENS)**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2061 (14cm)	5W	3000K-4000K-6500K	650	1
KSL2062 (28cm)	10W	3000K-4000K-6500K	1300	1
KSL2063 (66cm)	25W	3000K-4000K-6500K	3250	1
KSL2064 (105cm)	40W	3000K-4000K-6500K	5200	1
KSL2065 (118cm)	45W	3000K-4000K-6500K	5850	1




**SURFACE HIGH POWER LINEAR**


Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2071 (66cm)	23W	3000K-4000K-6500K	3000	1
KSL2072 (120cm)	40W	3000K-4000K-6500K	5500	1
KSL2073 (173cm)	60W	3000K-4000K-6500K	8500	1
KSL2074 (225cm)	75W	3000K-4000K-6500K	10500	1
KSL2075 (280cm)	95W	3000K-4000K-6500K	13500	1



**SURFACE HIGH POWER LINEAR (WITH LENS)**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2081 (14cm)	5W	3000K-4000K-6500K	650	1
KSL2082 (28cm)	10W	3000K-4000K-6500K	1300	1
KSL2083 (66cm)	25W	3000K-4000K-6500K	3250	1
KSL2084 (105cm)	40W	3000K-4000K-6500K	5200	1
KSL2085 (118cm)	45W	3000K-4000K-6500K	5850	1






DOWNLIGHT LINEAR FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL1809 (60cm)	19W	3000K-4000K-6500K	2500	1
KSL1801 (80cm)	25W	3000K-4000K-6500K	3600	1
KSL1802 (100cm)	32W	3000K-4000K-6500K	4500	1
KSL1803 (120cm)	38W	3000K-4000K-6500K	5400	1
KSL1804 (150cm)	48W	3000K-4000K-6500K	6750	1
KSL1805 (180cm)	57W	3000K-4000K-6500K	8100	1
KSL1806 (200cm)	64W	3000K-4000K-6500K	9000	1
KSL1807 (250cm)	80W	3000K-4000K-6500K	11250	1
KSL1808 (300cm)	96W	3000K-4000K-6500K	13500	1


PROFILE SIZES: 68mm / 50mm / 57mm



DOWNLIGHT LINEAR FIXTURES

Power (W)	Power (W)	Color (K)	Lumen	Box Qty
KSL1810 (60cm)	19W	3000K-4000K-6500K	2500	1
KSL1811 (80cm)	25W	3000K-4000K-6500K	3600	1
KSL1812 (100cm)	32W	3000K-4000K-6500K	4500	1
KSL1813 (120cm)	38W	3000K-4000K-6500K	5400	1
KSL1814 (150cm)	48W	3000K-4000K-6500K	6750	1
KSL1815 (180cm)	57W	3000K-4000K-6500K	8100	1
KSL1816 (200cm)	64W	3000K-4000K-6500K	9000	1
KSL1817 (250cm)	80W	3000K-4000K-6500K	11250	1
KSL1818 (300cm)	96W	3000K-4000K-6500K	13500	1

PROFILE SIZES: 49mm / 35mm / 42mm




DOWNLIGHT LINEAR FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL1819 (60cm)	35W	3000K-4000K-6500K	4000	1
KSL1820 (80cm)	45W	3000K-4000K-6500K	5000	1
KSL1821 (100cm)	56W	3000K-4000K-6500K	6000	1
KSL1822 (120cm)	67W	3000K-4000K-6500K	7000	1
KSL1823 (150cm)	84W	3000K-4000K-6500K	9000	1
KSL1824 (180cm)	100W	3000K-4000K-6500K	11000	1
KSL1825 (200cm)	112W	3000K-4000K-6500K	12000	1
KSL1826 (250cm)	140W	3000K-4000K-6500K	15000	1
KSL1827 (300cm)	170W	3000K-4000K-6500K	18500	1

PROFILE SIZES: 101mm / 84mm / 31mm







Price does not includes hanging sets and accessories.

**SURFACE LINEAR FIXTURE**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL1901 (60cm)	18W	3000K-4000K-6500K	2300	1
KSL1902 (80cm)	24W	3000K-4000K-6500K	3200	1
KSL1903 (100cm)	30W	3000K-4000K-6500K	4000	1
KSL1904 (120cm)	36W	3000K-4000K-6500K	4750	1
KSL1905 (150cm)	45W	3000K-4000K-6500K	6000	1
KSL1906 (180cm)	54W	3000K-4000K-6500K	7000	1
KSL1907 (200cm)	60W	3000K-4000K-6500K	8000	1
KSL1908 (250cm)	75W	3000K-4000K-6500K	10000	1
KSL1909 (300cm)	90W	3000K-4000K-6500K	11500	1
KSL1937 (200cm)	-	2 pcs Hanging Set	-	1




**HIGH LUMEN**



Price does not includes hanging sets and accessories

**SURFACE LINEAR FIXTURE**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL1910 (60cm)	18W	3000K-4000K-6500K	2300	1
KSL1911 (80cm)	24W	3000K-4000K-6500K	3200	1
KSL1912 (100cm)	30W	3000K-4000K-6500K	4000	1
KSL1913 (120cm)	36W	3000K-4000K-6500K	4750	1
KSL1914 (150cm)	45W	3000K-4000K-6500K	6000	1
KSL1915 (180cm)	54W	3000K-4000K-6500K	7000	1
KSL1916 (200cm)	60W	3000K-4000K-6500K	8000	1
KSL1917 (250cm)	75W	3000K-4000K-6500K	10000	1
KSL1918 (300cm)	90W	3000K-4000K-6500K	11500	1
KSL1937 (200cm)	-	2 pcs Hanging Set	-	1



Price does not includes hanging sets and accessories

**SURFACE LINEAR FIXTURE**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL1919 (60cm)	25W	3000K-4000K-6500K	3000	1
KSL1920 (80cm)	33W	3000K-4000K-6500K	4500	1
KSL1921 (100cm)	42W	3000K-4000K-6500K	5500	1
KSL1922 (120cm)	50W	3000K-4000K-6500K	6750	1
KSL1923 (150cm)	63W	3000K-4000K-6500K	8500	1
KSL1924 (180cm)	75W	3000K-4000K-6500K	10000	1
KSL1925 (200cm)	85W	3000K-4000K-6500K	11500	1
KSL1926 (250cm)	105W	3000K-4000K-6500K	14000	1
KSL1927 (300cm)	125W	3000K-4000K-6500K	17000	1
KSL1937 (200cm)	-	2 pcs Hanging Set	-	1








Price included hanging sets and accessories.  
Profil Sizes : 80mm / 75mm  
50mm / 50mm yapılabilir.

### ROUND LINEAR PENDANT FIXTURES


Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2101 (40cm)	30W	3000K-4000K-6500K	4000	1
KSL2103 (60cm)	50W	3000K-4000K-6500K	7000	1
KSL2106 (90cm)	80W	3000K-4000K-6500K	11000	1
KSL2109 (120cm)	110W	3000K-4000K-6500K	15000	1
KSL2111 (150cm)	140W	3000K-4000K-6500K	19500	1
KSL2112 (180cm)	170W	3000K-4000K-6500K	22000	1



Price included hanging sets and accessories.  
Profil Sizes : 50mm / 80mm

### SQUARE LINEAR PENDANT FIXTURES


Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2301 (40x40)	50W	3000K-4000K-6500K	7000	1
KSL2303 (60x60)	75W	3000K-4000K-6500K	10500	1
KSL2306 (90x90)	115W	3000K-4000K-6500K	16000	1
KSL2309 (120x120)	155W	3000K-4000K-6500K	21500	1



Price included hanging sets and accessories.  
Profil Sizes : 50mm / 80mm

### RECTANGULAR LINEAR PENDANT FIXTURES


Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2315 (30x120)	95W	3000K-4000K-6500K	13500	1
KSL2316 (60x120)	115W	3000K-4000K-6500K	16000	1
KSL2319 (80x160)	155W	3000K-4000K-6500K	21500	1
KSL2321 (100x200)	195W	3000K-4000K-6500K	27000	1



Price included hanging sets and accessories.  
Profil Sizes : 50mm / 80mm

### TRIANGLE LINEAR PENDANT FIXTURES


Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2401 (60x60x60)	60W	3000K-4000K-6500K	8000	1
KSL2402 (90x90x90)	90W	3000K-4000K-6500K	12500	1
KSL2403 (120x120x120)	120W	3000K-4000K-6500K	16000	1



Price included hanging sets and accessories.  
Profil Sizes : 50mm / 80mm

### HEXAGON LINEAR PENDANT FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2409 (Ø60 & 30cm)	50W	3000K-4000K-6500K	7000	1
KSL2410 (Ø90 & 45cm)	80W	3000K-4000K-6500K	10500	1
KSL2411 (Ø120 & 60cm)	105W	3000K-4000K-6500K	14000	1




Price included hanging sets and accessories.  
Profil Sizes : 50mm / 80mm

### SNAKE LINEAR FIXTURE

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2422 (40x230)	120W	3000K-4000K-6500K	16000	1



Price included hanging sets and accessories.  
Profil Sizes : 50mm / 80mm




### MAZE LINEAR FIXTURE

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2424	185W	3000K-4000K-6500K	25000	1




Price included hanging sets and accessories.  
Profil Sizes : 50mm / 80mm



### INFINITY LINEAR FIXTURE

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2425	350W	3000K-4000K-6500K	45000	1



Price included hanging sets and accessories.  
Profil Sizes : 75mm / 80mm

### S LINEAR FIXTURE

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2901 (120cm)	50W	3000K-4000K-6500K	6500	1
KSL2902 (150cm)	60W	3000K-4000K-6500K	7500	1
KSL2903 (180cm)	70W	3000K-4000K-6500K	9000	1





Price included hanging sets and accessories.  
Profil Sizes : 100mm

**ROUND DRUM LINEAR FIXTURES**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2501 (30cm)	15W	3000K-4000K-6500K	2000	1
KSL2502 (40cm)	25W	3000K-4000K-6500K	3500	1
KSL2503 (50cm)	35W	3000K-4000K-6500K	4500	1
KSL2504 (60cm)	45W	3000K-4000K-6500K	6000	1
KSL2505 (70cm)	70W	3000K-4000K-6500K	9500	1
KSL2506 (80cm)	90W	3000K-4000K-6500K	12500	1
KSL2507 (90cm)	110W	3000K-4000K-6500K	15000	1
KSL2508 (100cm)	140W	3000K-4000K-6500K	19500	1
KSL2509 (110cm)	170W	3000K-4000K-6500K	23500	1
KSL2510 (120cm)	200W	3000K-4000K-6500K	28000	1



Price included hanging sets and accessories.  
Profil Sizes : 50mm / 80mm

**SQUARE RADIUS LINEAR FIXTURES**


Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2601 (40x40)	50W	3000K-4000K-6500K	6000	1
KSL2602 (60x60)	75W	3000K-4000K-6500K	9000	1
KSL2603 (90x90)	115W	3000K-4000K-6500K	14500	1



Price included hanging sets and accessories.  
Profil Sizes : 80mm / 80mm

**TRIANGLE RADIUS LINEAR FIXTURES**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2604 (60x60x60)	55W	3000K-4000K-6500K	7000	1
KSL2605 (90x90x90)	85W	3000K-4000K-6500K	10500	1
KSL2651 (120x120x120)	115W	3000K-4000K-6500K	11000	1



Price included hanging sets and accessories.  
Profil Sizes : 80mm / 80mm

**RECTANGULAR RADIUS LINEAR FIXTURES**


Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2606 (60x90)	38W	3000K-4000K-6500K	5000	1
KSL2607 (60x120)	58W	3000K-4000K-6500K	7000	1
KSL2608 (60x180)	77W	3000K-4000K-6500K	9500	1



Price included hanging sets and accessories.  
Profil Sizes : 80mm / 80mm

**PASSION RADIUS LINEAR FIXTURES**


Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2609 (30x90)	75W	3000K-4000K-6500K	9000	1
KSL2610 (30x120)	95W	3000K-4000K-6500K	12000	1
KSL2611 (60x120)	115W	3000K-4000K-6500K	14000	1



Price included hanging sets and accessories.  
Profil Sizes : 100mm

### SQUARE DRUM LINEAR FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2701 (40x40)	35W	3000K-4000K-6500K	4500	1
KSL2702 (60x60)	75W	3000K-4000K-6500K	10000	1
KSL2703 (90x90)	140W	3000K-4000K-6500K	19000	1



Price included hanging sets and accessories.  
Profil Sizes : 80mm / 80mm

### TRIANGLE DRUM LINEAR FIXTURES


Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2704 (60x60x60)	35W	3000K-4000K-6500K	4500	1
KSL2705 (90x90x90)	70W	3000K-4000K-6500K	9000	1
KSL2751 (120x120x120)	125W	3000K-4000K-6500K	16000	1



Price included hanging sets and accessories.  
Profil Sizes : 80mm / 80mm

### RADIUS DRUM LINEAR FIXTURES


Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2706 (30x90)	48W	3000K-4000K-6500K	6250	1
KSL2707 (30x120)	63W	3000K-4000K-6500K	8000	1
KSL2708 (60x120)	150W	3000K-4000K-6500K	19500	1



Price included hanging sets and accessories.  
Profil Sizes : 80mm / 80mm

### PASSION DRUM LINEAR FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2709(30x90)	50W	3000K-4000K-6500K	7000	1
KSL2710 (30x120)	70W	3000K-4000K-6500K	9000	1
KSL2711 (60x180)	150W	3000K-4000K-6500K	20000	1



Price included hanging sets and accessories.  
Profil Sizes : 80mm / 80mm

### HEXAGON DRUM LINEAR FIXTURES

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL2731 (60cm)	45W	3000K-4000K-6500K	6000	1
KSL2732 (90cm)	110W	3000K-4000K-6500K	15000	1
KSL2733 (120cm)	200W	3000K-4000K-6500K	28000	1






**ROUND SATURN LINEAR FIXTURES**

Item Code	Power (W)	Color (K)	Box Qty
KSL2801 (30x50x70)	95W	3000K-4000K-6500K	1
KSL2802 (40x60x80)	110W	3000K-4000K-6500K	1
KSL2803 (50x70x90)	130W	3000K-4000K-6500K	1
KSL2804 (60x80x100)	150W	3000K-4000K-6500K	1
KSL2805 (70x90x110)	170W	3000K-4000K-6500K	1
KSL2806 (80x100x120)	190W	3000K-4000K-6500K	1



Profil Sizes : 10mm / 35mm




**SQUARE SATURN LINEAR FIXTURES**

Item Code	Power (W)	Color (K)	Box Qty
KSL2820 (30x50x70)	120W	3000K-4000K-6500K	1
KSL2821 (40x60x80)	145W	3000K-4000K-6500K	1
KSL2822 (50x70x90)	170W	3000K-4000K-6500K	1
KSL2823 (60x80x100)	195W	3000K-4000K-6500K	1
KSL2824 (70x90x110)	215W	3000K-4000K-6500K	1
KSL2825 (80x100x120)	240W	3000K-4000K-6500K	1



Profil Sizes : 10mm / 35mm




**ROUND SATURN LINEAR FIXTURES ( DOUBLE SIDE )**

Item Code	Power (W)	Color (K)	Box Qty
KSLCY2801 (30x50x70)	165W	3000K-4000K-6500K	1
KSLCY2802 (40x60x80)	200W	3000K-4000K-6500K	1
KSLCY2803 (50x70x90)	235W	3000K-4000K-6500K	1
KSLCY2804 (60x80x100)	270W	3000K-4000K-6500K	1
KSLCY2805 (70x90x110)	300W	3000K-4000K-6500K	1
KSLCY2806 (80x100x120)	335W	3000K-4000K-6500K	1



Profil Sizes : 10mm / 35mm




**SQUARE SATURN LINEAR FIXTURES ( DOUBLE SIDE )**

Item Code	Power (W)	Color (K)	Box Qty
KSLCY2820 (30x50x70)	210W	3000K-4000K-6500K	1
KSLCY2821 (40x60x80)	250W	3000K-4000K-6500K	1
KSLCY2822 (50x70x90)	315W	3000K-4000K-6500K	1
KSLCY2823 (60x80x100)	345W	3000K-4000K-6500K	1
KSLCY2824 (70x90x110)	380W	3000K-4000K-6500K	1
KSCYL2825 (80x100x120)	430W	3000K-4000K-6500K	1




Profil Sizes : 10mm / 35mm



**SQUARE LINEAR FIXTURE WITH LENS**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL65K(65x65)	85W	3000K-4000K-6500K	7650	1


Price included hanging sets and accessories.



**SQUARE COB LINEAR SPOT FIXTURE WITH LENS**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL105KS (105x105)	100W	3000K-4000K-6500K	9000	1


Price included hanging sets and accessories.



**HEXAGON LINEAR FIXTURE WITH LENS**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL65A (Ø80)	65W	3000K-4000K-6500K	5850	1


Price included hanging sets and accessories.



**HEXAGON LINEAR FIXTURE WITH LENS**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL65SF (Ø80)	30W	3000K-4000K-6500K	2700	1


Price included hanging sets and accessories.



**SNAKE LINEAR FIXTURE WITH LENS**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL-SNAG2(35x145)	65W	3000K-4000K-6500K	5850	1

Price included hanging sets and accessories.



**SNAKE LINEAR FIXTURE WITH LENS**

Item Code	Power (W)	Color (K)	Lumen	Box Qty
KSL-SNAG3(50x240)	95W	3000K-4000K-6500K	8550	1

Price included hanging sets and accessories.




KSL420



KSL422

DECORATIVE PENDANT FIXTURES

Item Code	IP	Base	Box Qty
KSL420	20	E27	1
KSL422	20	E27	1



KSL501  
:30cm H:100cm



KSL502  
Ø:30cm H:100cm



KSL503  
Ø:36cm H:100cm



KSL504  
Ø:35cm H:100cm

DECORATIVE PENDANT FIXTURES

Item Code	IP	Base	Box Qty
KSL501	20	E27	1
KSL502	20	E27	1
KSL503	20	E27	1
KSL504	20	E27	1



KSL505  
Ø:30cm H:100cm



KSL506  
Ø:30cm H:100cm



KSL507  
Ø:30cm H:100cm




KSL508  
Ø:30cm H:100cm

DECORATIVE PENDANT FIXTURES

Item Code	IP	Base	Box Qty
KSL505	20	E27	1
KSL506	20	E27	1
KSL507	20	E27	1
KSL508	20	E27	1




KSL509 GRI  
Ø:15cm H:120cm



KSL510  
Ø:15cm H:120cm



KSL511  
Ø:15cm H:120cm



KSL512  
Ø:15cm H:120cm



KSL513  
Ø:15cm H:120cm



KSL514  
Ø:15cm H:120cm



KSL515  
Ø:75cm H:120cm

DECORATIVE PENDANT FIXTURES

Item Code	IP	Base	Box Qty
KSL509	20	E27	1
KSL510	20	E27	1
KSL511	20	E27	1
KSL512	20	E27	1
KSL513	20	E27	1
KSL514	20	E27	1
KSL515	20	E27	1



KSL516  
Ø:34cm H:100cm



KSL517  
Ø:34cm H:100cm



KSL518  
Ø:34cm H:100cm



KSL519 SİYAH  
Ø:34cm H:100cm



KSL520  
Ø:27cm H:40cm



KSL521  
Ø:27cm H:40cm

DECORATIVE PENDANT FIXTURES

Item Code	IP	Base	Box Qty
KSL516	20	E27	1
KSL517	20	E27	1
KSL518	20	E27	1
KSL519	20	E27	1
KSL520	20	E27	1
KSL521	20	E27	1



DECORATIVE PENDANT FIXTURES

Item Code	IP	Base	Box Qty
KSL522	20	E27	1
KSL523	20	E27	1
KSL524	20	E27	1
KSL525	20	E27	1



DECORATIVE PENDANT FIXTURES

Item Code	IP	Base	Box Qty
KSL526	20	E27	1
KSL527	20	E27	1
KSL528	20	E27	1
KSL529	20	E27	1



DECORATIVE PENDANT FIXTURES

Item Code	IP	Base	Box Qty
KSL530	20	E27	1
KSL531	20	E27	1
KSL532	20	E27	1



DECORATIVE PENDANT FIXTURES

Item Code	IP	Base	Box Qty
KSL533	20	E27	1
KSL534	20	E27	1
KSL535	20	E27	1
KSL536	20	E27	1



DECORATIVE PENDANT FIXTURES


Item Code	IP	Base	Box Qty
KSL537	20	E27	1
KSL538	20	E27	1
KSL539	20	E27	1
KSL540	20	E27	1
KSL541	20	E27	1



Rechargeable - Dimmable  
Type-C port,  
IP 20  
4 - 8 hours working time



Ø:9cm H:21cm



**3 FUNCTION DESK LAMP**

Item Code	Color (K)	Box Qty
KML103	3000K-4000K-6500K	20

Rechargeable - Dimmable  
Type-C port,  
IP 20  
4 - 8 hours working time



Ø:12cm H:25.5cm




**3 FUNCTION DESK LAMP**

Item Code	Color (K)	Box Qty
KML104	3000K-4000K-6500K	20

Rechargeable - Dimmable  
Type-C port,  
IP 20  
4 - 8 hours working time



Ø:12cm H:20cm




**3 FUNCTION DESK LAMP**

Item Code	Color (K)	Box Qty
KML105	3000K-4000K-6500K	20

Rechargeable - Dimmable  
Type-C port,  
IP 20  
4 - 8 hours working time



Ø:9cm H:20.5cm



**3 FUNCTION DESK LAMP**

Item Code	Color (K)	Box Qty
KML106	3000K-4000K-6500K	20

Rechargeable - Dimmable  
Type-C port,  
IP 20  
4 - 8 hours working time



Ø:9cm H:21.5cm




**3 FUNCTION DESK LAMP**

Item Code	Color (K)	Box Qty
KML107	3000K-4000K-6500K	20

Rechargeable - Dimmable  
Type-C port,  
IP 20  
4 - 8 hours working time



Ø:9cm H:23cm



**3 FUNCTION DESK LAMP**

Item Code	Color (K)	Box Qty
KML108	3000K-4000K-6500K	20

Rechargeable - Dimmable  
Type-C port,  
IP 20  
4 - 8 hours working time




Ø:11cm H:38cm



**3 FUNCTION DESK LAMP**

Item Code	Color (K)	Box Qty
KML109	3000K-4000K-6500K	20

Rechargeable - Dimmable  
Type-C port,  
IP 20  
4 - 8 hours working time



Ø:8cm H:19cm

**3 FUNCTION DESK LAMP**

Item Code	Color (K)	Box Qty
KML110	3000K-4000K-6500K	20

Rechargeable - Dimmable  
Type-C port,  
IP 20  
4 - 8 hours working time


Ø:11cm H:25.5cm



- BLUE COLOR
- RED COLOR
- GREEN COLOR


**3 FUNCTION DESK LAMP**

Item Code	Color (K)	Box Qty
KML111	3000K-4000K-6500K	20



**DESK LAMP**


Item Code	Base	Box Qty
KML100	E27	10



**DESK LAMP**

**NEW**

Item Code	Base	Box Qty
KML200	E27	10







**DESK LAMP**

**NEW**

Item Code	Base	Box Qty
KML300	E27	6


**CORRIDOR & STAIR FIXTURES**



Item Code	Power (W)	Color	Box Qty
KBA806	3W	○ ○ ○ ○ ○	30
KBA807	3W	○ ○ ○ ○ ○	30
KBA808	3W	○ ○ ○ ○ ○	30
KBA801	3W	○ ○ ○ ○ ○	30
KBA803	3W	○ ○ ○ ○ ○	30
KBA800	3W	○ ○ ○ ○ ○	30
KBA804	3W	○ ○ ○ ○ ○	30
KBA805	3W	○ ○ ○ ○ ○	30
KBA809	3W	○ ○ ○ ○ ○	60
KBA810	3W	○ ○ ○ ○ ○	60



220-240V





220-240V

### LED EXIT FIXTURES

Item Code	Description	Box Qty
KEXIT101	"LEFT & RIGHT" EXIT FIXTURE	30
KEXIT101	"DOWN" EXIT FIXTURE	30



KDB271A



KDB271B



KDB271E

220-240V

### DOORBELL WITH REMOTE CONTROL


Item Code	Description	Box Qty
KDB271A	32 Melody	60
KDB271B	32 Melody	60
KDB271E	Frequency Control / 32 Melody	60



170-240V

### MECHANIC TIMER

Item Code	Description	Box Qty
KT293	Mechanic Timer	100



NEW

### LED DRIVER

Item Code	Description	Box Qty
KLD023	12V 1A	100
KLD024	24V 2A	100
KLD025	36V 3A	100



220-240V

### MECHANIC TIMER ( SOCKET TYPE)

Item Code	Description	Box Qty
KT287A	Socket Type	100




- 50W 3 Hours
- 40W 4 Hours
- 30W 5 Hours
- 20W 5,5 Hours
- 10W 6 Hours
- 5W 10 Hours
- 3W 15 Hours

220-240V

### LED EMERGENCY DRIVER

Suitable for Slim and 60x60 Panel

Item Code	Watt	Description	Box Qty
KED001	3-60W	2200 mAh 600 mAh	100





**6 AMPER REMOTE CONTROL**

Item Code	Watt	Box Qty
KLD106	72W - 12V	100



1. Power Supply: 3 pcs Button Amplifier
2. Remote Control Material: Plastic
3. Frekans: 50-60mhz
4. Voltage: DC 12/24V
5. Output: 3 Channel
6. Connection Mode: Positive Electrode
7. Remote distance:  $\leq 20$  m
8. Working temperature:  $-20^{\circ}\text{C}-40^{\circ}\text{C}$
9. 220-240V AC 50/60 Hz

**PENDANT LIGHT REMOTE CONTROL**

Item Code	Watt	Box Qty
KLD103	3 x 1000W	50



1. Power Supply: 4 pcs Button Amplifier
2. Remote Control Material: Plastic
3. Frekans: 50-60mhz
4. Voltage: DC 12/24V
5. Output: 4 Channel
6. Connection Mode: Positive Electrode
7. Remote distance:  $\leq 20$  m
8. Working temperature:  $-20^{\circ}\text{C}-40^{\circ}\text{C}$
9. 220-240V AC 50/60 Hz

**PENDANT LIGHT REMOTE CONTROL**


Item Code	Watt	Box Qty
KLD109	4X1000W	50



1. Power Supply: 6 pcs Button Amplifier
2. Remote Control Material: Plastic
3. Frekans: 50-60mhz
4. Voltage: DC 12/24V
5. Output: 6 Channel
6. Connection Mode: Positive Electrode
7. Remote distance:  $\leq 20$  m
8. Working temperature:  $-20^{\circ}\text{C}-40^{\circ}\text{C}$
9. 220-240V AC 50/60 Hz

**PENDANT LIGHT REMOTE CONTROL**

Item Code	Watt	Box Qty
KLD108	6X1000W	50



18A  
12V

**RGB LED CONTROL PANEL WITH REMOTE CONTROL**

Item Code	Watt	Box Qty
KLD101A	216W	50



18A  
12V  
TOUCH CONTROL

**RGB LED CONTROL PANEL WITH REMOTE CONTROL**

Item Code	Watt	Box Qty
KLD102	216W	50



**BATTERY INCLUDED**



**SMOKE DETECTOR ( 90 DECIBEL )**

Item Code	Description	Box Qty
KSD001	Smoke Detector ( 90 Decibel )	50

CW Radar 1 - 8  
10 Sec - 12 Min < 3 - 2000Lux



**RADAR SENSOR**

Item Code	Description	Box Qty
KMS100	5,85 GHz	100

⚡  
220-240V



**360° DOWN MOVEMENT SENSOR**

Item Code	Description	Box Qty
KSA177	360°Down Movement Sensor	50


⚡  
220-240V



**360° MOVEMENT SENSOR**

Item Code	Description	Box Qty
KSA182	360° Movement Sensor	50

⚡  
220-240V



**360° MINI MOVEMENT SENSOR**

Item Code	Description	Box Qty
KSA183	360°Mini Movement Sensor	100

⚡  
220-240V



**180° MOVEMENT SENSOR**

Item Code	Description	Box Qty
KSA178	180° Movement Sensor	50

⚡  
220-240V



**180° MOVEMENT SENSOR**

Item Code	Description	Box Qty
KSA179	180° Movement Sensor	50

⚡  
220-240V



**360° SURFACE MOVEMENT SENSOR**

Item Code	Description	Box Qty
KSA181	360°Surface Movement Sensor	50



### MOSQUITO KILLER FIXTURES

Item Code	Watt	Dimensions	Box Qty
KKP285A	20W	245x60x390	10
KKP285B	30W	245x60x490	10
KKP285C	40W	245x60x640	8



### BATHROOM FANS

Item Code	Watt	Box Qty
KSP100	15W	20
KSP120	20W	20
KSP150	25W	10



% 100 Copper Engine  
Decorative Plastic Fan

220-240V



KFS106



KFS110




KFS125

### FOTOSELS

Item Code	Description	Box Qty
KFS106	6A	100
KFS110	10A	100
KFS125	25A	100


220-240V

0,58mm CCA  
4PA / IRUTP



### CAT6 CABLE

Item Code	1 Roll Mt.	Box Qty
KKC106	305 Mt.	2x305 Mt.



9 SM SX  
2.00 mm  
LSZH  
9/125  
G657 A2

1 COR

### FIBER CABLE

Item Code	1 Roll	Box Qty
KKC107	1000Mt	6x1000 Mt.



KLH121

KLH118



KLH122



KLH118A

### CERAMIC BASE

Item Code	Base	Box Qty
KLH121	GU10	1000
KLH122	G5.3	1000
KLH118	E27	1000
KLH118A	E27	1000



LED LIGHTS WITH BATTERY

Item Code	Color	Description	Box Qty
KEL273L	White	30 Led	60
KEL278L	White	60 Led	30
KEL276L	White	90 Led	20


Working Time Min. 5 Hours  
Automatically turns on when power shuts off.



KEL255	White	80 Led	30	<b>NEW</b>
KEL258	White	120 Led	20	<b>NEW</b>



Charging Time  
3 Hours  
Working Time  
6 Hours



RECHARGEABLE CAMPING LIGHT

Item Code	Description	Box Qty
KEL015	7W 2000mAh Battery	20



LED HANDLIGHT

Item Code	Description	Box Qty
KEL010	3W 900mAh Battery	60



RECHARGEABLE LED CABINET LIGHT WITH SENSOR

Item Code	Description	Box Qty
KEL180	2W 300mAh Battery	120



LED NIGHT LIGHT

Item Code	Description	Box Qty
KEL14	3W 600mAh Battery	60



Charging Time  
3 Hours  
Working Time  
6 Hours



LED HEADLIGHT

Item Code	Description	Box Qty
KHL001	1W 1200mAh Battery	60



LED HEADLIGHT

Item Code	Description	Box Qty
KHL005	5W 2000mAh Battery	60



**DECORATIVE CEILING FAN**

Item Code	Watt	Description	Base	Box Qty
KCF283	60W	42" Ceiling Fan	E27	1

⚡  
220V-50Hz

Silver Nickel / Speed Options / 4 Blade



**DECORATIVE CEILING FAN**

Item Code	Watt	Description	Base	Box Qty
KCF284	60W	42" Ceiling Fan	3xE27	1

⚡  
220V-50Hz

Black Nickel / Speed Options / 5 Blade



**DECORATIVE CEILING FAN**

Item Code	Watt	Description	Base	Box Qty
KCF285	60W	48" Ceiling Fan	G9	1

⚡  
220V-50Hz

Wooden Nickel / Speed Options / 6 Blade



**DECORATIVE CEILING FAN**

Item Code	Watt	Description	Base	Box Qty
KCF286	60W	48" Ceiling Fan	-	1

⚡  
220V-50Hz

Silver Nickel / Speed Options / 6 Blade



**DECORATIVE CEILING FAN**

Item Code	Watt	Description	Base	Box Qty
KCF287	60W	48" Ceiling Fan	2xE27	1

⚡  
220V-50Hz

Silver Nickel / Speed Options / 3 Blade



**DECORATIVE CEILING FAN**

Item Code	Watt	Description	Base	Box Qty
KCF288	60W	52" Ceiling Fan	2xE27	1

⚡  
220V-50Hz


Silver Nickel / Speed Options / 5 Blade




**WOODEN CEILING FAN**

Item Code	Watt	Description	Base	Box Qty
KCF280	60W	30" Ceiling Fan	E27	1

⚡  
220V-50Hz  
Wooden Design  
Speed Options  
6 Blade


**WOODEN CEILING FAN**

Item Code	Watt	Description	Base	Box Qty
KCF281	60W	30" Ceiling Fan	E27	1

⚡  
220V-50Hz  
Wooden  
Speed Options  
6 Blade


**SILVER CEILING FAN**

Item Code	Watt	Description	Base	Box Qty
KCF282	60W	30" Ceiling Fan	E27	1

⚡  
220V-50Hz  
Silver  
Speed Options  
6 Blade


**CEILING FAN**

Item Code	Watt	Description	Base	Box Qty
KCF278	60W	30" Ceiling Fan	E27	1

⚡  
220V-50Hz  
White Nikel  
Speed Options  
6 Blade


**IRON CEILING FAN**


Item Code	Watt	Description	Box Qty
KCF272	80W	56" (142cm) Ceiling Fan	6

⚡  
220V-50Hz  
Protected Metal Grill  
Strong Metal Wings  
5 Different Speed Mode  
Speed Control Switch  
3 Blade



### STANDING FAN

Item Code	Watt	Description	Box Qty
KCF272L	50W	16" (40 cm) Standing Fan	6

 220V-50Hz  
 Protected Metal Grill  
 PVC Wings  
 3 Different Speed Mode  
 Low / Medium / High Speed  
 60 Min. Time Setting  
 Stand Type



### CEILING FAN


Item Code	Watt	Description	Box Qty
KCF272ST	50W	16" (40 cm) Ceiling Fan	2


 220V-50Hz  
 Protected Metal Grill  
 PVC Wings  
 3 Different Speed Mode  
 Low / Medium / High Speed  
 Wall Installation Speed Control Switch  
 Wide Angle Horizontal Working Mode



### STANDING & WALL FAN


Item Code	Watt	Description	Box Qty
KCF275	85W	18" Industrial Type	6
KCF276	130W	18" Industrial Type	6

 220V-50Hz  
 Protected Metal Grill  
 Metal Wings  
 3 Different Speed Mode  
 Low / Medium / High Speed  
 60 Min. Time Setting



### INDUSTRIAL TYPE STANDING FAN

Item Code	Watt	Description	Box Qty
KCF290	130W	20" Industrial Type	1
KCF291	160W	26" Industrial Type	1
KCF292	180W	30" Industrial Type	1

 220V-50Hz  
 3 Speed Mode  
 Adjustable Height  
 Protected Engine for Heat

KCF290

KCF291

KCF292

# OUTLET PRODUCTS

## LED FILAMENT BULB



2700K  
160-260V

MODEL	WATT	LUMEN	BASE	BOX QTY
KES612	6W	540	E27	36

## LED BULB



MODEL	WATT	BASE	BOX QTY
KPL009	9x1W	E27	20

## ALUMINIUM BODY LED SPOT



220-240V

MODEL	WATT	LUMEN	BODY	BOX QTY
KDL104	5W	500	French Golden	50

## LED SPOT



220-240V

MODEL	WATT	LUMEN	BODY	BOX QTY
KLS921	5W	450	Golden	100

## LED SPOT



220-240V

MODEL	WATT	LUMEN	BODY	BOX QTY
KLS922	5W	450	Golden	100

## CORRIDOR FIXTURE



220-240V

MODEL	WATT	LUMEN	BOX QTY
KLS520	3W	240	200

## CORRIDOR FIXTURES



220-240V

220-240V

MODEL	WATT	LUMEN	BOX QTY
KLS521	3W	240	200
KLS522	3W	240	200

## COB LED STAR SPOT



220-240V

MODEL	WATT	LUMEN	BOX QTY
KLS523	3W	240	200

## DIAMOND LED SPOTLIGHTS



220-240V

MODEL	WATT	LUMEN	BODY	BOX QTY
KLS525	1W	120	White	200
KLS525	1W	120	Satin	200
KLS525	1W	120	Gold	200

## EMPTY SPOT ( GLASS )



MODEL	BODY	BASE	BOX QTY
KDA502C	Satin	E27	20

## HORIZONTAL EMPTY SPOTS



MODEL	BODY	BASE	BOX QTY
KDA826	White	2xE27	12
KDA826S	Satin	2xE27	12
KDA826C	Chrome	2xE27	12

## COB RECESSED SHOWCASE SPOTLIGHTS



220-240V

MODEL	WATT	LUMEN	COLOR	BOX QTY
KG020 - KG030	1x20W	1600	4000K	10
KG090	1x30W	2400	4000K	8
KG090	3x30W	7200	4000K	4

## SMD DOWNLIGHT



MODEL	WATT	INC	LUMEN	COLOR	BOX QTY
KDL073	30W	8"	3000	3000K-6500K	40

## LED DECORATIVE FIXTURES



MODEL	WATT	LUMEN	COLOR	BOX QTY
KSL103	24W	1800	3000K	10
KSL104	36W	2700	3000K	10

## LED DECORATIVE FIXTURE



MODEL	WATT	LUMEN	COLOR	BOX QTY
KSL169	12W	600	4200K	10

## LED DECORATIVE FIXTURES



MODEL	WATT	LUMEN	COLOR	BOX QTY
KSL191	6W	450	3000K	10
KSL192	9W	675	3000K	10
KSL193	12W	675	3000K	10

## LED PENDANT FIXTURE



MODEL	WATT	LUMEN	COLOR	BOX QTY
KDL495	20W	1800	3000K-6500K	5

## LASER FIXTURE



MODEL	WATT	BOX QTY
KWL300	8W	20

## 4" COB LED DOWNLIGHT



3000K  
220-240V


MODEL	WATT	LUMEN	KASA	BOX QTY
KDL243S	10W	1100	Satin	10

## COB LED DOWNLIGHT



MODEL	WATT	LUMEN	COLOR	BOX QTY
KDL218	10W	1000	3000K-6500K	10
KDL219	15W	1500	3000K-6500K	10


## COB LED DOWNLIGHT FIXTURE



3000K-6500K  
220-240V

MODEL	WATT	LUMEN	BODY	BOX QTY
KDL310	10W	900	-	18
KDL311	15W	1350	-	20
KDL312	20W	1800	-	40

## COB LED DOWNLIGHT FIXTURE



3000K-6500K  
220-240V

MODEL	WATT	LUMEN	BOX QTY
KDL320	8W	720	20
KDL321	10W	900	20
KDL322	20W	1800	20

## HALOGEN FLOOD LIGHT WITH SENSOR



220-240V

MODEL	WATT	COLOR	BASE	BOX QTY
KHF164	150W	Black	R7S (78mm)	20

## EMPTY FLOOD LIGHT



220-240V

MODEL	WATT	COLOR	BASE	BOX QTY
KHF174	150W	Black/White	RX7S	20

# OUTLET PRODUCTS

## LED FLOOD LIGHT

IP65



MODEL	WATT	LUMEN	COLOR	BOX QTY
KLF172	30W	2400	6500K	20

## LED FLOOD LIGHT

IP65



MODEL	WATT	LUMEN	COLOR	BOX QTY
KLF176	150W	12000	6500K	1

## TUNGSTEN LED FLOOD LIGHT

IP65



MODEL	WATT	LUMEN	DESCRIPTION	BOX QTY
KLF200	50W	4000	Led Flood Light	20

## COB LED STREET LIGHT

IP65



MODEL	WATT	LUMEN	COLOR	BOX QTY
KST200	70W	7000	3200K-6500K	1

## COB LED STREET LIGHT

IP65



MODEL	WATT	LUMEN	COLOR	BOX QTY
KST102	2x40W	6400	3200K-6500K	1

## LED RAIL SPOTS



MODEL	WATT	LUMEN	BOX QTY
KTL135	20W	1800	8
KTL136	30W	2700	8

## G6 HALOGEN CAPSULE BULB



MODEL	COLOR	BASE	BOX QTY
KHL090	6500K	G4-G6	1000

## E14 T2 MINI SPIRAL BULB



MODEL	WATT	COLOR	BOX QTY
KES013	11	3000K	50

## REFLECTOR BULB

R50



MODEL	WATT	BASE	BOX QTY
KES051	13W	E27	50

## HALOGEN FLOOD LIGHT



MODEL	WATT	BASE	BOX QTY
KES066	40W	R7S	50

## LED WALL FIXTURE



MODEL	WATT	LUMEN
KDA711	6W	720

## USB GROUP SOCKET ( 5 PCS )



MODEL	COLOR
KKP2005	BLACK

## LED T8 ALUMINIUM FIXTURE

T8



MODEL	WATT	LUMEN	COLOR	BOX QTY
KES051	18W	1360	6500K	25

## DEEP BODY BACKLIGHT PANEL



MODEL	WATT	LUMEN	COLOR	BOX QTY
KDL494	40W(210LED)	3700	6500K	2

## MINI RGB CONTROL PANEL AND LED DIMMER




MODEL	DESCRIPTION	BOX QTY
KLD107	Mini Panel	10
KLD003	12V Dimmer	20

## HELICOPTER PENDANT FIXTURE



MODEL	COLOR	SIZE	BASE	BOX QTY
KDF001H	3 COLOR	50CM	E27	1

## LED NIGHT LIGHT (WITH SOCKET )



MODEL	WATT	BOX QTY
KNL381	1W	200

## LED DECORATIVE FIXTURE



MODEL	WATT	LUMEN	COLOR	BOX QTY
KSL155	12W	1100	3000K-6500K	20
KSL156	24W	2200	3000K-6500K	20

## DECORATIVE DOWNLIGHT CEILING FIXTURES



MODEL	WATT	LUMEN	BODY	BOX QTY
KDL625	15W	1200	WHITE	12
KDL625C	15W	1200	CHROME	12
KDL625S	15W	1200	SATIN	12
KDL630	20W	1600	WHITE	12
KDL630C	20W	1600	CHROME	12
KDL630S	20W	1600	SATIN	12

## DECORATIVE SURFACE CEILING FIXTURES



MODEL	WATT	LUMEN	BODY	BOX QTY
KDL525	15W	1200	WHITE	12
KDL525C	15W	1200	CHROME	12
KDL525S	15W	1200	SATIN	12
KDL530	20W	1600	WHITE	12
KDL530C	20W	1600	CHROME	12
KDL530S	20W	1600	SATIN	12

# SPECIAL PRICES!



  
T.C.  
TÜRK PATENT ENSTİTÜSÜ  
**MARKA TESCİL BELGESİ**  
Marka No : 2014 30466 - Ticaret - Hizmet





Marka Sahibi : KENDAL ELEKTRİK AYDINLATMA  
ELEKTRONİK İNŞAAT SANAYİ VE DİŞ TİCARET  
LİMİTED ŞİRKETİ  
TÜRKİYE CUMHURİYETİ  
Kuledibi Büyükhendek Cad. No:28 BEYOĞLU  
İSTANBUL  
Emtiası : 09 , 11 , 35  
İlişiktir.

Markaların Korunması Hakkında 556 Sayılı Kanun Hükmünde  
Kararınameye göre 14/04/2014 tarihinden itibaren ON YIL müddetle  
01/07/2015 tarihinde tescil edilmiştir.

Prof. Dr. Habip ASAN  
Enstitü Başkanı

  
T.C.  
TÜRK PATENT ENSTİTÜSÜ


  
T.C.  
TÜRK PATENT ENSTİTÜSÜ  
**MARKA TESCİL BELGESİ**  
Marka No : 2013 09558 - Ticaret



Marka Sahibi : KENDAL ELEKTRİK AYDINLATMA  
ELEKTRONİK İNŞAAT SANAYİ VE DİŞ TİCARET  
LİMİTED ŞİRKETİ  
TÜRKİYE CUMHURİYETİ  
Kuledibi Büyükhendek Cad. No:28 BEYOĞLU  
İSTANBUL  
Emtiası : 09 , 11  
İlişiktir.

Markaların Korunması Hakkında 556 Sayılı Kanun Hükmünde  
Kararınameye göre 31/01/2013 tarihinden itibaren ON YIL müddetle  
19/03/2014 tarihinde tescil edilmiştir.

Elif B. AKIN  
Enstitü Başkanı a.  
Markalar Dairesi Başkanı

  
T.C.  
TÜRK PATENT ENSTİTÜSÜ

  
T.C.  
TÜRK PATENT ENSTİTÜSÜ  
**MARKA TESCİL BELGESİ**  
Marka No : 2012.32537- Ticaret



Marka Sahibi : KENDAL ELEKTRİK AYDINLATMA  
ELEKTRONİK İNŞAAT SANAYİ VE DİŞ TİCARET  
LİMİTED ŞİRKETİ  
TÜRKİYE CUMHURİYETİ  
Kuledibi Büyükhendek Cad. No:28 BEYOĞLU  
İSTANBUL  
Emtiası : 09 , 11  
İlişiktir.

Markaların Korunması Hakkında 556 Sayılı Kanun Hükmünde  
Kararınameye göre 05/04/2012 tarihinden itibaren ON YIL müddetle  
27/03/2014 tarihinde tescil edilmiştir.

Elif B. AKIN  
Enstitü Başkanı a.  
Markalar Dairesi Başkanı

  
T.C.  
TÜRK PATENT ENSTİTÜSÜ

  
T.C.  
TÜRK PATENT ENSTİTÜSÜ  
**MARKA TESCİL BELGESİ**  
Marka No : 2012 104869 - Ticaret - Hizmet



Marka Sahibi : KENDAL ELEKTRİK AYDINLATMA  
ELEKTRONİK İNŞAAT SANAYİ VE DİŞ TİCARET  
LİMİTED ŞİRKETİ  
TÜRKİYE CUMHURİYETİ  
Kuledibi Büyükhendek Cad. No:28 BEYOĞLU  
İSTANBUL  
Emtiası : 09 , 11 , 35  
İlişiktir.

Markaların Korunması Hakkında 556 Sayılı Kanun Hükmünde  
Kararınameye göre 14/12/2012 tarihinden itibaren ON YIL müddetle  
21/01/2014 tarihinde tescil edilmiştir.

Elif B. AKIN  
Enstitü Başkanı a.  
Markalar Dairesi Başkanı

  
T.C.  
TÜRK PATENT ENSTİTÜSÜ

FIRST QUALITY CERTIFICATION



## CERTIFICATE

This certificate is granted to the organization,  
**KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT SANAYİ VE DIŞ TİCARET ANONİM ŞİRKETİ**  
 Şahkulu Mahallesi Büyük Hendek Caddesi No:28/1 Beyoğlu / İstanbul / Türkiye  
 Selimpaşa Mahallesi 5008 Sokak No:6/A Silivri / İstanbul / Türkiye

**INDOOR AND OUTDOOR LIGHTING ARMATURES, LED AMPULAR FOR INDUSTRIAL PLANTS, COMMERCIAL ENTERPRISES, STREET AND OUTDOOR; LED ARMATURE FEEDING CIRCUIT AND SMART LIGHTING AUTOMATION SYSTEMS DESIGN, PRODUCTION AND SALES**

according to the scope,  
**ISO 45001:2018**  
 to certify that Occupational Health and Safety System in accordance with standard's clauses is established and being implemented.

<b>First Date of Issue</b>	: 13.03.2018
<b>Recertification Due Date</b>	: 12.03.2021
<b>Date of Issue</b>	: 12.03.2023
<b>Certificate Period</b>	: 3 Years
<b>Reissue Due Date</b>	: 12.03.2024
<b>Certificate No</b>	: 03.18.7170.4784

  
 First Quality Certification  
 System Certificate Approved  
 İstanbul, 2023.03.12



FQC Global Certification A.Ş.  
 Davut Mahallesi Feriit Caddesi No:116-14/020-09 Maltepe / İSTANBUL / TÜRKİYE T: +90 216 444 21 41 / +90 216 457 69 06 F: +90 216 457 69 06  
 Bu belge, müşterinin FQC'ni kullanması ve sözleşme şartlarına uyduğu sürece geçerlidir. Sertifikayı geçerliliği durumu FQC internet sitesinden takip edilebilir.  
 This document shall remain valid as long as the customer abides FQC rules and terms and the contract. Certificate validity may be checked on FQC website.  
 www.fqcglobal.org info@fqcglobal.org

FIRST QUALITY CERTIFICATION



## CERTIFICATE

This certificate is granted to the organization,  
**KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT SANAYİ VE DIŞ TİCARET ANONİM ŞİRKETİ**  
 Şahkulu Mahallesi Büyük Hendek Caddesi No:28/1 Beyoğlu / İstanbul / Türkiye  
 Selimpaşa Mahallesi 5008 Sokak No:6/A Silivri / İstanbul / Türkiye

**INDOOR AND OUTDOOR LIGHTING ARMATURES, LED AMPULAR FOR INDUSTRIAL PLANTS, COMMERCIAL ENTERPRISES, STREET AND OUTDOOR; LED ARMATURE FEEDING CIRCUIT AND SMART LIGHTING AUTOMATION SYSTEMS DESIGN, PRODUCTION AND SALES**

EA 19  
 according to the scope,  
**ISO 9001:2015**  
 to certify that Quality Management System in accordance with standard's clauses is established and being implemented.

<b>First Date of Issue</b>	: 13.03.2018
<b>Recertification Due Date</b>	: 12.03.2021
<b>Date of Issue</b>	: 12.03.2023
<b>Certificate Period</b>	: 3 Years
<b>Reissue Due Date</b>	: 12.03.2024
<b>Certificate No</b>	: 01.18.7170.112621.D

  
 First Quality Certification  
 System Certificate Approved  
 Maltepe / İstanbul / Türkiye




FQC, India & Head Office  
 FQC First Quality Certification Pvt. Ltd.  
 300 St. Sector-12, Phase-01, Con-08, Gurgaon, India  
 T: +91 172 8038975 / F: +91 172 4418831  
 www.fqcglobal.org info@fqcglobal.org

FQC, Turkey & Certified Location  
 FQC Global Certification A.Ş.  
 Davut Mah. Feriit Caddesi No:116/14/020/09/020/09 Maltepe / İstanbul / Türkiye  
 T: +90 216 444 21 41 / +90 216 457 69 06 F: +90 216 457 69 06  
 www.fqcglobal.org info@fqcglobal.org

Bu belge, müşterinin FQC'ni kullanması ve sözleşme şartlarına uyduğu sürece geçerlidir. Sertifikayı geçerliliği durumu FQC internet sitesinden takip edilebilir.  
 This document shall remain valid as long as the customer abides FQC rules and terms of the contract. Certificate validity may be checked on FQC website.

FIRST QUALITY CERTIFICATION



## CERTIFICATE

This certificate is granted to the organization,  
**KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT SANAYİ VE DIŞ TİCARET ANONİM ŞİRKETİ**  
 Şahkulu Mahallesi Büyük Hendek Caddesi No:28/1 Beyoğlu / İstanbul / Türkiye  
 Selimpaşa Mahallesi 5008 Sokak No:6/A Silivri / İstanbul / Türkiye

**INDOOR AND OUTDOOR LIGHTING ARMATURES, LED AMPULAR FOR INDUSTRIAL PLANTS, COMMERCIAL ENTERPRISES, STREET AND OUTDOOR; LED ARMATURE FEEDING CIRCUIT AND SMART LIGHTING AUTOMATION SYSTEMS DESIGN, PRODUCTION AND SALES**

EA 19  
 according to the scope,  
**ISO 14001:2015**  
 to certify that Environmental Management System in accordance with standard's clauses is established and being implemented.

<b>First Date of Issue</b>	: 13.03.2018
<b>Recertification Due Date</b>	: 12.03.2021
<b>Date of Issue</b>	: 12.03.2023
<b>Certificate Period</b>	: 3 Years
<b>Reissue Due Date</b>	: 12.03.2024
<b>Certificate No</b>	: 02.18.7170.6850.D

  
 First Quality Certification  
 System Certificate Approved  
 Maltepe / İstanbul / Türkiye




FQC, India & Head Office  
 FQC First Quality Certification Pvt. Ltd.  
 300 St. Sector-12, Phase-01, Con-08, Gurgaon, India  
 T: +91 172 8038975 / F: +91 172 4418831  
 www.fqcglobal.org info@fqcglobal.org


FQC, Turkey & Certified Location  
 FQC Global Certification A.Ş.  
 Davut Mah. Feriit Caddesi No:116/14/020/09/020/09 Maltepe / İstanbul / Türkiye  
 T: +90 216 444 21 41 / +90 216 457 69 06 F: +90 216 457 69 06  
 www.fqcglobal.org info@fqcglobal.org

Bu belge, müşterinin FQC'ni kullanması ve sözleşme şartlarına uyduğu sürece geçerlidir. Sertifikayı geçerliliği durumu FQC internet sitesinden takip edilebilir.  
 This document shall remain valid as long as the customer abides FQC rules and terms of the contract. Certificate validity may be checked on FQC website.



**Prüfbericht - Produkte**  
Test report - Products



<b>Prüfbericht-Nr.:</b> Test Report No.:	CN22CLYR 001	<b>Auftrags-Nr.:</b> Order No.:	244450836	<b>Seite 1 von 101</b> Page 1 of 101
<b>Kunden-Referenz-Nr.:</b> Client Reference No.:	2438564	<b>Auftragsdatum:</b> Order date:	2022.09.21	
<b>Auftraggeber:</b> Client:	KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT SAN. VE DİŞ TİC. A.Ş KULEDİBİ BÜYÜKHENDEK CD. NO:28 34421, İSTANBUL, TURKEY			
<b>Prüfgegenstand:</b> Test item:	Self-balasted LED lamps			
<b>Bezeichnung / Typ-Nr.:</b> Identification / Type No.:	See model list on page 3			
<b>Auftrags-Inhalt:</b> Order content:	Testing report			
<b>Prüfgrundlage:</b> Test specification:	Regulation (EU) 2017/1369 COMMISSION REGULATION (EU) 2019/2020 COMMISSION DELEGATED REGULATION (EU) 2019/2015 COMMISSION DELEGATED REGULATION (EU) 2021/340 and COMMISSION REGULATION (EU) 2021/341 also considered			
<b>Wareneingangsdatum:</b> Date of receipt:	2021.01.15			
<b>Prüfmuster-Nr.:</b> Test sample No.:	Number 1# to 10# for each model			
<b>Prüfzeitraum:</b> Testing period:	2021.01.15 - 2021.06.18			
<b>Ort der Prüfung:</b> Place of testing:	ANHUI SHILIN LIGHTING CO., LTD.			
<b>Prüflaboratorium:</b> Testing laboratory:	TÜV Rheinland (Shanghai) Co., Ltd.			
<b>Prüfresultat:</b> Test result*:	Siehe Sonstiges / See Other aspects			
<b>geprüft von:</b> tested by: Fernando Dai	<b>genehmigt von:</b> authorized by: Alex Yan			
<b>Datum:</b> Date: 2022.09.21	<b>Ausstellungsdatum:</b> Issue date: 2022.09.21			
<b>Stellung / Position:</b> PE	<b>Stellung / Position:</b> Reviewer			
<b>Sonstiges / Other:</b>	This testing report is according to the ecodesign requirements for Light source, this report, initial value and 3600h test result were measured. Energy efficiency class according to COMMISSION DELEGATED REGULATION (EU) 2019/2015 is also considered, and the result is for reference.			


Appendix: Photo of tested samples.

<b>Zustand des Prüfgegenstandes bei Anlieferung:</b> Condition of the test item at delivery:	Prüfmuster vollständig und unbeschädigt Test item complete and undamaged			
* Legende: <b>Pass</b> = entspricht o.g. Prüfgrundlage(n) * Legend: <b>Pass</b> = passed a.m. test specification(s)	<b>Fail</b> = entspricht nicht o.g. Prüfgrundlage(n) <b>Fail</b> = failed a.m. test specification(s)	<b>N/A</b> = nicht anwendbar <b>N/A</b> = not applicable	<b>NT</b> = nicht getestet <b>NT</b> = not tested	
<b>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.</b> This test report only relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.				

TÜV Rheinland (Shanghai) Co., Ltd., No.177, 178, Lane 777 West Guangzhong Road, Jing'an District, Shanghai, China  
Mail: service@de.tuv.com • Web: www.tuv.com

# CERTIFICATE

of product conformity  
Certificate NO: 2020-PTC-1389



**PTC Technical Inspection and Certification**  
ATTESTATION OF COMPLIANCE  
(UYGUNLUK ONAYI)

The technical file and test results of the following product have been checked and found in compliance with the Parliament and council Directive 2014/35/EU LVD Directive on the harmonization of the laws of Member States relating to electrical equipment designed for use within certain voltage limits and 2014/50/EU Directive on the harmonization of the laws of Member States relating to electrical electromagnetic compatibility.

Teknik dosyas ve test raporları incelenerek, belirtilen ürünün Avrupa Birliği Teknik Komisyonu tarafından 2014 tarihinde yayınlanan 2014/35/AB LVD Direktif Belirli Gerilim Sınırları Dahilinde Çalışmak Üzere Tasarlanmış Teçhizat ile ilgili Yönetmeliğine ve 2014/50/AB Elektromanyetik Uyumluluk Yönetmeliğine uygunluğu saptanmıştır.

Manufacturer(Üretici) : KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT VE DİŞ TİC.A.Ş.  
Kuledibi , Büyükhendek Cad. No:28 Beyoğlu / İSTANBUL

Applicant(Beyan sahibi) : KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT VE DİŞ TİC.A.Ş.  
Kuledibi , Büyükhendek Cad. No:28 Beyoğlu / İSTANBUL


Trademark(Marka) : K2

Product(Ürün) : LED AMPÖL (8W - 60W) / LED BULB (5W - 60W)

Type / Model(Tip / Model) : KES127;KES129;KES121;KES122;KES123;KES124;KES125;KES206;KES208;KES207;  
KES209;KES309;KES310;KES311;KES312;KES313;KES314;KES315;KES316;KES317;KES318;KES319;KES320;KES321;  
KES322;KES323;KES324;KES325;KES326;KES327;KES328;KES329;KES330;KES331;KES332;KES333;KES334;KES335;  
KES336;KES337;KES338;KES339;KES340;KES341;KES342;KES343;KES344;KES345;KES346;KES347;KES348;  
KES349;KES350;KES351;KES352;KES353;KES354;KES355;KES356;KES357;KES358;KES359;KES360;KES361;  
KES362;KES363;KES364;KES365;KES366;KES367;KES368;KES369;KES370;KES371;KES372;KES373;KES374;  
KES375;KES376;KES377;KES378;KES379;KES380;KES381;KES382;KES383;KES384;KES385;KES386;KES387;  
KES388;KES389;KES390;KES391;KES392;KES393;KES394;KES395;KES396;KES397;KES398;KES399;KES400;

Test Report No(Test Rapor No) : 17191-902 , 20-19-R9-N1-1

Base Of Attestation(Onay Dayanması) : TS EN 62060-1 , TS EN 61547:2018 , TS EN 55015:2019 , TS EN 61000-3-2:2019 ,  
TS EN 61000-3-3:2014



www.ptctestng.com  
ID NO : 202019

Sertifika, belirtilen ürünün/ürünlerin test edilmesinden ve / veya teknik dokümantasyonun denetlenmesinden sonra verilir ve test edilen ürünü, belirtilen direktiflerin zorunlu kurulum şartlarını göndülü olarak uygun olduğunu onaylar.  
The certificate is issued after testing of the named products and/or audit of the technical documentation and confirms that the tested product complies with the essential protection requirements of the mentioned directives on a voluntary basis.  
Diğer ilgili standartlara ve direktiflere uyumludur. Bu onay üreticinin uygunluk beyanı düzenleme zorunluluğunu ortadan kaldırmaz. Referans teknik dosyası ile ürünün yukarıda belirtilen AT Direktiflerinin temel gerekliliklerine uygunluğu kabul edilir.  
The referred technical file(s) shows that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements listed EU Directive(s) above, other relevant Directives and standards have to be observed. This attestation does not abrogate the compulsory obligation of the manufacturer to issue the declaration of conformity.

Date / Tarih : 05.03.2020  
Issue Date / Basım Tarihi : 05.03.2020  
Expiry to be Kept / Geçerli : 05.03.2021

PTC Ürün Test ve  
Denetimlere Sorumlusu  
(İmza)

## Kendal Elektrik Aydınlatma Elektronik İnşaat San. Dış Tic. A.Ş.

### Head Office / Showroom

Emekyemez Mah. Şişhane Sk. No:23 Beyoğlu - İSTANBUL / TÜRKİYE  
Tel: +90 212 251 77 90 -91 / Fax: +90 212 243 18 96

### Factory

Selimpaşa Org.San. Böl. 5008 sokak No:6 Selimpaşa Silivri - İSTANBUL / TÜRKİYE  
Tel: +90 212 482 75 91 / / Fax: +90 212 243 18 96

## EXPORT SALES CONTACTS

<b>Mr. Çağrı GÜRSES</b>	Export Manager	+90 533 387 40 96	export@kendalelektrik.com.tr
<b>Ms. Ayşe Nur YILMAZ</b>	Export Specialist	+90 530 220 84 69	export1@kendalelektrik.com.tr
<b>Mr. Doruk OĞAN</b>	Export Sales Representative	+90 536 350 32 63	export2@kendalelektrik.com.tr







**KENDAL**  
ELEKTRİK



**KENDAL**  
ELEKTRİK

**Kendal Elektrik Aydınlatma Elektronik İnşaat San. Dış Tic. A.Ş.**

**Head Office / Showroom**

Emekyemez Mah. Şişhane Sk. No:23 Beyoğlu - İSTANBUL / TÜRKİYE

info@kendalelektrik.com.tr

+90 212 251 77 90 -91

**Factory**

Selimpaşa Org.San. Böl. 5008 sokak No:6 Selimpaşa Silivri - İSTANBUL / TÜRKİYE

info@kendalelektrik.com.tr

+90 212 482 75 91

Kendal Smart App



kendalelektrik



kendalelektrik



kendalelektrik

