



2026

PRODUCT
CATALOG

Life is Light



Discover
the potential



Kendal Elektrik, which started its activities in the electrical materials sector in **1998**, continues its production in an area of **22.000** square meters with **230** employees. Kendal Elektrik, which has achieved many firsts in the sector, is entirely Turkish-owned and produces its products at world standards and on automation-based machine parks.

Kendal Elektrik, following the technological developments meticulously, carries out the mold productions that give life to the products within its own structure. In this way, metal molds reach real product forms in the injection production area and take the first step in becoming a complete product. Kendal Elektrik, which sees it as a mission to spread robot technology to all processes of production and integrate it with each other with an understanding of error-free and high quality production, continues to increase its investments in accordance with the expectations of the sector and customer, with a total automation area of approximately 22.000 square meters.

Kendal Elektrik, a **100% domestic brand**, is working to give back to these lands what it has taken from these lands.

It produces in many fields such as led panel, led spot, led flood light , together with Led Bulb , which is the main artery of the sector , and enjoys the privilege of offering many product groups that customers need in the market under one roof.

Kendal Elektrik has been increasing its capacity every year with its steadily growing product range and related investments and adding strength to its strength in the market.

Kendal Elektrik is the market leader in the domestically produced led bulb industry with its LED bulb production capacity and prevalence . Drawing attention to the needs of customers with products produced for Kendal Power LED bulbs in eye fatigue 4,000 LEDs also produces panel and bulb.

The choice of professionals; Increasing the range of TSE standard products day by day, Kendal Elektrik designs and implements many product groups needed by the sector in coordination with its R&D center with a competitive approach. TSE certified products in this group are subjected to tests in our accredited laboratory and offered to the market in a 100% safe manner. With the automation team established within the body of ARGE in 2013, it has reshaped not only the product but also the automation-based production processes . Together with our TSE certificates, it makes great efforts to spread the innovation- based change culture within the institution.

Kendal Elektrik aims to be among the top 10 companies in terms of turnover in the Asian, European and African markets and to be the leader in the domestic market.

With more than 20 years of experience and 100% Turkish capital, Kendal Elektrik is rapidly approaching its goal of becoming a world brand with the investments it has made and will make.



OPERATIONAL EXCELLENCE



Operational Excellence: Ready for Tomorrow, Today

Transformation...It is not just about making a company better today; it is about building the bridge that carries it into the future. At Kendal Elektrik, we are reshaping our 30 years of experience with this understanding. Our OPEX (Operational Excellence) process is designed not only to optimize our operations but also to ensure our steady progress toward global leadership in the next-generation lighting industry.

Traditional approaches may be sufficient to meet today's needs. However, Kendal Elektrik aims to set the standards of the future today and add value to our business partners through continuous improvement. Our OPEX transformation is a tangible reflection of this vision.

OPEX: The Strategy That Shapes the Future

OPEX is not just an operational improvement process; it is also a leadership strategy. This process unites the entire organization under one common goal: Making excellence the standard.

Digitalization and Smart Business Models

At Kendal Elektrik, we are not just digitalizing our processes; we are making every operational step smarter, faster, and more flexible. By leveraging advanced technologies and big data analytics across all areas—from product lifecycle management to logistics—we are redefining our performance.

Energy Efficiency and Environmental Responsibility

The future depends on sustainability. With this awareness, we strive to be an industry leader in energy management. We develop eco-friendly, high-efficiency lighting solutions to achieve more with less energy, benefiting both our customers and the planet.

Strong Business Partnerships

Competition in the business world does not mean excluding collaboration. Our OPEX process aims to strengthen strategic partnerships with our customers and stakeholders, creating long-term value and enhancing our global competitiveness.

Building the Future Today!

Our OPEX transformation is not just a tool to reinforce our current success but a process that defines the leadership standards of tomorrow. We see ourselves not merely as a lighting solutions provider but as an industry leader shaped by innovation and excellence. This approach creates value that touches everyone—from our employees and customers to our suppliers and society.

At Kendal Elektrik, we move forward with visionary leadership and a commitment to continuous development. Our goal is not just to illuminate today but to light the way for the future.

**We are Strong Together:
to Perfection at Every Step...**

OPEX






EXPORT TO 4 CONTINENTS 40 COUNTRIES

EXPORT

HIGH
TECHNOLOGY



KENDAL ELEKTRİK
PROMOTIONAL MOVIE

PRODUCTION



Led Panels

RECESSED SLIM LED PANEL

ALUMINIUM
BODYSMD 2835 Led Chip
PS LGP 3 mm

3000K 4000K 6500K



220-240V

20000 Saat
Hours

SIZES	6,5 cm	10,5 cm	12 cm	15,2 cm	17 cm	20 cm	27,5 cm
	8 cm	12 cm	14,5 cm	17 cm	19 cm	22 cm	29,5 cm
	KDL404	KDL400	KDL405	KDL401	KDL402	KDL403	KDL407

Item Code	W watt	lumen	box qty
KDL404	3W	180	100
KDL400	6W	510	100
KDL405	9W	630	60
KDL401	12W	900	40
KDL402	15W	1200	40
KDL403	18W	1440	30
KDL407	24W	1920	20

RECESSED BLACK BODY SLIM LED PANEL

ALUMINIUM
BODYSMD 2835 Led Chip
PS LGP 3 mm

3000K 4000K 6500K



220-240V

20000 Saat
Hours

SIZES	6,5 cm	10,5 cm	12 cm	15,2 cm	17 cm	20 cm	27,5 cm
	8 cm	12 cm	14,5 cm	17 cm	19 cm	22 cm	29,5 cm
	KDL404B	KDL400B	KDL405B	KDL401B	KDL402B	KDL403B	KDL407B


Item Code	W watt	lumen	box qty
KDL404B	3W	180	100
KDL400B	6W	510	100
KDL405B	9W	630	60
KDL401B	12W	900	40
KDL402B	15W	1200	40
KDL403B	18W	1440	30
KDL407B	24W	1920	20

SATIN BODY SLIM LED PANELS



ALUMINIUM
BODY

SMD 2835 Led Chip
PS LGP 3 mm



220-240V

20000 Saat
Hours

SIZES	6,5 cm	10,5 cm	15,2 cm	17 cm	20 cm
	8 cm	12 cm	17 cm	19 cm	22 cm
	KDL404S	KDL400S	KDL401S	KDL402S	KDL403S


Item Code	W watt	lumen	box qty
KDL404S	3W	255	100
KDL400S	6W	510	100
KDL401S	12W	900	40
KDL402S	15W	1200	40
KDL403S	18W	1440	30

SLIM SQUARE LED PANEL



ALUMINIUM
BODY

SMD 2835 Led Chip
PS LGP 3 mm



220-240V

20000 Saat
Hours


SIZES	7 cm	10,2 cm	15 cm	17,5 cm	20 cm	29 cm
	8,5 cm	12 cm	17 cm	19,5 cm	22 cm	29 cm
	KDL410	KDL411	KDL412	KDL413	KDL409	KDL424

Item Code	W watt	lumen	box qty
KDL410	3W	255	100
KDL411	6W	510	100
KDL412	12W	900	40
KDL413	15W	1200	40
KDL409	18W	1440	40
KDL424	24W	1920	20

SURFACE MOUNTED ROUND LED PANEL



SMD 2835 Led Chip
PS LGP 3 mm




Item Code	W watt	lumen	description	box qty
KDL420	6W	510	White Body	100
KDL421	12W	840	White Body	40
KDL422	18W	1350	White Body	40
KDL423	24W	1450	White Body	20
KDL420B	6W	510	Black Body	100
KDL421B	12W	840	Black Body	40
KDL422B	18W	1350	Black Body	40
KDL423B	24W	1450	Black Body	20
KDL550	20W	2100	With Sensor	20

SIZES	Ø: 12 cm	Ø: 18 cm	Ø: 22,5 cm	Ø: 30 cm	Ø: 22 cm
	KDL420/420B	KDL421/421B	KDL422/422B	KDL423/423B	KDL550

SURFACE MOUNTED SQUARE LED PANEL




SMD 2835 Led Chip
PS LGP 3 mm




SIZES	12 cm	16 cm	21 cm	30 cm
	KDL430/430B	KDL431/431B	KDL432/432B	KDL433/433B

Item Code	W watt	lumen	description	box qty
KDL430	6W	510	White Body	100
KDL431	12W	840	White Body	40
KDL432	18W	1350	White Body	40
KDL433	24W	1450	White Body	20
KDL430B	6W	510	Black Body	100
KDL431B	12W	840	Black Body	40
KDL432B	18W	1350	Black Body	40
KDL433B	24W	1450	Black Body	20


DOUBLE COLOR LED PANELS WITH 3 FUNCTIONS



SMD 2835 Led Chip
PS LGP 3 mm



SIZES




Item Code	W watt	lumen	box qty
KDL440	4W+3W	580	50
KDL441	6W+4W	850	30
KDL442	12W+6W	1300	20
KDL443	20W+6W	2020	20
KDL444	12W+4W	1800	20
KDL445	18W+6W	2200	20

SURFACE


SLIM BACKLIGHT LED PANELS WITH FRAME



Metal Body
SMD 2835 Led Chip



SIZES




Item Code	W watt	lumen	box qty
KDL485	6W	360	100
KDL486	8W	480	60
KDL487	15W	900	40
KDL488	20W	1350	40

SLIM BACKLIGHT LED SURFACE PANELS WITH FRAME



SIZES




NEW

Item Code	W watt	lumen	box qty
KDL560	40W	4350	40
KDL561	55W	6600	40

SLIM BACKLIGHT LED PANELS WITH FRAME




Item Code	W watt	lumen	box qty
KDL465	9W	765	100
KDL466	18W	1530	40
KDL467	24W	2040	40
KDL468	36W	2880	40



SLIM CRYSTAL BACKLIGHT FRAMELESS PANEL




Item Code	W watt	lumen	box qty
KDL510	24W	2400	40
KDL511	36W	3600	40



ADJUSTABLE SLIM BACKLIGHT FRAMELESS PANEL



Item Code	W watt	lumen	box qty
KDL540	24W	2040	40
KDL541	36W	2880	40




SURFACE BACKLIGHT PANELS



Item Code	W watt	lumen	description	box qty
KDL061	12W	760	Round	60
KDL062	18W	1120	Round	60
KDL063	24W	1865	Round	40
KDL081	12W	760	Square	60
KDL082	18W	1150	Square	60
KDL083	24W	1880	Square	40



PVC Body
Metal Base



DOWNLIGHT ROUND and SQUARE BACKLIGHT PANELS



Item Code	W watt	lumen	box qty
KDL050	6W	330	100
KDL052	12W	760	60
KDL053	18W	1140	60
KDL054	24W	1840	40
KDL055	6W	345	100
KDL057	12W	795	60
KDL058	18W	1190	60
KDL059	24W	1900	40

PVC Body
Metal Base





BACKLIGHT LED SURFACE PANEL



SURFACE
60x60
WITH LED



Item Code	W watt	lumen	box qty
GDL420	60W	3200	10



SLIM BACKLIGHT DOWNLIGHT PANELS



DOWNLIGHT
60x60
WITH LED

GDL418 - GDL419
Backlight60x60

SMD 2835 with Lens





KDL414
Backlight30x30



30x30
CLIPIN
FRAME

GDL414
Backlight30x30

PS LGP 2 mm
SMD 4014 Led Chip





30X60 and 30X120 LED PANELS

GDL415
Backlight 30x60



PS LGP 2 mm
SMD 4014 Led Chip

GDL425
Backlight 30x120




Item Code	W watt	lumen	box qty
GDL415	25W	2300	20
GDL425	40W	4000	10



60X60 SLIM COMPACT PANEL




COMPACT DRIVER
FEATURE



DEPTH
2.5cm

SUITABLE FOR
LOW CEILINGS



Item Code	W watt	lumen
KDL4142	36W	4000



SLIM BACKLIGHT PANEL with ENEC ve TSE CERTIFICATES





60x60

30x60



30x30

Metal Body
09 PF



Item Code	W watt	lumen	description	box qty
KDL4140	40W	4000	60x60	10
KDL4140	25W	2500	30x30	20
KDL4140	30W	3000	30x60	20



ENEC DRIVER

SURFACE SLIM BACKLIGHT PANEL FRAME and KITS



1 mm Sheet Metal
Suitable for Backlight Panels.

1 Mt.

Item Code	description	box qty
HANO13B	60x60 (Disassembled)	60
HANO16	30x30 (Disassembled)	120
HANO22	30x120 (Disassembled)	20
HANO19	Joining Device	30
HANO13E	Panel Hanger	50
HANO13C	60x60 Clip-in Body	30
HANO13D	60x60 Drywall Body	50





Led Bulbs

LED BULBS (IC DRIVER)



Aluminium
Heat Isolation
Cooling System





Item Code	body	watt	lumen
KES120	A55	5W	500
KES126	A60	8W	600
KES122	A60	10W	820
KES123	A60	12W	1150

LED BULBS (DOB)



Aluminium
Heat Isolation
Cooling System





Item Code	body	watt	lumen
KES181	A60	9W	810
KES185	A60	12W	1050
KES182	A60	14W	1260

LED BULBS (LINEAR)



Aluminium
Heat Isolation
Cooling System





Item Code	body	watt	lumen
KES170	A60	9.5W	700
KES171	A60	12W	800
KES172	A60	15W	1050
KES173	A70	18W	1150



LED T BULBS



Aluminium
Heat Isolation
Cooling System




Item Code	body	watt	lumen	box qty
KES130	T80	20W	1800	100
KES131	T100	30W	2700	100
KES132	T120	40W	3600	50
KES133	T140	50W	4500	40
KES134	T160	60W	5400	40

LED T BULBS



Aluminium
Heat Isolation
Cooling System




Item Code	body	watt	lumen	box qty
GES230	T80	20W	1800	100
GES231	T80	30W	2700	100
GES232	T100	40W	3600	50
GES233	T115	50W	4500	40
GES234	T135	60W	5400	40

LED CRYSTAL T BULBS



Aluminium
Heat Isolation
Cooling System




Item Code	body	watt	lumen	box qty
GES240	T80	20W	1800	100
GES241	T100	30W	2700	100
GES242	T120	40W	3600	100
GES243	T140	50W	4500	50
GES244	T160	60W	5400	50




LED CANDLE BULBS




Item Code	W watt	lumen
KES209	8W	720
KES183(DOB)	5W	500
KES184(DOB)	7W	700




LED TAILED BULBS






Item Code	W watt	lumen
KES206	5W	450
KES210	7W	595



LED BALL BULBS





Item Code	W watt	lumen	base	description
KES207	5W	350	E27	A45
KES208	5W	450	E14	P45



LED TUBE & LED TUBE with RADAR SENSOR




Double-ended Powered
Ballast Function
Single-ended Powered Glass




Item Code	body	W watt	lumen
KFL118	PC Plastic	10W	900
KFL136	PC Plastic	20W	1800
KFL136SE	PC Plastic	20W	1800
KFL118C	Glass	9W	900
KFL136C	Glass	18W	1800
KFL146C	Glass	24W	2500

LED SPOT BULB




Item Code	W watt	lumen	base
KES046B	5W	450	G5.3
KES047B	7W	630	G5.3
KES046	5W	450	GU10
KES047	7W	630	GU10

LED SPOT BULB WITH LENS





Item Code	W watt	lumen	base
KES048B	5W	450	G5.3
KES049B	7W	630	G5.3
KES048	5W	450	GU10
KES049	7W	630	GU10
KES049D(DİM)	7W	630	GU10
KES049R	7W	630	GU10

WIRED LED SPOT BULB (WITH LENS)




Item Code	W watt	lumen
KES054	5W	450



MONTAGE WITHOUT BASE



LED RGB SMART BULB



RGB




Item Code	W watt	lumen
KES301	9W	850
KES302	12W	1050

12 - 48 V LED BULBS



Aluminium
Heat Isolation
Cooling System




Item Code	W watt	lumen
KES224	9W(24V)	810
KES222	9W(12-48V)	810

LED RADAR SENSOR BULB



Aluminium
Heat Isolation
Cooling System




Item Code	W watt	lumen
KES094	9W	800

RGB LED BULB



IC DRIVER
Aluminium
Heat Isolation
Cooling System

RGB



Item Code	W watt	lumen
KES300	9W	720

RECHARGEABLE LED BULBS



6500K



CHANGEABLE BATTERY

Charge

4 Hour Working Time

Item Code

W
watt

lumen

battery

box qty

KES075

9W

700

1 Battery 1200mAh

50

KES076

12W

900

2 Battery 2400mAh

50

KES077

16W

1120

3 Battery 3600mAh

50



E27



220-240V



20000 Saat Hours

SIZES

148 mm

70 mm

158 mm

78 mm

184 mm

94 mm

KES075

KES076

KES077

LED UFO BULBS



3000K

6500K



E27



220-240V



20000 Saat Hours

SIZES

120 mm 86 mm
KES400

155 mm 86 mm
KES401

185 mm 86 mm
KES402

220 mm 86 mm
KES403

Item Code

W
watt

lumen

box qty

KES400

20W

1800

100

KES401

26W

2200

80

KES402

36W

2800

40

KES403

45W

3400

40



LED FLAME BULB



3 MOODS



1700K



E27



100



220-240V



20000 Saat Hours

SIZES

15,2 cm

6 cm

Item Code

W
watt


lumen

KES460

5W

300

LED FILAMENT CANDLE BULBS



IC DRIVER
TRANSPARENT GLASS
TAILED



2700K

6500K




E14

100

220-240V

20000 Saat
Hours

SIZES



Item Code	W watt	lumen
KES498	4W	400
KES499	4W	400

LED FILAMENT CANDLE BULBS



IC DRIVER
TRANSPARENT GLASS
TAILED



2700K

6500K




E14

100

220-240V

20000 Saat
Hours

SIZES



Item Code	W watt	lumen
KES600	4W	440
KES601	4W	430
KES610	4W	440

LED FILAMENT BULBS (A60)



IC DRIVER
TRANSPARENT GLASS



2700K

6500K



E27

100

220-240V

20000 Saat
Hours

SIZES



Item Code	W watt	lumen
KES501	6W	600
KES502	8W	820
KES620	4W	440
KES621	6W	540

LED FILAMENT BULB (G45)



IC DRIVER
TRANSPARENT GLASS



2700K

6500K



E27

100

220-240V

20000 Saat
Hours

SIZES



Item Code	W watt	lumen
KES497	4W	470

LED FILAMENT BULB (G45)

IC DRIVER
RUSTIC

2700K

MADE IN
TÜRKİYE
MADE IN

E27

100

220-240V

20000 Saat
Hours

SIZES
4,5 cm
7,5 cm

Item Code	W watt	lumen
KES602	4W	430

LED FILAMENT BULBS (A60)

IC DRIVER
RUSTIC

2700K

MADE IN
TÜRKİYE
MADE IN

E27

100

220-240V

20000 Saat
Hours

SIZES
6 cm
10,6 cm

Item Code	W watt	lumen
KES603	6W	600
KES604	8W	800
DIMMER+ KES630	4W	440
DIMMER+ KES631	6W	540

LED FILAMENT BULBS (ST64)

IC DRIVER
TRANSPARENT GLASS

2700K 6500K

MADE IN
TÜRKİYE
MADE IN

E27

100

220-240V

20000 Saat
Hours

SIZES
6,4 cm
14,5 cm

Item Code	W watt	lumen
KES505	6W	680
KES515	8W	820

LED FILAMENT BULB (G95)

IC DRIVER
TRANSPARENT GLASS

2700K 6500K

MADE IN
TÜRKİYE
MADE IN

E27

50

220-240V

20000 Saat
Hours

SIZES
9 cm
14 cm

Item Code	W watt	lumen
KES506	6W	660

LED FILAMENT BULB (G125)



2700K

6500K



E27

50




220-240V



20000 Saat Hours



SIZES



Item Code

W watt

lumen

KES507

8W

800

LED FILAMENT BULBS (ST64)



2700K



E27

100




220-240V



20000 Saat Hours



SIZES



Item Code

W watt

lumen

KES616

4W

440

KES605

6W

540

KES615

8W

800

KES632

6W

540

LED FILAMENT BULBS (G95)



2700K



E27

50




220-240V



20000 Saat Hours



SIZES



Item Code

W watt

lumen

KES617

4W

440

KES606

6W

540

KES633

6W

660

LED FILAMENT BULBS (G125)



2700K



E27

50




220-240V



20000 Saat Hours



SIZES



Item Code

W watt

lumen

KES607

8W


800

KES634

8W

800

STICK BULBS



Item Code	W watt	lumen	base
KES191	6W	420	E14
KES192	9W	630	E14
KES193	7W	490	E27
KES194	10W	700	E27
KES195	12W	840	E27

COLORFUL LED BULBS




KES119



KNL380

IC DRIVER
Aluminium
Heat Isolation
Cooling System



Item Code	W watt	lumen	box qty
KES119	5W	420	100
KNL380	1.5W	Night Bulb	200

LED FAN and BALL BULB





KES471

KES477



KES475




Item Code	W watt	lumen
KES471	45W	3500
KES477	36W	4200
KES475	30W	3000

LED BULB WITH CEILING FAN



CCT → 3000K 3 COLOR FUNCTIONS
4000K
6500K



Item Code

KES473

W watt

40W


lumen

3600

HIDDEN FAN LED BULB



CCT → 3000K 3 COLOR FUNCTIONS
4000K
6500K



Item Code

KES478

W watt

40W


lumen

3600

LED BULB WITH FAN



CCT → 3000K 3 COLOR FUNCTIONS
4000K
6500K



Item Code

KES472

W watt

30W



lumen

2700

LED BULB WITH HEATER



CCT → 3000K 3 COLOR FUNCTIONS
4000K
6500K



Item Code

KES476

W light power

20W

W heater power

600W

lumen

1800


REFRIGERATOR BULB




Item Code	Watt	lumen	box qty
KES003	3W	200	100
KES021	2.5W	120	100



SIZES




G4 BASE LED BULBS



Item Code	Watt	lumen	volt	description	box qty
KES006	2W	90	220v	SMD Led	100
KES104	2W	160	220v	SMD Led	100
KES001	3W	200	220v	SMD Led	100
KES022	2W	95	12v	SMD Led	100
KES007	2W	90	12v	SMD Led	100
KES112	1.5W	150	12v	COB Led	100
KES008	4W	250	220v	COB Led	100



SIZES




G9 BASE LED BULBS



Item Code	Watt	lumen	description	box qty
KES010	2W	200	COB Led	100
KES016	5W	270	COB Led	100
KES110	3W	200	SMD Led	100



SIZES



OUTDOOR E27 5-PIECE BASE SET



Item Code

description

KES700

5 Base / 5 Meter

IP64



E27



50

OUTDOOR E27 20-PIECE BASE SET



Item Code

description

KES701

20 Base / 10 Meter

IP64



E27



20

KES478

HIDDEN WINGED LED BULB

40_w

3600Lm

NEW
PRODUCT

CCT 3 FUNCTIONS
3000K 4000K 6500K




WITH REMOTE CONTROL



SECRET FANS



3 FANS



Led Strips

220V NEON LED

GLOBAL



Item Code	W watt	colors	lumen
KCL016	10W / 1mt		300 / 1mt
KCL016	10W / 1mt	R G B	300 / 1mt

Measurement: 7x15mm (120 Leds)

RGB Measurement: 10x19mm (72 Leds)

Each Box Have a 5 pcs. Accessory. (Power Cable, Connection Kit etc.)

10 Cm. --->

IP65



100mt

220V COB NEON LED

GLOBAL



Item Code	W watt	lumen	colors
KCL060	10W	700	

Measurement: 6x10mm

Each Box Have a 5 pcs. Accessory. (Power Cable, Connection Kit etc.)

50 Cm. --->


IP65



100mt

220V OUTDOOR LED STRIP

GLOBAL



Item Code	W watt	colors	lumen
KCL007	6W / 1mt		250 / 1mt
KCL007	6W / 1mt	R G B	250 / 1mt

Measurement: 6mm (60 Leds)

Each Box Have a 5 pcs. Accessory. (Power Cable, Connection Kit etc.)

1 Mt. --->

IP65



100mt

220V OUTDOOR LED STRIP

GLOBAL



120 LEDS →

240 LEDS →

Item Code	W watt	lumen	colors
KCL050	10W	800	
KCL051	15W	1600	

Measurement: 5x9mm

Each Box Have a 5 pcs. Accessory. (Power Cable, Connection Kit etc.)

10 Cm. --->

NEW

SELFADHESIVE

IP65



100mt

12V NEON LED

GLOBAL



1 Roll / 5 Mt.

1 Roll / 25 Mt.

Item Code	W watt	colors	lumen
KCL013	10W		300 / 1mt
KCL013	10W	R G B	300 / 1mt
KCL019	10W		800

2.5 Cm. --->

Measurement: 6x12mm (120Leds)

IP65



40

12V INDOOR LED STRIP



Item Code	W watt	colors	lumen	box qty
KCL005	5W / 1mt	     	750 / 1mt	1000mt
KCL005	5W / 1mt	R G B	750 / 1mt	500mt


 1 Roll / 5 Meter

3-CHIP INDOOR LED STRIP 3535
12V Silicone-Free (60 LEDs/1m)

IP20

 500mt

12V INDOOR LED STRIP



Item Code	W watt	colors	lumen
KCL003	8W / 1mt	  	750 / 1mt
KCL003	8W / 1mt	  	750 / 1mt
KCL003	8W / 1mt	R G B	750 / 1mt

 1 Roll / 5 Meter

3-CHIP INDOOR LED STRIP 3535
12V Silicone-Free (60 LEDs/1m)

IP65

 500mt

12V INDOOR LED STRIP



Item Code	W watt	lumen	colors
KCL025	16W	1500	     

 1 Roll / 5 Meter

240 LED HIGH LUMEN

IP20

 500mt

12V INDOOR LED STRIP



Item Code	W watt	lumen	colors
KCL022	18W / 1mt	1440 / 1mt	 
KCL027	12W	1500	     

 1 Roll / 5 Meter

GOLD INDOOR LED STRIP (2835)
12V Silicone-Free (120 LEDs/1m)

120 LED HIGH LUMEN

IP20

 500mt

12V INDOOR LED STRIP



	Item Code	W watt	colors	lumen
12-CHIP OUTDOOR LED STRIP (5630) 12V SILICONE (60 LEDs/1m)	KCL018	18W / 1mt		1440 / 1mt
SINGLE-CHIP OUTDOOR LED STRIP (3528) 12V SILICONE (60 LEDs/1m)	KCL002	4.8W / 1mt	 	420 / 1mt
SINGLE-CHIP INDOOR LED STRIP (3528) 12V SILICONE-FREE (60 LEDs/1m)	KCL004	4.8W / 1mt	  	420 / 1mt

 1 Roll / 5 Meter

 500mt

24V INDOOR LED STRIP



Item Code	W watt	colors	lumen
KCL112	14W / 1mt	R G B	840 / 1mt
KCL112	14W / 1mt		840 / 1mt



1 Roll / 5 Meter

INDOOR LED STRIPS (5050)
24V SILICONE-FREE (60 LEDS/1 METER)
120LED HIGH LUMEN

IP20



500mt

24V COB LED STRIP



Item Code	W watt	colors	lumen
KCL120	10W		850



1 Roll / 5 Meter

300 LED HIGH LUMEN

COB INTERIORS
24V (300led/1mt)

IP20



500

24V LED STRIP WITH LENS



Item Code	W watt	lumen	colors
KCL014	18W	1246	



1 Roll / 10 Meter

HIGH LUMEN



500mt

LED MODULE



Item Code	W watt	lumen	colors
KCL030	1,5W/1 Ad.	50Lm/Chip	



1000

LED BAR



Item Code	W watt	lumen	colors
KCL020	0,2W/14,4W/1mt	50Lm/Chip	



200


MAGIC NEON LED WITH USB



Item Code	W watt	colors
KCL041	5W / m	R G B



1 Roll / 5 Meter - Set



SMART LED STRIP



Item Code	W watt	colors	lumen
KCL040	12W	R G B	200



1 Roll / 5 Meter




PLUG ADAPTERS



Item Code	W watt	description	box qty
KLD020	12W	1A	100
KLD021	24W	2A	100
KLD022	60W	5A	100

LED LIGHTED HOSE PLUGS



Item Code	description	box qty
KCL367	3528 3 Chip	200
KCL368	5050 3 Chip	300
KCL369	Led Neon Socket	250
KCL371	Led RGB Socket	100
KCL372	220V 2835 Socket	100



1 / 2 / 3 Meter
for Led Strips

ECO ULTRA SLIM LED DRIVER

IP20 DC 12V/50-60Hz

ULTRA SLIM




WITH TERMINAL

NEW

Item Code	W watt	A amper	description	box qty
KLD040	60W	5A	LED Strip Driver	200
KLD041	100W	8,5A	LED Strip Driver	100
KLD042	150W	12,5A	LED Strip Driver	100
KLD043	200W	16,5A	LED Strip Driver	100
KLD044	250W	21A	LED Strip Driver	100
KLD045	300W	25A	LED Strip Driver	100
KLD046	400W	33A	LED Strip Driver	100

220-240V

SIZES



SLIM LED DRIVER

IP20 DC 12V/50-60Hz
Overcurrent Protection
Copper Winding




WITH FAN

Item Code	W watt	A amper	description
KLD16	15W	1,2A	Slim Led Driver
KLD120B	120W	10,1A	Slim Led Driver
KLD150B	150W	12,5A	Slim Led Driver
KLD200B	200W	16,7A	Slim Led Driver
KLD250B	250W	21A	Slim Led Driver
KLD360B	360W	30A	Slim Led Driver

100

220-240V



SIZES



ECO ULTRA SLIM LED DRIVER

IP20 DC 12V/50-60Hz

ULTRA SLIM




WITH TERMINAL

Item Code	W watt	A amper	description	box qty
KLD001	60W	5A	LED Strip Driver	200
KLD002	100W	8,5A	LED Strip Driver	100
KLD004	150W	12,5A	LED Strip Driver	100
KLD005	200W	16,5A	LED Strip Driver	100
KLD011	250W	21A	LED Strip Driver	100
KLD006	300W	25A	LED Strip Driver	100
KLD007	400W	33A	LED Strip Driver	100




SIZES



OUTDOOR LED DRIVER

IP67 DC 12V/50-60Hz
Overcurrent Protection




IP67

Item Code	W watt	A amper	box qty
KWLD35	35W	2,5A	50
KWLD60	60W	5A	40
KWLD120	120W	8,3A	20
KWLD150	150W	12,5A	20
KWLD200	200W	16,7A	10
KWLD300	300W	25A	10



SIZES



24V LED DRIVER

IP20 DC 24V/50-60Hz

24V




100




220-240V


SIZES



KLD008



KLD009



KLD010

Item Code

W
watt

description

KLD008

120W

5A Led Driver

KLD009

240W

10A Led Driver

KLD010

360W

15A Led Driver

MINI LED DRIVER



1 / 2 / 3 Meter
for Led Strips

Item Code

description

KLD023

12W 1A

KLD024

24W 2A

KLD025

36W 3A



100






Led Spots


LED LED SPOTS




Item Code	W watt	lumen	colors	body
KDL109	5W	350	3 FUNCTIONAL	White-Silver
KDL110	5W	350	3 FUNCTIONAL	Black-Silver
KDL111	5W	350	3 FUNCTIONAL	White-Gold
KDL112	5W	350	3000K-4000K-6500K	White-Silver
KDL113	5W	350	3000K-4000K-6500K	Black-Silver
KDL114	5W	350	3000K-4000K-6500K	White-Gold





SMD LED SPOTS




Item Code	W watt	lumen	body
KLS923	6W	425	White
KLS923B	6W	425	Black



SMD PLASTIC DOWNLIGHT



SMD PLASTIC DOWNLIGHT



ROTATABLE LED STAR SPOTS



KLS518



200





220-240V





20000 Saat Hours

SIZES




Item Code	W watt	lumen	body
KLS519	3W	450	White - Black
KLS519	5W	450	Satin
KLS518	1W	120	White

CCT DOUBLE COLOR SPOT



3 DIFFERENT COLOR IN PRODUCT



100




220-240V



20000 Saat Hours

SIZES



Item Code	W watt	lumen
KSL900	7W	650

SMD DOWNLIGHT SPOTS



DOB ALUMINIUM COOLING



100




220-240V



20000 Saat Hours

SIZES



Item Code	W watt	lumen	body
KSL243	5W	450	Chrome
KSL243	5W	450	White

COB DOWNLIGHT SPOTS



DRIVER ALUMINIUM COOLING



100




220-240V



20000 Saat Hours

SIZES



Item Code	W watt	lumen	body
KSL240	5W	450	White
KSL240	5W	450	Chrome

ROUND PLASTIC SPOT FITTING



Item Code



KDA857

Black

KDA858

White



GU5.3



GU10



100

SIZES



SQUARE PLASTIC SPOT FITTING



Item Code



KDA859

Black

KDA860

White



GU5.3




GU10



100

SIZES



SQUARE PLASTIC SPOT FITTING



Item Code



KDA876

Black-Chrome

KDA877

Black-R. Gold



GU5.3




GU10



100

SIZES



SQUARE PLASTIC SPOT FITTING (DOUBLE)



Item Code



KDA882

Black - Chrome

KDA883

Black - R. Gold



GU5.3




GU10



50

SIZES



SQUARE PLASTIC SPOT FITTING



Item Code	body
KDA878	Black
KDA880	White

			SIZES
GU5.3	GU10	100	

ROUND PLASTIC SPOT FITTING



Item Code	body
KDA881	White
KDA879	Black

			SIZES
GU5.3	GU10	100	

SQUARE MIRROR SPOT FITTING



Item Code	body
KDA820	Square
KDA821	Round

			SIZES 	
GU5.3	GU10	100		

BLACK SQUARE MIRROR SPOT FITTING




Item Code	body
KDA822	Square
KDA823	Round

			SIZES 	
GU5.3	GU10	100		

ALUMINIUM SPOT FITTING




Item Code	body
KDA824	Black
KDA827	White
KDA845	Satin
KDA854	White-Black
KDA825	Black
KDA828	White
KDA846	Satin
KDA856	White-Black



ALUMINIUM SPOT FITTING (DOUBLE)



Item Code	body
KDA847	Black
KDA848	Satin-Black
KDA849	White
KDA855	White-Black



SQUARE ALUMINIUM SPOT FITTING (TRIPLE)



Item Code	body	box qty
KDA850	Black	20
KDA851	White	20
KDA852	Black-White	20
KDA853	Satin-Black	20




SQUARE SURFACE SPOT FITTING



Iron Body & Plastic Reflector

Item Code	body
KDA861	White-Black
KDA862	Grey-R.Gold
KDA863	Black-R.Gold
KDA864	Black-Chrome




ROUND SURFACE SPOT FITTING



Iron Body & Plastic Reflector

Item Code	body
KDA865	White-R.Gold
KDA866	White-Chrome
KDA867	Black-R.Gold
KDA868	Black-Black





ROUND and SQUARE SURFACE SPOT FITTING




Iron Body & Plastic Reflector

Item Code	body
KDA910	Black-R.Gold
KDA911	Black-Chrome
KDA912	White-R.Gold
KDA913	White-Chrome
KDA914	Black-R.Gold
KDA915	Black-Chrome
KDA916	White-R.Gold
KDA917	White-Chrome




RECESSED ALUMINUM SPOT FITTING



NEW

Item Code	body
KDA890	Gold-Black
KDA891	Chrome-Black
KDA892	Gold-White
KDA893	Chrome-White



ROUND PLASTIC SPOT FITTING




Item Code	body
KDA834	White-Black
KDA835	White-Gold
KDA836	White-Chrome
KDA829	Black-Black
KDA830	Black-White
KDA831	Black-Gold





SQUARE PLASTIC SPOT FITTING



Item Code	body
KDA841	White-White
KDA842	White-Black
KDA843	White-Gold
KDA844	White-Chrome
KDA837	Black-White
KDA838	Black-Black
KDA839	Black-Gold
KDA840	Black-Chrome





LED RAIL SPOT



Item Code	W watt	body	lumen	box qty
KTL142	30W	White	1800	30
KTL143	30W	Black	1800	30
KTL148	35W	White	2700	20
KTL149	35W	Black	2700	20

LED RAIL SPOTS



Item Code	W watt	body	lumen
KTL139	25W	Black	2700
KTL144	30W	White	2700
KTL138	25W	Black	2200

DECORATIVE RAIL SPOTS




KTL200

KTL201

KTL202

KTL203



Item Code	body
KTL200	White-Chrome
KTL201	White-R. Gold
KTL202	Black-Chrome
KTL203	Black-R. Gold

GLOBAL ECO RAIL SPOT



KTL181



KTL180



3200K

6400K



Item Code

W
watt

body

lumen

KTL180

30W

Black

1800

KTL181

30W

White

1800



40




220-240V



20000 Saat Hours

SIZES



SPOTLIGHT FITTING



KDA870



KDA871



Item Code

body

KDA870

White-Chrome

KDA871

Black-R. Gold



GU10



50




220-240V




20000

SIZES



MONOPHASE RAIL (100% COPPER)



100% Aluminum
100% Copper

Item Code

meter

description

box qty

KRS101

1mt

Local

40

KRS102

2mt

Local

40

KRS103

3mt

Local

40

KRS111

1mt

Imported

40

KRS112

2mt

Imported

40

KRS113

3mt

Imported

40

MONOPHASE RAIL KITS



KRS114

KRS108

KRS105

KRS104

KRS109

Item Code

colors

description

box qty

KRS105

Black - White

Interconnection

100

KRS104

Black - White

Socket

100

KRS108

Black - White

Corner Kit

100

KRS109

Black - White

T Kit

100

KRS114

Black

Energy Input

100






Magnets

MAGNET FIXTURE WITH DIFFUSER



OSRAM LED
CHIPS INSIDE

Aluminium





48V



20000 Saat
Hours

SIZES



Item Code	W watt	lumen	box qty
KTL159	10W	500	50
KTL160	12W	600	50
KTL160D	12W	600	50




MAGNET FIXTURE WITH DIFFUSER



OSRAM LED
CHIPS INSIDE

Aluminium






48V



20000 Saat
Hours

SIZES




Item Code	W watt	lumen	box qty
KTL161	24W	1200	50
KTL162	36W	1800	25
KTL163	48W	2400	25

COB MAGNET RAIL SPOTS



OSRAM LED
CHIPS INSIDE

Aluminium



48V




50



20000 Saat
Hours

SIZES



Item Code	W watt	lumen
KTL170	10W	500
KTL171	20W	1000
KTL170D	10W	500
KTL171D	20W	1000





MAGNET FIXTURES WITH LENS




OSRAM LED
CHIPS INSIDE

Aluminium



SIZES



Item Code	W watt	lumen	box qty
KTL164	6W	300	100
KTL165	12W	600	50
KTL166	18W	900	50
KTL167	24W	1200	50
KTL164D	6W	300	100
KTL165D	12W	600	50
KTL166D	18W	900	50
KTL167D	24W	1200	50

MAGNET FIXTURES WITH LENS


KTL168

KTL169&169D



OSRAM LED
CHIPS INSIDE


Aluminium



ADJUSTABLE
HEAD



Item Code	W watt	lumen
KTL168	6W	300
KTL169	12W	600
KTL169D	12W	600





COB MAGNET RAIL SPOT



OSRAM LED
CHIPS INSIDE

Aluminium



Item Code	W watt	lumen
KTL172	6W	300
KTL173	12W	600
KTL172D	6W	300
KTL173D	12W	600


MAGNET RAIL



4 in 1
FUNCTION

Aluminium
0.6mm Copper Cable
4 Function


Item Code	description
KRS131	1 Meter
KRS132	2 Meter
KRS133	3 Meter



MAGNET CORNER KITS




KRS131L



KRS132L

Aluminium
DC48V

Item Code	description
KRS131L	Horizontal L Corner
KRS132L	Vertical L Corner



MAGNET MONTAGE KITS




KRS134




KRS131B

With Screw
Kit

Item Code	description	box qty
KRS134	Spring Downlight Kit	2000
KRS131B	Connection Kit	200



INSTALLATION MONTAGE KIT



- 4 pcs. Installation Plate
- 4 pcs for 1 Meter
- Screw Set

Item Code	description
KRS136	Installation Set



MAGNET DRIVER



KLD030

Input:176-264V AC
Output:DC48V 2.08A


KLD031

Input:176-264V AC
Output:DC48V 4.16A



50

SIZES



Item Code

KLD030

KLD031

W
watt

100W

200W

CONDUCTIVE MODULE WITH 2 PIN



- Copper & PC Plastic
- DC48V

Item Code

KRS137

KRS138

KRS139

description

Magnet Rail to Rail Energy Module

Power Module Without Magnet

Magnet Corner Energy Module



250

CONDUCTIVE MODULE WITH 4 PIN



- Copper & PC Plastic
- DC48V

Item Code

KRS137D

KRS138D

KRS139D

description

Rail Connection Cable With 4 Pin

Dimmeble Energy Module

L Corner Dimmeble Connection Cable



100

MAGNET HANGING KIT



2 pcs 1 Meter Steel Cable
Stainless Steel Plate
Screw Set

Item Code

KRS135

description

Magnet Hanging Kit

box qty

250


LED CEILING FIXTURE WITH PIR SENSOR



Plastic Tray
Plastic Cover

Item Code	W watt	lumen	description
KSA190	12W	1020	With Led
KSA191	18W	1530	With Led

IP20




LED CEILING FIXTURE WITH SENSOR



KSA189
With Emergency Kit
Battery
5 Hour
Plastic Tray
Plastic Cover

Item Code	W watt	lumen	description
KSA188	18W	2200	With Led
KSA189	12W	2200	With Emergency Kit

IP20




LED CEILING FIXTURE WITH SENSOR



Item Code	W watt	description
KSA186	2x25W	Metal Tray + Glass Cover
KSA187	2x25W	Plastic + Plastic

IP20



WALL FIXTURE WITH SENSOR





KSA192



KSA193

Item Code	W watt	description
KSA192	15W	Round With Led
KSA193	15W	Oval With Led

IP40



WALLWASHER



Item Code	W watt	lumen
KWL108	3W (10cm)	300
KWL117	6W (17cm)	600
KWL118	9W (25cm)	900
KWL119	12W (35cm)	1200
KWL120	18W (45cm)	1800
KWL121	24W (60cm)	2400
KWL122	36W (90cm)	3600
KWL123	48W (120cm)	4800
KWL129	54W (150cm)	4800

IP65



20

LED GLOBE WALL FIXTURES



KDL640



KDL643



KDL641




KDL642



3000K 4000K 6500K

Item Code	W watt	lumen	description
KDL640	20W	1650	White - Black Body
KDL643	20W	1650	White - Black Body
KDL641	20W	1650	White - Black Body
KDL642	20W	1650	White - Black Body

IP65



DUAL-COLOR OVAL GLOBE LUMINAIRE




MAIN LIGHT 6500K → SIDE LIGHT 3000K



Item Code	W watt	lumen
KDL648	16W	995

IP65



ECO LED WALL FIXTURES

METAL BODY



HAN019
Hanging Kit
for Wall Fixtures



40



Item Code	W watt	lumen
GFL155	18W (60cm)	1600
GFL156	36W (120cm)	2700

ECO LED WALL FIXTURES

METAL BODY



HAN019
Hanging Kit
for Wall Fixtures




30




Item Code	W watt	lumen	box qty
KFL141	10W (30cm)	800	60
KFL142	20W (60cm)	1800	60
KFL143	30W (90cm)	2400	30
KFL144	40W (120cm)	3200	30

LED WALL FIXTURES



HAN019
Hanging Kit
for Wall Fixtures






40



Item Code	W watt	lumen
2 LINE LED → KFL150	54W	5450
3 LINE LED → KFL155	72W	6500
4 LINE LED → KFL156	90W	8100
5 LINE LED → KFL157	120W	12000

T5 LED WALL FIXTURES



WITH SWITCH



Item Code	W watt	lumen
KFL137	4W (30cm)	340
KFL138	9W (60cm)	765
KFL139	14W (90cm)	1120
KFL140	18W (120cm)	1440



SLIM TYPE LED FIXTURES

IRON BODY



Item Code	W watt	lumen
KFL151	18W (60cm)	1440
KFL152	36W (120cm)	2880

LED WATERPROOF LIGHT



Item Code	W watt	lumen
KWP4020	18W	1800
KWP4040	36W	3600
KWP2118	18W	1800
KWP2136	36W	3600
KWP2154	75W	7500


Solar LedLight Fixtures

SOLAR LED STREET LIGHTS



Item Code	W watt	E description
KST220	50W	3.2V4400mAh
KST221	100W	3.2V5000mAh

IP65




SOLAR LED STREET LIGHTS



Item Code	W watt	E description	box qty
KST240	150W	3.2V5000mAh	10
KST241	250W	3.2V8000mAh	10
KST242	350W	3.2V12000mAh	5
KST243	450W	3.2V15000mAh	5

IP65




SOLAR LED STREET LIGHTS



Item Code	W watt	E description	box qty
KST230	600W	3.2V12000mAh	5
KST231	800W	3.2V20000mAh	4
KST232	1000W	3.2V22000mAh	4
KST233	1200W	3.2V30000mAh	4

IP65




SOLAR LED WALL FIXTURE



Item Code	W watt	E description
KST226	60W	Black Body


IP65



SOLAR LED GARDEN FIXTURES





IP65



Item Code	W watt	description
KST227	200W	3.2V15000mAh
KST228	400W	3.2V20000mAh

SIZES



SOLAR LED GARDEN AND WALL FIXTURES



KBA777






KBA776



IP65



SIZES



Item Code	W watt	description
KBA776	30W	Solar Led Garden Fixture
KBA777	30W	Solar Led Garden Wall Fixture
KBA778	30W	Solar Led Garden Fixture
KBA779	30W	Solar Led Garden Fixture

CCT → 3000K 4000K 6500K
3 COLORS FUNCTION | RGB

SOLAR LED GARDEN FIXTURE



Charging Time: 6-8 Hour
Working Time: 12-24 Hour
ABS Plastic

IP65





3000K

6500K



Item Code	W watt	description
KBA790	30W	3.7V2.2Ah

SIZES



SOLAR LED GARDEN FIXTURE




Charging Time: 6-7 Hour
Working Time: 12-13 Hour

CCT → 3000K 4000K 6500K
3 COLORS FUNCTION | RGB

IP65



SIZES



Item Code	W watt	description
KBA751	30W	3.7V2.2Ah

SOLAR LED FLOOD LIGHTS



HIGH LUMEN

KST310 - KST311

Item Code	W watt	description	box qty
KST303	30W	3.2V4000mAh	20
KST304	50W	3.2V5000mAh	20
KST305	100W	3.2V8000mAh	16
KST306	150W	3.2V10000mAh	18
KST301	200W	3.2V12000mAh	10
KST302	300W	3.2V15000mAh	5
KST310	100W	3.2V4000mAh	10
KST311	200W	3.2V8000mAh	10

IP65



SIZES	KST301	KST302	KST303	KST304	KST305	KST306	KST310	KST311
	320mm	350mm	143mm	205mm	247mm	272mm	205mm	255mm
	260mm	290mm	115mm	157mm	200mm	225mm	170mm	210mm

SOLAR LED STAKE GARDEN LIGHTING FIXTURES



KBA748

KBA746

KBA783

KBA744

KBA743

IP44

Item Code	W watt	lumen	box qty
KBA746	7W	560	50
KBA744	10W	800	50
KBA783	10W	800	50
KBA748	12W	960	20
KBA743	1.2v 300mAh		24

Charging Time: 4-6 Hours
Working Time: 8-12 Hours
ABS Plastic

IP65



SIZES	KBA746	KBA744	KBA783	KBA748	KBA743
	100mm	120mm	215mm	215mm	110mm
	178mm	377mm	377mm	260mm	520mm

PORTABLE SOLAR LED FLOOD LIGHTS



KBA754

KBA739

Charging Time: 3-6 Hours / Working Time: 4-8 Hour / Battery: 4800 mAh



IP44



Item Code	W watt	description
KBA754	200W	4 Functions
KBA739	100W	With Speakers



30

SIZES	KBA754	KBA739
	215mm	224mm
	175mm	178mm




PORTABLE SOLAR FLOODLIGHT



3 COLOR FUNCTIONS




Item Code	W watt	description
KBA796	100W	3.7V 2.400mAh
KBA797	200W	3.7V 3.600mAh



SOLAR LED WALL FIXTURES



KBA784



Charging Time: 4-6 Hours
Working Time: 8-12 Hours
ABS Plastic



KBA785




KBA786



3 COLOR FUNCTIONS



Item Code	W watt	description	box qty
KBA784	20W	3.7V 1500mAh	20
KBA785	30W	3.7V 1500mAh	30
KBA786	20W	3.7V 1200mAh	30



SOLAR LED WALL LIGHT WITH SENSOR



KBA741



KBA749




KBA750

Charging Time: 4-6 Hours
Working Time: 8-10 Hours



Item Code	W watt	lumen	box qty
KBA749	15W	80	100
KBA750	30W	160	50
KBA741	50W	280	50




3-IN-1 SOLAR GARDEN AND WALL FIXTURE



3 in 1



Item Code	description
KBA819	3.7V 1.500mAh



SOLAR LED GARDEN FIXTURES






KBA795

KBA780 - KBA781 - KBA782



3000K 6500K



Item Code	W watt	description	box qty
KBA780	30W	3.2V1200mAh	40
KBA781	60W	3.2V1800mAh	20
KBA782	90W	3.2V3600mAh	20
KBA795	75W	3.7V1800mAh	20

SOLAR LED WALL LAMP WITH SENSOR



Item Code	W watt	description	box qty
KBA742	5W	3.2V400mAh	100



2700K



LED HIGH BAY FIXTURES



6500K



1



220-240V



20000 Saat Hours



Item Code	W watt	lumen
KES141	50W	4500
KES142	70W	6300
KES143	100W	9000

LED STREET LIGHTS FIXTURES WITH LENS

With Lens
Isolated Driver






6500K



220-240V




20000 Saat Hours



Item Code	W watt	lumen	box qty
KST206	30W	3000	20
KST207	50W	5000	10
KST208	100W	9000	10
KST209	150W	13500	10
KST214	200W	18000	10




LED HIGH BAY FIXTURES



Item Code	W watt	lumen	box qty
KST510	100W	9000	1
KST511	150W	13500	10
KST512	200W	18000	10

LED WALL FIXTURES


SMD2835 / ABS



Item Code	W watt	lumen	box qty
KDA730	4W	360	50
KDA710	6W	540	50
KDA731	8W	720	30




LED WALL FIXTURES

SMD2835 / ABS



Item Code	W watt	lumen	description
KDA740	4W	320	Black-Gold
KDA741	6W	480	Black-Gold

LED WALL FIXTURES



Item Code	W watt	lumen	description	box qty
KDA712	3W	210	Aluminum-Adjustable	50
KDA716	6W	480	ABS-Adjustable	40
KDA743	6W	480	ABS-Square	50
KDA744	6W	480	ABS-Round	40

BEDSIDE LED FIXTURE



KDA715
(With 2 USB ports)



2 USBs
2.1A Fast Charging



ADJUSTABLE
LIGHT
DIRECTION

Item Code	W watt	lumen	description
KDA715(WITH 2 USB PORTS)	10W	360	ABS-Non Flammable



3000K6500K



IP25



50



110-265V

DECORATIVE LED WALL FIXTURES



KDA732



KDA738



KDA742



KDA739



3000K



IP54



110-265V


Item Code	W watt	lumen	box qty
KDA732	7W	370	50
KDA742	10W	800	20
KDA738	10W	800	20
KDA739	12W	960	20



100mm
200mm



80mm
140mm



75mm
150mm



160mm
115mm

LED WALL FIXTURES



KDA735/713



KDA736/714



3000K




IP54




110-265V


Item Code	W watt	lumen	description	box qty
KDA735	6W	480	ABS	50
KDA713	12W	960	ABS	40
KDA736	6W	480	ABS	50
KDA714	12W	960	ABS	40




110mm
110mm
KDA735



115mm
115mm
KDA713



110mm
110mm
KDA736



116mm
116mm
KDA714

DECORATIVE LED WALL FIXTURES



KDA733



KDA734



KDA737



3000K




IP54




110-265V


Item Code	W watt	lumen	description
KDA733	12W	1170	ABS
KDA734	12W	1170	ABS
KDA737	12W	1170	ABS



100mm
100mm
140mm
KDA733



100mm
100mm
140mm
KDA734



160mm
130mm
75mm
KDA737

DOUBLE SIDE WALL FIXTURE



Item Code	W watt	E description
KDA869	2x5W	Black-Gold

IP20	G9	50	220-240V	SIZES	90mm 160mm
------	----	----	----------	-------	---------------

DOUBLE SIDE WALL FIXTURE




Item Code	W watt	E description
KSL099	2x5W	Black-White Anthracite

IP54	GU10	40	220-240V	SIZES	8 cm 15 cm 6.5 cm
------	------	----	----------	-------	-------------------------

LED WALL FIXTURES



Item Code	W watt	lumen	E description	box qty
KDA750	4W	320	ABS-Square	50
KDA751	12W	640	ABS-Round	50
KDA752	6W	480	ABS-Round	50
KDA753	5W	400	ABS-Round	50
KDA754	4W	320	ABS-Round	40
KDA758	10W	950	ABS-Rectangle	???



3000K	IP54	110-265V	SIZES	KDA750	KDA751	KDA752	KDA753	KDA754	KDA758
				70mm	90mm	50mm	115*70mm	140mm	62mm
						120mm		140mm	281mm
									37mm

CUBE GARDEN FIXTURES



IP65

MADE IN
TÜRKİYE
MADE IN

Item Code

description

box qty

KBA787

Black

20

KBA788

Black

20

KBA789

Black

20

E27

SIZES

142mm

100mm

190mm

150mm

200mm

255mm

KBA787

KBA788

KBA789

GARDEN FIXTURES



KBA760



KBA761



KBA764



KBA767

IP65

MADE IN
TÜRKİYE
MADE IN

E27

SIZES

255mm

160mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

420mm

CORRIDOR & STAIR FIXTURES



KBA806



KBA807



KBA808
WITH RADAR SENSOR



KBA800
WITH SENSOR



KBA804



KBA805
WITH RADAR SENSOR



KBA803



KBA801



KBA809



KBA810

Item Code

Watt

KBA806

3W

KBA807

3W

KBA808

3W

KBA801

3W

KBA803

3W

KBA800

3W

KBA804

3W

KBA805

3W

KBA809

3W

KBA810

3W

It can be Mounted on Norm and Interlocking Cases

COLORS



MADE IN
TÜRKİYE
MADE IN

IP20

50

220-240V

SIZES

3,5 cm

8 cm

4,5 cm

3,5 cm

11 cm

5,3 cm

8 cm

3,6 cm

5,3 cm

8 cm

3,5 cm

13,3 cm

7,5 cm

13,3 cm

7,5 cm

11 cm

4,5 cm

11 cm

4,5 cm

11 cm

4,5 cm

11 cm

4,5 cm

11 cm

4,5 cm

11 cm

4,5 cm

11 cm


CORRIDOR & STAIR FIXTURES WITH SENSOR



KBA816


KBA817

KBA818



Item Code	W watt	lumen
KBA816	1W	75
KBA817	1W	75
KBA818	1W	75

CABIN SPOT WITH REMOTE CONTROL




KKS103

KKS104


Item Code	W watt	lumen	description
KKS103	5W	100	3 Spots with 1 Remote Controller
KKS104	5W	100	1 Spot



RECHARGEABLE PLASTIC CABIN LIGHTING



Item Code	W watt
KSM103	4W




BEDSIDE LED FIXTURES



KSL175

KSL177

KSL176



Item Code	W watt	lumen
KSL175	13W	1200
KSL176	3W	270
KSL177	13W	1200

LED MIRROR FIXTURES



IP20






20



220-240V

SIZES



Item Code	W watt	lumen	colors
KSL150	5W	400	4200K
KSL153	5W	400	4200K
KSL154	5W	400	4200K
KSL160	6W	400	4200K
KSL161	12W	900	6000K

LED MAGNET FIXTURE




3000K 4000K 6500K



100

SIZES



Item Code	W watt
KML120	5W

LED DECORATIVE SMART MAGNET FIXTURES with SENSOR



3000K



100

Item Code	W watt	description
KSM101	2W	Black Size
KSM102	2W	White Body

TWO-WAY CONTROLLED TOUCH MAGNET FIXTURES



3000K 4000K 6500K 3 COLOR FUNCTIONS



50

Item Code	W watt	description
KSM104	6W	White Body
KSM105	6W	Black Size

TWO-WAY CONTROLLED TOUCH MAGNET FIXTURES



MAGNET 360° ROTATING



3000K 4000K 6500K 3 COLOR FUNCTIONS



50

Item Code	W watt
KSM107	8W

LED WALL FIXTURES

KDA760



KDA759



3000K 4000K 6500K

IP44



220-240V

20000 Saat Hours

SIZES

250 mm
110 mm
KDA759

325 mm
75 mm
KDA760

Item Code

W watt

lumen

box qty

KDA759

25W

2250

50

KDA760

20W

1800

30

LED OUTDOOR WALL FIXTURES



KDA756



KDA757

IP65



100

220-240V

SIZES

Ø109.5
15
KDA757

134.5
85
14
KDA756

Item Code

W watt

lumen

KDA756

3W

270

KDA757

3W

270

GARDEN SPIKE FIXTURE



IP65



50

78.5 mm
270 mm
SIZES

Item Code

W watt

lumen

KBA747

7W

700

COUNTERTOP LIGHT FIXTURE



Item Code

description

KBA791

E27 Socket

IP65




E27

12

SIZES

240 mm
210 mm



Floodlights

SMD LED FLOODLIGHTS



Item Code	Watt	lumen	colors	box qty
KLF190	10W	900	○ ● ●	50
KLF190	10W	900	● ●	50
KLF191	20W	1700	○ ● ●	20
KLF191	20W	1700	● ●	20
KLF192	30W	2550	○ ● ●	10
KLF192	30W	2550	● ●	10
KLF193	50W	4000	○ ● ●	10
KLF193	50W	4000	● ●	10
KLF195	100W	8000	○ ●	10
KLF195	100W	8000	●	10
KLF196	150W	12000	○ ●	10
KLF197	200W	16000	○ ●	10
KLF198	300W	24000	○ ●	10

IP65



220-240V

20000 Saat Hours

SIZES

7 cm
9 cm
2 cm
KLF190

12,1 cm
14,3 cm
2,7 cm
KLF191

15 cm
17,3 cm
4 cm
KLF192

14,5 cm
18,4 cm
4,5 cm
KLF193

21 cm
26 cm
4,5 cm
KLF195

33,8 cm
37,8 cm
12 cm
KLF196

27,5 cm
32,2 cm
10 cm
KLF197

33,8 cm
37,8 cm
12 cm
KLF198

SMD LED FLOODLIGHTS



Item Code	Watt	lumen	color	box qty
KLF611	20W	1700	●	30
KLF612	30W	2550	●	30
KLF613	50W	4000	○ ●	20
KLF614	100W	8000	●	10
KLF176 Plus	150W	12000	●	1

IP65



220-240V

20000 Saat Hours

SIZES

12,1 cm
14,3 cm
2,7 cm
KLF611

15 cm
17,3 cm
4 cm
KLF612

18,1 cm
21,3 cm
3 cm
KLF613

25 cm
28,5 cm
7 cm
KLF614

120 mm
425 mm
325 mm
KLF176 Plus



FLOODLIGHTS



SMD LED FLOODLIGHTS



Item Code	W watt	lumen	colors
KLF180	50W	4000	☐ ☒
KLF181	100W	8000	☐ ☒
KLF182	150W	12000	☐ ☒
KLF183	200W	16000	☐ ☒

IP65

MADE IN
TÜRKİYE
MADE IN

10

220-240V

20000 Saat
Hours

SIZES

12,4 cm
20,2 cm
1 cm
KLF180

15 cm
25 cm
1 cm
KLF181

19 cm
29 cm
1 cm
KLF182

25 cm
38 cm
1 cm
KLF183

ECO LED FLOODLIGHTS

GLOBAL
LED LIGHTING



SMD 2835

6500K

Item Code	W watt	lumen	box qty
GLF292	50W	3500	20
GLF293	100W	7000	20
GLF295	200W	14000	10
GLF296	300W	21000	10
GLF297	400W	20000	10

IP65

MADE IN
TÜRKİYE
MADE IN

LED FLOODLIGHTS



Item Code	W watt	lumen	box qty
KLF2100	100W	10000	5
KLF2150	150W	15000	5
KLF2200	200W	20000	5
KLF2300	300W	30000	5

6500K

IP65

TSE

MADE IN
TÜRKİYE
MADE IN

220-240V

50000 Saat
Hours



LED PROJECTOR WITH LENS



Item Code	W watt	lumen	box qty
KLF500	20W	1600	60
KLF501	30W	2550	60
KLF502	50W	4000	40
KLF503	100W	8500	40
KLF504	150W	13000	20
KLF505	200W	17500	10
KLF506	300W	25000	10
KLF507	400W	31000	5
KLF508	600W	48000	5



IP64




LED FLOODLIGHTS WITH SENSOR



100% WATT
WITH SENSOR

Item Code	W watt	lumen	colors	box qty
KLF159B	30W	2400	6500K	20
KLF160B	50W	4000	6500K	10

IP65



LED LIGHTS WITH BATTERY




Item Code	colour	description	box qty
KEL273L	White	30 Led	100
KEL278L	White	60 Led	60
KEL276L	White	90 Led	40
KEL255	White	80 Led	40
KEL258	White	120 Led	30
KEL259	White	72 Led	30



EMERGENCY MODE
Working Time Min. 5 Hours

RECHARGEABLE



LED HEADLIGHTS

KHL001



KHL005



Item Code

description

KHL001

1W 1200mAh Battery

KHL005

5W 2000mAh Battery

RECHARGEABLE



3 Hour Charge
6 Hour Working
Time



50

LED HEADLIGHTS

KHL006



KHL007



ZOOM LENS

Item Code

description

KHL006

3.7V 800mAh

KHL007

3.7V 1200mAh

RECHARGEABLE



3 Hour Charge
6 Hour Working
Time



USB
Type C



50

LED CAMPING AND FLASHLIGHT



KEL015



KEL010

Item Code

description

box qty

KEL015

7W 2000mAh Batarya

20

KEL010


3W 900mAh Batarya

60

RECHARGEABLE



3 Hour Charge
6 Hour Working
Time



SOLAR CAMP LANTERN



Item Code

watt

KBA753

50W


3V 1200mAh Battery
Working Time 6-8 Hours



3000K 4000K 6500K



50



MOSQUITO KILLER



Item Code	W watt	dimensions	box qty
KKP285A	20W	245x60x390	10
KKP285B	30W	245x60x490	10
KKP285C	40W	245x60x640	10



LED EXIT FIXTURES



Item Code	description
KEXIT101	EXIT TO THE SIDES
KEXIT101	EXIT DOWN
KEXIT101	EXIT

RECHARGEABLE



30



220-240V

EMERGENCY LIGHTING



KEL016



KEL017





Item Code	W watt	box qty
KEL016	2X5W	40
KEL017	2X10W	20


RECHARGEABLE



SIZES



CABLES



24AWG PVC
4P / UTP



9 SM SX
2.00 mm
LSZH
9/125
G657 A2

Item Code	dimensions	description	box qty
KKC106	305 Mt. / 1 Roll	CAT6	610 Mt.
KKC107	1000 Mt. / 1 Roll	1 COR	6000 Mt.
KKC108	1000 Mt. / 1 Roll	2 COR	6000 Mt.

SERAMIC BASES



KLH121



KLH122

Item Code	description	box qty
KLH121	GU10 Base	1000
KLH122	G5.3 Base	1000

LED LIGHT WITH BATTERY

KEL180



2W 300mAh Battery



KEL014



3W 600mAh Battery

Item Code

description

box qty

KEL180

Led Cabinet Light With Sensor

100

KEL014

Led Night Light

100

3 CHANNEL REMOTE CONTROL

1. Power Supply: 3 pcs Button Amplifier
2. Remote Control Material: Plastic
3. Frequency: 50-60mhz
4. Control Mode: With Botton
5. Voltage: DC 12/24V
6. Output: 3 Channel
7. Connection Mode: Positive Electrode
8. Remote Distance: 20 m
9. Working Temperature: -20°C-40°C
10. 220-240V AC 50/60 Hz



Item Code

W watt

KLD103

3 x 1000W



50

REMOTE CONTROLS

3 CHANNEL



KLD110

4 CHANNEL



KLD111

6 CHANNEL



KLD112

Item Code

W watt

KLD110

3X1000W

KLD111

4X1000W

KLD112

6X1000W



50

RGB LED CONTROL PANEL WITH REMOTE CONTROL



KLD102

18A
12V
TOUCH CONTROL



KLD106

6A
12V

Item Code

W watt

box qty

KLD102

216W

50

KLD106

72W - 12V

100

360° MOTION SENSOR

KSA177

Down



KSA181

Surface



SENSITIVITY ADJUSTABLE

Item Code

description

KSA177

360°Down Movement Sensor

KSA181

360°Surface Movement Sensor



100



220-240V

SMOKE DETECTOR (90 DESIBEL)

BATTERY INCLUDED



Item Code

description

KSD001H

Smoke Detector 90 Desibel



100

RADAR SENSOR



CW Radar 1 - 8
10 Sec - 12 Min < 3 - 2000Lux

Item Code

description


KMS100

5,85 GHz



100

360° MINI MOVEMENT SENSOR



Item Code

description

KSA183

360°Mini Movement Sensor



100



220-240V

180° MOVEMENT SENSOR

KSA178



KSA179



Item Code

description

KSA178

180°Movement Sensor

KSA179

180°Movement Sensor



100



220-240V

MULTI-PURPOSE TERMINAL BLOCK

Applicable Wire Size: 0.08 ~ 4 mm²
Operating Temperature Range: -25° ~ 95°
Contact Resistance: ≤ 0.015 Ω



Item Code

description

KSC002

2-Pole Terminal Block

KSC003

3-Pole Terminal Block

KSC004

4-Pole Terminal Block

KSC005

5-Pole Terminal Block

SIZES



13 mm

KSC002



18 mm

KLD003



24 mm

KLD004



30 mm

KLD005

MECHANIC TIMER



KT293



KT287A

Item Code	description
KT293	Mechanic Timer
KT287A	Socket Type
100 220-240V	

LED EMERGENCY DRIVER



Suitable for Slim and 60x60 Panels

50W	3 Hours
40W	4 Hours
30W	5 Hours
20W	5,5 Hours
10W	6 Hours
5W	10 Hours
3W	15 Hours

Item Code	watt	description
KED001	3-60W	Emergency Kit
100 220-240V SIZES 10,4 cm 4,1 cm h: 3 cm		

LIGHTING CONTACTOR



Item Code	amper
KT294	25A
100 220-240V	

DOORBELL WITH REMOTE CONTROL

KDB271F




KDB271B



KDB271E



KDB271A



Item Code	description	box qty
KDB271A	32 Melody	60
KDB271B	32 Melody	60
KDB271E	32 Melody	60
KDB271F	32 Melody	60

PHOTOCELL



KFS106



KFS110



KFS125

Item Code	description	box qty
KFS106	6A	100
KFS110	10A	100
KFS125	25A	100

RGB FUNCTION TABLE LAMP


RGB



KML400



KML400B



Bluetooth Speaker




Wireless Charging



20



IP20



Item Code

KML400

KML401

RGB TOUCH TABLE LAMP

RGB



RECHARGEABLE



WITH REMOTE CONTROL



TOUCH DIMMER



30



IP20

Item Code

KSM106

3 FUNCTION DESK LAMP

4 - 8 hours working time
3.7V 1200mAh



3 COLOR FUNCTION



RECHARGEABLE




TOUCH DIMMER



20



IP20



Item Code

KML104

3 FUNCTION DESK LAMPS



RECHARGEABLE


4 - 8 hours working time
3.7V 1200mAh



KML107



KML110




3 COLOR FUNCTION




TOUCH DIMMER



20



IP20



Item Code

KML107

KML110

3 FUNCTION DESK LAMP

- BLUE LIGHT
- RED LIGHT
- GREEN LIGHT

4 - 8 hours working time
3.7V 1200mAh



3 COLOR FUNCTION




RECHARGEABLE



TOUCH DIMMER



20



IP20



Item Code

KML111

3 FUNCTION DESK LAMP

RECHARGEABLE

3 DIFFERENT CASE COLORS

CCT

3000K
4000K
6500K

3 COLOR FUNCTION

TOUCH DIMMER

20

IP20

Item Code

KML103

SIZES

90 mm
215 mm

3 FUNCTION DESK LAMP

RECHARGEABLE

3 DIFFERENT CASE COLORS

CCT

3000K
4000K
6500K

3 COLOR FUNCTION

TOUCH DIMMER

20

IP20

Item Code

KML105

SIZES

125 mm
215 mm

3 FUNCTION DESK LAMP

RECHARGEABLE

3 DIFFERENT CASE COLORS

CCT

3000K
4000K
6500K

3 COLOR FUNCTION

TOUCH DIMMER

20

IP20

Item Code

KML106

SIZES

90 mm
205 mm

3 FUNCTION DESK LAMP

RECHARGEABLE

3 DIFFERENT CASE COLORS

CCT

3000K
4000K
6500K

3 COLOR FUNCTION

TOUCH DIMMER

20

IP20

Item Code

KML108

SIZES

90 mm
230 mm

3 FUNCTION DESK LAMP

RECHARGEABLE

3 DIFFERENT CASE COLORS

CCT

3000K
4000K
6500K

3 COLOR FUNCTION

TOUCH DIMMER

20

IP20

Item Code

KML109


SIZES

11 mm
380 mm

3 FUNCTION DESK LAMP



4 - 8 hours working time
3.7V 1200mAh



3 DIFFERENT CASE COLORS




CCT → 3000K 3 COLOR FUNCTION
4000K
6500K

TOUCH DIMMER



Item Code

KML112



3 FUNCTION DESK LAMP



4 - 8 hours working time
3.7V 1200mAh



3 DIFFERENT CASE COLORS




CCT → 3000K 3 COLOR FUNCTION
4000K
6500K

TOUCH DIMMER



Item Code

KML113



3 FUNCTION DESK LAMP



4 - 8 hours working time
3.7V 1200mAh



5 DIFFERENT CASE COLORS





CCT → 3000K 3 COLOR FUNCTION
4000K
6500K

TOUCH DIMMER




Item Code

KML114



3 FUNCTION DESK LAMP



4 - 8 hours working time
3.7V 1200mAh



3 DIFFERENT CASE COLORS




CCT → 3000K 3 COLOR FUNCTION
4000K
6500K

TOUCH DIMMER



Item Code

KML115



3 FUNCTION DESK LAMP



4 - 8 hours working time
3.7V 1200mAh



3 DIFFERENT CASE COLORS





CCT → 3000K 3 COLOR FUNCTION
4000K
6500K

TOUCH DIMMER



Item Code

KML116



3 FUNCTION DESK LAMP



KML117C



KML117E

USB Type C
RECHARGEABLE

TOUCH DIMMER

4 - 8 hours working time
3.7V 1200mAh

CCT

3000K

4000K

6500K

3 COLOR FUNCTION

20

IP20

SIZES

110 mm

380 mm

KML117C

110 mm

380 mm

KML117E

Item Code

KML117E

KML117C

3 FUNCTION DESK LAMP



KML123



USB Type C
RECHARGEABLE

TOUCH DIMMER

4 - 8 hours working time
3.7V 1200mAh

CCT

3000K

4000K

6500K

3 COLOR FUNCTION

20

IP20

SIZES

120 mm

223 mm

Item Code

KML123

CANDLE TABLE LAMP



KML121



USB Type C
RECHARGEABLE

WITH MOTION SENSOR

TOUCH DIMMER

4 - 8 hours working time
3.7V 1600mAh

3500K

20

IP20

SIZES

86mm

135 mm

Item Code

KML121

3-PIECE CANDLE SET FOR TABLE LAMP



KML122



3200K

8

IP20

SIZES

75 mm

100 mm

75 mm

125 mm

75 mm

150 mm

Item Code

KML122


DESK LAMPS



Item Code

KML100

KML200





DESK LAMP



Item Code

KML300



DECORATIVE PENDANT FIXTURES



Item Code

KSL420

KSL518





KSL512

KSL513

KSL515





LED T5 HEXAGON LINEAR FIXTURE




1 TUBE : 7W / 700Lm






Item Code	W watt	lumen	description
KSL1903 (100cm)	30W	3600	Straight Linear
KSL1904 (120cm)	36W	4320	Straight Linear
KSL1905 (150cm)	45W	5400	Straight Linear
KSL2103 (60cm)	50W	6000	Round Linear
KSL2106 (90cm)	80W	9600	Round Linear
KSL2303 (60x60)	70W	8400	Square Linear
KSL2306 (90x90)	100W	12000	Square Linear
KSL2316 (60x120)	105W	12600	Rectangular Linear
KSL2319 (80x160)	140W	16800	Rectangular Linear
KSL2409 (Ø60 & 30cm)	50W	6000	Hexagon Linear
KSL2410 (Ø90 & 45cm)	80W	9600	Hexagon Linear
KSL1937 (200cm)	Extra 2 Hanging Kits		

PROFILE SIZES: Width 50mm / High 80mm
Hanging Kit is not included in the prices.



TRIDONIC
DRIVER



Linear Lighting
Group Catalogue




SCAN THE QR CODE





KCF308

MOBILE WATER AIR
CONDITIONERS



Ceiling Fans

WICKER CEILING FAN



Wood Design / Alternative Speed Options
7 Fan Blades / Indoor Use

Item Code	W engine power	E description
KCF301	15W	20" Wicker Ceiling Fan
WITH REMOTE CONTROL	1	4XE27
		220-240V
		495 mm
		245 mm

WICKER CEILING FAN



Wood Design / Alternative Speed Options
7 Fan Blades / Indoor Use

Item Code	W engine power	E description
KCF300	15W	20" Wicker Ceiling Fan
WITH REMOTE CONTROL	1	4xE27
		220-240V
		495 mm
		245 mm

WICKER CEILING FAN



Wood Design / Alternative Speed Options
7 Fan Blades / Indoor Use

Item Code	W engine power	E description
KCF305	15W	20" Wicker Ceiling Fan
WITH REMOTE CONTROL	1	4xE27
		220-240V
		495 mm
		175 mm

DECORATIVE CEILING FAN



Wood Design / Alternative Speed Options
7 Fan Blades / Indoor Use

Item Code	W engine power	E description
KCF302	15W	20" Iron Ceiling Fan
WITH REMOTE CONTROL	1	4xE27
		220-240V
		495 mm
		175 mm

MODERN CEILING FAN



Item Code	W engine power	W light power	E description
KCF296	15W	30W	20" Modern Ceiling Fan With Led
Alternative Speed Options 5 Fan Blades / Indoor Use			
CCT	3000K	3 COLOR FUNCTION	WITH REMOTE CONTROL
	4000K		1
	6500K		220-240V
			480 mm
			195 mm

MODERN CEILING FAN



Item Code	W engine power	W light power	E description
KCF297	15W	30W	19" Modern Ceiling Fan With Led
Alternative Speed Options 5 Fan Blades / Indoor Use			
CCT	3000K	3 COLOR FUNCTION	WITH REMOTE CONTROL
	4000K		1
	6500K		220-240V
			480 mm
			195 mm

CEILING FANS



MODERN CEILING FAN



Item Code	W engine power	W light power	E description
KCF298	15W	30W	19" Modern Ceiling Fan With Led

Alternative Speed Options
5 Fan Blades / Indoor Use

CCT 3000K 3 COLOR FUNCTION 4000K 6500K

WITH REMOTE CONTROL

1 220-240V

480 mm 195 mm

SMART CEILING FAN



Alternative Speed Options
3 Fan Blades / Indoor Use

Item Code	W engine power	W light power	E description
KCF306	30W	66W	42" Modern Ceiling Fan With Led

CCT 3000K 3 COLOR FUNCTION 4000K 6500K

WITH REMOTE CONTROL

1 220-240V

SMART CEILING FAN



Alternative Speed Options
3 Fan Blades / Indoor Use

Item Code	W engine power	W light power	E description
KCF307	30W	66W	42" Modern Ceiling Fan With Led

CCT 3000K 3 COLOR FUNCTION 4000K 6500K

WITH REMOTE CONTROL

1 220-240V

DECORATIVE CEILING FAN



Alternative Speed Options
5 Fan Blades / Indoor Use

Item Code	W engine power	W light power	E description
KCF303	30W	24W	28" Decorative LED Fan

CCT 3000K 3 COLOR FUNCTION 4000K 6500K

WITH REMOTE CONTROL

6 220-240V

DECORATIVE CEILING FAN



Alternative Speed Options
5 Fan Blades / Indoor Use

Item Code	W engine power	W light power	E description
KCF304	30W	24W	28" Decorative LED Fan

CCT 3000K 3 COLOR FUNCTION 4000K 6500K

WITH REMOTE CONTROL

6 220-240V

DECORATIVE CEILING FAN



Alternative Speed Options
5 Fan Blades / Indoor Use

NEW

Item Code	W engine power	W light power	description
KCF310	30W	24W	28" Decorative LED Fan
CCT 3000K 4000K 6500K 3 COLOR FUNCTION WITH REMOTE CONTROL 6 220-240V			

DECORATIVE CEILING FAN



Alternative Speed Options
5 Fan Blades / Indoor Use

NEW

Item Code	W engine power	W light power	description
KCF311	30W	24W	28" Decorative LED Fan
CCT 3000K 4000K 6500K 3 COLOR FUNCTION WITH REMOTE CONTROL 6 220-240V			

DECORATIVE CEILING FAN



Alternative Speed Options
3 Fan Blades / Indoor Use

NEW

Item Code	W engine power	W light power	description
KCF320	40W	24W	52" Decorative LED Fan
CCT 3000K 4000K 6500K 3 COLOR FUNCTION WITH REMOTE CONTROL 1 165-265V			

DECORATIVE CEILING FAN



Alternative Speed Options
3 Fan Blades / Indoor Use

NEW

Item Code	W engine power	W light power	description
KCF321	40W	24W	52" Decorative LED Fan
CCT 3000K 4000K 6500K 3 COLOR FUNCTION WITH REMOTE CONTROL 1 165-265V			

DECORATIVE CEILING FAN



Alternative Speed Options
3 Fan Blades / Indoor Use

NEW

Item Code	W engine power	W light power	description
KCF322	40W	24W	52" Decorative LED Fan
CCT 3000K 4000K 6500K 3 COLOR FUNCTION WITH REMOTE CONTROL 1 165-265V			

DECORATIVE CEILING FAN



Alternative Speed Options
3 Fan Blades / Indoor Use

NEW

Item Code	W engine power	W light power	description
KCF323	40W	24W	52" Decorative LED Fan
CCT 3000K 4000K 6500K 3 COLOR FUNCTION WITH REMOTE CONTROL 1 165-265V			

DECORATIVE CEILING FAN



Silver Color Nickel Plating / Alternative Speed Options
4 Fan Blades / Indoor Use

Item Code	W watt	description
KCF283	60W	42" Ceiling Fan
	1	E27 220-240V

DECORATIVE CEILING FAN



Black Color Nickel Plating/ Alternative Speed Options
5 Fan Blades / Indoor Use

Item Code	W watt	description
KCF284	60W	42" Ceiling Fan
	1	3xE27 220-240V

DECORATIVE CEILING FAN



Wooden Nickel Plating / Alternative Speed Options
6 Fan Blades / Indoor Use

Item Code	W watt	description
KCF285	60W	48" Ceiling Fan
	1	G9 220-240V

DECORATIVE CEILING FAN



Wooden Nickel Plating / Alternative Speed Options
6 Fan Blades / Indoor Use

Item Code	W watt	description
KCF286	60W	48" Ceiling Fan
	1	220-240V

DECORATIVE CEILING FAN



Silver Color Nickel Plating / Alternative Speed Options
3 Fan Blades / Indoor Use

Item Code	W watt	description
KCF287	60W	48" Ceiling Fan
	1	2xE27 220-240V

DECORATIVE CEILING FAN



Silver Color Nickel Plating / Alternative Speed Options
5 Fan Blades / Indoor Use

Item Code	W watt	description
KCF288	60W	52" Ceiling Fan
	1	2xE27 220-240V

WOODEN DECORATIVE CEILING FAN



Wooden Design / Alternative Speed Options
5 Fan Blades / Indoor Use

CCT

Item Code	W watt	description
KCF280	30W	30" Wooden Ceiling Fan

3000K
4000K
6500K

3 COLOR
FUNCTION



1



220-240V

DECORATIVE CEILING FAN



Wooden Design / Alternative Speed Options
5 Fan Blades / Indoor Use

CCT

Item Code	W watt	description
KCF279	30W	30" Black Wooden Ceiling Fan

3000K
4000K
6500K

3 COLOR
FUNCTION



1



220-240V

DECORATIVE CEILING FAN



Wooden Design / Alternative Speed Options
5 Fan Blades / Indoor Use

CCT

Item Code	W watt	description
KCF281	30W	30" White Wooden Ceiling Fan

3000K
4000K
6500K

3 COLOR
FUNCTION



1



220-240V

SILVER CEILING FAN



Silver / Alternative Speed Options
5 Fan Blades / Indoor Use

CCT

Item Code	W watt	description
KCF282	30W	30" Silver Wooden Ceiling Fan

3000K
4000K
6500K

3 COLOR
FUNCTION



1



220-240V

WHITE NICKEL CEILING FAN




White Nickel / Alternative Speed Options
5 Fan Blades / Indoor Use

CCT

Item Code	W watt	description
KCF278	60W	30" Silver Nickel Ceiling Fan

3000K
4000K
6500K

3 COLOR
FUNCTION



1



220-240V

IRON CEILING FAN




Protected Metal Grill / Strong Metal Blades
5 Different Speed Mode / Speed Control Switch

CCT


Item Code	W watt	description
KCF272	80W	56" (142cm) Ceiling Fan

3000K
4000K
6500K

3 COLOR
FUNCTION



3



220-240V

INDUSTRIAL TYPE STANDING AND WALL FANS



Item Code	W watt	description
KCF291	160W	26" Standing
KCF291D	160W	26" Wall
WITH REMOTE CONTROL KCF291KD	160W	26" Wall With Remote Control
KCF292	180W	30" Standing
KCF292D	180W	30" Wall
WITH REMOTE CONTROL KCF292KD	180W	30" Wall With Remote Control

Adjustable Height / Against Overheating / 3 Different Speed Settings
Low-Medium-High / Protected Engine



1



220-240V

STANDING AND WALL FANS



Item Code	W watt	description
KCF276	130W	18" Industrial Type
WITH REMOTE CONTROL KCF276K	130W	18" Industrial Type

Protected Metal Grille / Aluminium Fan Blade / 3 Different Speed Settings
Low-Medium-High / Adjustable Height



4



220-240V

STANDING FAN



Item Code	W watt	description
KCF272L	60W	16" (40 cm) Standing Fan

Protected Metal Grille / PVC Fan Blade / 3 Different Speed Settings
Low-Medium-High / 60 Minute Time Limiter / Standing Type



1



220-240V

TURBO FAN



Item Code	W watt	description
NEW KCF273	45W	10" Standing Fan

Protected Metal Grille / Metal Fan Blade / 4 Different Speed Settings
60 Minute Time Limiter / Standing Type




1



220-240V

REMOTE-CONTROLLED WALL-MOUNTED FAN



Protective Metal Grille / PVC Fan Blades / 3 Speed Settings
5-Blade Design / Low-Medium-High / Timer Function

Item Code

KCF299D

W
watt

60W

description

16" Timer Function



1



220-240V

RECHARGEABLE HANDHELD FAN



Black



White

Item Code

KCF750

description

5-Speed Adjustable



Strong Wind Effect



Speed settings up to 100



Smart Digital Display



Long Battery Life



10

RECHARGEABLE HANDHELD FAN



White



Purple



Pink



Green

Item Code

KCF700

description

USB Rechargeable



40 MINUTES
OPERATING TIME




RECHARGEABLE



10

DESKTOP FAN



Item Code

KCF295

W
watt

40W

description

12" 1-Hour Timer



1



220-240V

Protective Metal Grille / PVC Fan Blades / 3 Speed Settings
Low-Medium-High / 60-Minute Timer

CEILING FANS



BOX FAN



Item Code	W watt	description
KCF271	40W	12" Portable Box Fan

3 Speed Settings
5 Plastic Fan Blade / Indoor Use
1 Hour Timer / Modern Design
Louver System that Distributes Air Homogeneously



MOBILE WATER AIR CONDITIONERS



Item Code	W watt	description
KCF308	120W	Mobile Water Air Cooler

Cooling / Humidification Function / Digital Screen
Cooling Pad / 7 Hours Timer
4 Wheels for Easy Carrying / 3 Fan Speed; High-Medium-Low
3 Types of Wind / Effective Energy Efficiency
Water Level Indicator / Water Tank Capacity: 35L
Remote Control / Cooling Power: 120W

AREAS OF USING

It provides the most effective performance in areas such as Home - Office - School - Boat / Yacht, it is a portable and mobile product due to its wheeled structure. The most effective cooling area is 25 - 35 m².



BATHROOM FANS



Item Code	W watt	box qty
KSP100	15W	20
KSP120	20W	20
KSP150	25W	10

% 100 Copper Engine Decorative Plastic Fan



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tescimi / Description of the Mark
TSE  

BELGE NUMARASI REFERENCE NUMBER OF LICENCE	055032-TSE-82103
BELGENİN İLK VERİŞ TARİHİ DATE OF FIRST ISSUE OF LICENCE	08.10.2019
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	30.11.2026
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENCE HOLDER	KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT SANAYİ VE DİŞ TİCARET ANONİM ŞİRKETİ
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENCE HOLDER	EMEKYEMEZ MAH. ŞİŞANE SK. DEKON AYDINLATMA ÜRÜNLER NO:29 İZ BEYOĞLU İSTANBUL/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT SANAYİ VE DİŞ TİCARET ANONİM ŞİRKETİ
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	SELİMPAŞA MAHALLESİ 5008 SOKAK NO: 6/A. SİLİVRİ İSTANBUL / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (if any)	055032-TSE-82102
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	k2 led systems
İLGİLİ TÜRK STANDARDI RELATED TURKISH STANDARD	TS EN IEC 60598-2-1 / 30.09.2021 – TS EN IEC 60598-1 / 12.04.2021 – TS EN IEC 60598-1(A11) / 28.04.2022
BELGE KAPSAMI SCOPE OF LICENCE	KYT 2200 model, 230 V, 50/60 Hz., I Sınıf, IP 66, 200 W LED Yüksek Tavan Armatürü KYT 2150 model, 230 V, 50/60 Hz., I Sınıf, IP 66, 150 W LED Yüksek Tavan Armatürü KYT 2100 model, 230 V, 50/60 Hz., I Sınıf, IP 66, 100 W LED Yüksek Tavan Armatürü KYT 2000 model, 230 V, 50/60 Hz., I Sınıf, IP 66, 60 W LED Yüksek Tavan Armatürü KDL 5140 model, 230 V, 50/60 Hz., I Sınıf, IP 20, 40 W LED Sıra Üstü Panel Armatürü KWP 2154 model, 230 V, 50/60 Hz., I Sınıf, IP 65, 54 W LED Elanç Armatürü KWP 2136 model, 230 V, 50/60 Hz., I Sınıf, IP 65, 36 W LED Elanç Armatürü KWP 2118 model, 230 V, 50/60 Hz., I Sınıf, IP 65, 18 W LED Elanç Armatürü

e-imza ile signed
02.01.2026

Belgelendirme Merkez Başkanı Adına
YUNUS MERCAN
İSTANBUL BELGELENDİRME MÜDÜRLÜĞÜ V.

*Bu belge, belgelendirilen ürünün, ürünün parçaları ve malzemesinin belgelendirme partneri tarafından değiştirilmeden kullanılması için geçerlidir.
*This badge, for its validity, requires that the licensee must not change the product or its parts, materials and components without the approval of the certification body.
*TSE İSTANBUL BELGELENDİRME MÜDÜRLÜĞÜ Adres: Cumhuriyet Sanayi Sitesi, Fıstık Çarşısı, Kat: 2, 34070 Üsküdar / İstanbul, 0532 333 0777 Faks: 260704406
*TSE BELGELENDİRME MERKEZİ BAŞKANLIĞI Adres: Hacıhalil Cad. No:110 34750 Beşiktaş/İSTANBUL / Telefon: 0 212 4 96 50 51 / 4 96 50 52 / Faks: 0 212 4 96 50 17 E-posta: iletisim@tse.org.tr web: www.tse.org.tr

<https://www.kendalelektrik.com.tr/Belge/BelgeSorma.aspx?Tarih=02/01/2026&BelgeNumarası=055032-TSE-82103> adresinden belgenin doğruluğunu ve geçerliliğini kontrol edebilirsiniz.

TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tescimi / Description of the Mark
TSE  

BELGE NUMARASI REFERENCE NUMBER OF LICENCE	055032-TSE-85101
BELGENİN İLK VERİŞ TARİHİ DATE OF FIRST ISSUE OF LICENCE	26.07.2025
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	08.01.2027
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENCE HOLDER	KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT SANAYİ VE DİŞ TİCARET ANONİM ŞİRKETİ
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENCE HOLDER	EMEKYEMEZ MAH. ŞİŞANE SK. DEKON AYDINLATMA ÜRÜNLER NO:29 İZ BEYOĞLU İSTANBUL/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT SANAYİ VE DİŞ TİCARET ANONİM ŞİRKETİ
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	SELİMPAŞA MAHALLESİ 5008 SOKAK NO: 6/A. SİLİVRİ İSTANBUL / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (if any)	
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	k2 led systems
İLGİLİ TÜRK STANDARDI RELATED TURKISH STANDARD	TS EN 60598-2-2 / 11.08.2014 – TS EN IEC 60598-1(A11) / 28.04.2022 – TS EN IEC 60598-1 / 12.04.2021
BELGE KAPSAMI SCOPE OF LICENCE	- KDL4140 60000 model, 230 V, 50/60 Hz., I Sınıf, IP40, (40W) Watt Gömme Aydınlatma Armatürü - KDL4140 30000 model, 230 V, 50/60 Hz., I Sınıf, IP40, (40W) Watt Gömme Aydınlatma Armatürü - KDL4140 30000 model, 230 V, 50/60 Hz., I Sınıf, IP40, (40W) Watt Gömme Aydınlatma Armatürü

e-imza ile signed
09.01.2026

Belgelendirme Merkez Başkanı Adına
SEFER BURAK KAÇAR
İSTANBUL BELGELENDİRME MÜDÜRLÜĞÜ V.

*Bu belge, belgelendirilen ürünün, ürünün parçaları ve malzemesinin belgelendirme partneri tarafından değiştirilmeden kullanılması için geçerlidir.
*This badge, for its validity, requires that the licensee must not change the product or its parts, materials and components without the approval of the certification body.
*TSE İSTANBUL BELGELENDİRME MÜDÜRLÜĞÜ Adres: Cumhuriyet Sanayi Sitesi, Fıstık Çarşısı, Kat: 2, 34070 Üsküdar / İstanbul, 0532 333 0777 Faks: 260704406
*TSE BELGELENDİRME MERKEZİ BAŞKANLIĞI Adres: Hacıhalil Cad. No:110 34750 Beşiktaş/İSTANBUL / Telefon: 0 212 4 96 50 51 / 4 96 50 52 / Faks: 0 212 4 96 50 17 E-posta: iletisim@tse.org.tr web: www.tse.org.tr

<https://www.kendalelektrik.com.tr/Belge/BelgeSorma.aspx?Tarih=09/01/2026&BelgeNumarası=055032-TSE-85101> adresinden belgenin doğruluğunu ve geçerliliğini kontrol edebilirsiniz.



12 Ocak 2021

004927

**İSTANBUL
SANAYİ ODASI**

YERLİ MALİ BELGESİ

Belgesinin Veriliş Tarihi : 11.06.2020 Belgesinin Geçerlilik Tarihi : 11.06.2021 Belge No : 2020/0636/754
Çıktısı Dışında: KENDAL ELEKTRİK AYDINLATMA ELEKTRONİK İNŞAAT SANAYİ VE DİĞER TİCARET
ANONİM ŞİRKETİ SİLİVRİ ŞİHİSİ

İşyeri Adresi: Selimpaşa Mahallesi 5008 Sokak No:6/A SİLİVRİ/İSTANBUL

Ünvanının Vergi Kimlik No: 5440659379 TC Kimlik No: MERSIS No : 0544065937900001

Telefon: 212-2517790 E-postası: malhasabe@kndalteknik.com.tr

Faks: 212-2431886 Web Adresi:

Ticaret Sicil No: 94325-5 Öye Sicil No: 45082

Ürün Adı: Led ampul

Ürün Kodu :980DCOM/GTIP/ 26.11.22.20.00

Teknik Özellikleri(Markası Adı, Modeli, Seri Numarası, Cinsi): Markası Adı: K2 LED SYSTEM Modeli: T155

Kapasite Raporunun Tarih :27.03.2020 No : 11437 Geçerlilik Süresi :26.03.2022

Sanayi Sicil Belgesinin Tarih : 14.09.2017 No : 703785


Yerli Katkı Oranı : % 89,35

Ürünün Teknolojik Düzeyi (İlişik orta-çığık-orta-yüksek/yüksek(Ekonomi) : yüksek

Diğer bilgi ve belgeler :

İşbu belge Bilim, Sanayi ve Teknoloji Bakanlığı'nın 11/09/2014 tarih ve 20118 sayılı Resmî Gazetede yayımlanan "Yerli Mali Tebliği (SGM 2014/35)" ne istinaden ve TOBB tarafından hazırlanan "Yerli Mali Belgesinin Düzenlenmesi Uygulanması Esasları" göre 11.06.2020 tarihinde düzenlenmiştir. Belgesinin geçerlilik süresi veriliş tarihinden itibaren bir yıl geçerlidir.

Düzenleyen Oda/Borsa
İSTANBUL SANAYİ ODASI





**KENDAL ELEKTRİK
SALES SUPPORT LINE**



**KENDAL ELEKTRİK
TECHNICAL SERVICE LINE**

EXPORT SALES CONTACTS

Export Manager

Mr. Çağrı GÜRSES

+90 533 387 40 96

export@kendalelektrik.com.tr

Export Specialist

Mrs. Karça ÖZTÜRK

+90 536 350 32 63

export1@kendalelektrik.com.tr

FACTORY

Selimpaşa Org.San. Böl. 5008 sokak No:6 Selimpaşa Silivri - İSTANBUL / TÜRKİYE

Tel: +90 212 482 75 91 // Fax: +90 212 243 18 96



SALES SUPPORT





SELİMPAŞA ORG. SAN. BÖL. 5008 SOKAK NO:6
SELİMPAŞA SİLİVRİ/İSTANBUL

☎ 0850 259 41 41

✉ info@kendalelektrik.com.tr